AUTHOR INDEX

Abad, J. Antonio, 2241
Abel, Edward W., 701, 711, 885, 985, 2315
Abid, Khalid Y., 1697
Adams, Harry, 1831, 2415
Adatia, Trushar, 5, 1455, 1555
Adlington, Neil K., 457
Agarwala, U. C., 1139
Agh-Atabay, Naz M., 1027
Ahmed, Etmina, 645
Ahsan, Mohammad Q., 93
Aihara, Yukiko, 631
Aime, Silvio, 1277
Ainscough, Eric W., 39, 2167
Akagi, Hisako, 179
Akita, Munetaka, 1083, 1627
Akitt, J. W., 1889, 1897
Akui, Toshifumi, 943
Al-Juaid, Salih S., 447
Al-Salim, Najih I., 1697
Al Obaidi, Najat, 127
Albano, Vincenzo G., 879, 2343
Albers, Michael O., 2303
Albertin, Gabriele, 2353
Alcock, Nathaniel W., 139, 471, 1589, 2069
Alibrandi, Giuseppe, 375
Allen, Christopher W., 2423
Allen, Frank H., S1
Allen, Stephen R., 885
Almaraz, Alejandra E., 1973
Almeida, Sílvia S. P. R., 2381
Amadelli, Rossano, 1197
Amigó, Josep M., 1681
Anderson, David G., 779, 859
Anderson, Oren P., 185
Andersson, Ingegärd, 1915
Annan, Theodore A., 439
Annibale, Giuliano, 1265
Antoniutti, Stefano, 2353
Apreda, María-Carmen, 1133, 1249, 1987
Ara, Irene, 1011
Arena, Guiseppe, 773
Arif, Muhammad, 1273
Armstrong, Elaine M., 295
Armstrong, Robert S., 1771
Arnaud-Neu, Françoise, 367
Arnold, John, 2149
Arriortua, María, 53
Arsenault, Gilles J., 761
Aspinall, Helen C., 623
Atkinson, Alan, 2371
Atria, Ana María, 1435
Attwood, Martin D., 385, 391
Bailey, Neil A., 1727, 1831, 2415
Bakar, W. A. Wan Abu, 991
Baker, Edward N., 39, 2167
Baker, Mohamad Abu, 1417
Baker, Paul K., 295, 1321, 1903
Bal, Wojciech, 2247
Balázspiri, Lajos, 1925
Balcazar, José Luis, 79
Baldus, Hans Peter, 977
Banbery, Hilary J., 1405
Bandoli, Giuliano, 757
Bandy, Judith A., 331
Banerjee, Rupendranath, 1645
Banister, Arthur J., 1705, 2229
Bannister, Robin M., 1609
Barbe, Jean-Michel, 1531
Barbieri, Renato, 519
Barker, Geoffrey K., 1321
Barker, James, 837
Barnfield, Elizabeth A., 545
Barron, Andrew R., 1625
Barthomeuf, Denise, 1361
Bartocci, Carlo, 1197
Basak, Arup K., 197
Bates, Paul A., 581, 985, 1227, 1273, 2315
Battaglia, Luigi P., 671, 1345
Bayón, J. Carles, 1579
Beagley, Brian, 907
Bear, John L., 93
Beattie, James K., 1771
Begley, Michael G., 2443
Begum, Noor Shahina, 1507
Belal, Arafa A., 931
Belforte, Antonio, 1007
Belletti, Daniele, 1093
Bellitto, Carlo, 719
Beltrán-Porter, Aurelio, 53
Beltrán-Porter, Daniel, 53, 237
Beltrán, Daniel, 863
Bencheikh, Abderrahim, 2193
Bentley, Gary W., 1831
Bergamini, Paola, 2017, 2367
Beringhelli, Tiziana, 1143
Bernhardt, Paul V., 1059
Berno, Pietro, 551
Bertolasi, Valerio, 1265
Best, Stephen P., 581, 1771
Beydoun, Nohma, 1715
Bhatia, Paramjit K., 749
Bhattacharjee, Gobinda P., 1963, 2461
Bhattacharya, Pabitra K., 567
Bhattacharyya, Ramgopal, 1963, 2461
Bhusate, Ravindra, 5
Bibby, David M., 895
Bingham, Alistair G., 39, 2167
Blachnik, Roger, 977
Blake, Alexander J., 223, 965, 1675
Blaxill, C. Philip, 2039
Boeyens, Jan C. A., 2407
Bombi, G. Giorgio, 1513
Bonamico, Mario, 719
Bonner, Francis T., 527
Bordignon, Emilio, 2353
Botta, Mauro, 1277
Bottrill, Martin, 511
Bowmaker, Graham A., 1639
Boyar, Esther, 5
Boyer, Jacqueline, 43
Bradley, Donald C., 623, 1537
Braga, Dario, 155, 879, 959, 1455, 1721, 2343
Braithwaite, Gerard P., 1771
Brammer, Lee, S1
Branca, Mario, 1283, 1289
Brauns, Thomas, 2049
Braunstein, Pierre, 379, 1477
Bray, Joanne M., 589
Brelière, Claire, 43
Brianese, Nicola, 677
Briend, Marguerite, 1361
Brint, Paul, 2253
Brisdon, Alan K., 313
Brodie, Andrew M., 39, 2167
Brodie, Nancy M. J., 1933
Brown, Paul L., 397
Brown, Scott S. D., 1227, 2039
Byrne, Lindsay T., 105
Cabeza, Javier A., 1093
Cabral, Joao, 1351
Cabral, M. Fernanda, 1351
Calderazzo, Fausto, 1007
Cameron, James H., 1599
Cameron, T. Stanley, 701
Campbell, Nicholas J., 1203
Camus, Annamaria, 753
Cano, Félix H., 1133, 1249, 1987
Carassiti, Vittorio, 1197
Carini, Clara, 289
Carlton, Laurence, 2407
Carmona, Daniel, 1427, 1987
Carmona, Ernesto, 2003
Carofiglio, Tommaso, 1957
Carré, Francis, 43
Carriedo, Carmen, 745, 2049
Carriedo, Gabino A., 639
Carvalho, M. Fernanda N. N., 1209
Carvill, Andrew, 2435
Casabó, Jaume, 1381, 1401, 1739
Casas, José M., 169
Casas, José S., 1409, 1787
Casassas, Enric, 569
Casella, Luigi, 1161, 1979
Casellato, Umberto, 677, 757, 1993
Castagno, Fabrizio, 1477
Castaño, María V., 1409
Castan, Paule, 403
Castellano, Eduardo E., 1409
Castiglioni, Mario, 1477
Castro, Isabel, 729
Cattalini, Lucio, 1265
Cecconi, Franco, 211
Cederbaum, Lorenz S., 33
Cesarotti, Edoardo, 161
Chabanel, Martial, 2193
Chadha, Raj K., 439
Chamberlain, Barbara, 465
Chandley, Peter, 581
Chatterjee, Chinmay, 645
Chau, Lai K., 93
Chavan, Madhav, 93
Che, Chi-Ming, 2011, 2065
Cheetham, Anthony K., 1765
Chen, Jiabi, 635
Chiesi-Villa, Angiola, 145, 551, 953, 1793, 1957
Chijimatsu, Tamiko, 2359
Choy, Jin-Ho, 2335
Chu, C. K., 1951
Ciani, Gianfranco, 1143
Cini, Renzo, 575
Ciriano, Miguel A., 25, 689
Claire, Preet P. K., 57
Clark, David L., 1037
Clark, Robin J. H., 581, 1689
Claver, Carmen, 1579
Clayden, Nigel J., 843
Clearfield, Abraham, 1617
Clegg, William, 203, 1127, 1705, 1887, 2229
Clemenson, Peter I., 61, 67, 1101
Cockayne, John S., 2049
Coddington, Jan M., 2223
Colacio, Enrique, 2323
Colborn, Robert E., 1799
Colbran, Stephen B., 2023, 2033
Cole-Hamilton, David J., 489
Collison, David, 1, 127, 413
Compton, Neville A., 1887
Connelly, Neil G., 283, 683, 689, 745, 1751, 2049
Contreras, Leopoldo, 2003
Cooksey, Christopher J., 645
Cooper, Mervyn K., 1067
Corain, Benedetto, 1513
Coronado, Eugenio, 237, 863
Corradi, Anna Bonamartini, 671, 1345
Corriu, Robert J. P., 43
Costes, Jean-Pierre, 1017
Coston, Timothy P. J., 701, 711
Coville, Neil J., 2407
Crennell, Susan J., 1363
Crespo, Margarita, 1089
Crook, Joseph R., 465
Crossley, Neil S., 2139
Cruz-Garritz, Diana, 419
Cunningham, Desmond, 267
Cusumano, Matteo, 375
D'Alfonso, Giuseppe, 1143
D'Errico, John J., 1879
Dahan, Françoise, 1017
Daniele, Pier G., 1745
Das, Amitava, 1645
Dasgupta, Subrata, 1645
Datta, Dipankar, 115
Davidson, Jack L., 497, 991, 1027
Davies, David L., 1799
Davies, Simon J., 785, 1855, 1865, 2269, 2289
Davis, Martin J., 223
De Robertis, Alessandro, 1745
De Stefano, Concetta, 1745
de V. Steyn, Margot M., 2303
Deb, Alok Kumar, 1635
Debaerdemaeker, Tony, 1681
Decock-Le Reverend, Brigitte, 1471
Deeming, Antony J., 5, 2211
Del Zotto, Alessandro, 607, 1045
Delafosse, Denise, 1361
Delfs, Christopher D., 1779
Delgado, Rita, 133
Demartin, Francesco, 1109
Dengel, Andrew C., 1203
Dens, Annick J. J., 539
Dent, Andrew J., 1227
Dessi', Alessandro, 1283, 1289
Devore, David D., 303, 797, 1363
Dhillon, Shivcharan Singh, 1341
Dhubhghaill, Orla Ni, 1657
di Bugno, Cristina, 155
Dillen, Jan L. M., 2199
Dixon, Kim W., 937
Dobson, Christopher M., 843
Dolcetti, Giuliano, 607
Donald, Caroline E., 527
Dossett, Stephen J., 1871
Douglas, Graeme, 497
Downs, Anthony J., 545
Drake, Simon R., 243, 505, 1455
Drew, Michael G. B., 57, 1903

Driessen, Willem L., 2309
du Preez, Jan G. H., 253
Duckworth, Paul A., 1067
Duer, Melinda J., 2109
Dukat, Wolfgang, 739
Dupont, Jaïrton, 1715
Dyke, Andrew F., 1799
Dyson, David B., 907
Eaborn, Colin, 447
Ebsworth, E. A. V., 223
Edelmann, Frank T., 1815
Edwards, Anthony J., 127, 1393
Edwards, Catherine J., 1203
Edwards, Peter G., 1253
El-Hendawy, Ahmed M., 901
El-Kheli, Mohamed N. A., 447
Elders, Julie M., 1889, 1897
Ellis, S. Richard, 413
Elsevier, Cornelis J., 317
Emmerich, Christiane, 797
Emsley, John, 1273
Engelhardt, Lutz M., 105, 595
Englert, Ullrich, 1787
Ercolani, Claudio, 193
Erdbrügger, Cristina Freire, 73
Ernsting, Jan Meine, 317
Errington, R. John, 1887
Escriche, Lluis, 1381, 1739
Escrivá, Emilio, 863
Espinet, Pablo, 1583
Esteban, Pedro, 1579
Etches, Sheena J., 2281
Etienne, Michael, 2187
Ettorre, Renato, 927
Evans, David G., 985, 2315
Fabbrizzi, Luigi, 229
Fadnis, Anand G., 1237
Fanizzi, Francesco P., 947, 1689
Fares, Vincenzo, 719
Faridoon, 383, 1657
Farina, América, 849
Farkas, Etelka, 1053, 2247
Farrar, David H., 557
Farrugia, Louis J., 931, 1375
Farwaha, Rajeev, 761
Faus, Juan, 729, 1681
Fava, Giovanna Gasparri, 361
Favarato, Mosé, 1513
Felix, Mark S. B., 5
Fenton, David E., 1727
Ferguson, George, 85, 383, 915, 1657, 2183
Fern, Adrian, 843
Fernández, Eduardo, 2127
Fernández, María J., 683, 689, 1249, 2073
Ferrari, Marisa Belicchi, 361
Ferrer, Montserrat, 379
Ferretti, Valeria, 1265
Ferry, Joseph, 767
Fielding, Lee, 873
Fields, Roy, 907
Figgis, Brian N., 1779
Flanagan, John, 1651
Florencio, Feliciana, 79
Floriani, Carlo, 33, 145, 551, 953, 1793, 1957
Flower, Kevin R., 1903
Foces-Foces, Concepción, 1249
Foces-Foces, Concha, 1133, 1987
Folgado, José V., 53, 237
Fontaine, Xavier L. R., 383, 1465, 1657, 1889, 1897
Forniés, Juan, 169, 1011, 1583
Forsyth, George, 1903
Fortuño, Consuelo, 1583
Fowler, Patrick W., 2253
Fox, David, 151
Fraile, M. Nieves, 73
Francois, M. Angélica, 1105
Frankland, Julie C., 2039
Franzoni, Doriano, 247
Fraser, Iain, 2183
Fraústo da Silva, João J. R., 133
Freni, Maria, 1143
Fülöp, Vilmos, 2331
Fuertes, Amparo, 237, 863
Fukui-Yasuba, Yuko, 815
Fumagalli, Alessandro, 879, 1109, 2343
Furphy, Brenda M., 595, 2217
Gallardo, Sergio, 1105
Gallazzi, Maria C., 1819
Gallop, Mark A., 481
Gamasa, M. Pilar, 1499
Gambino, Olimpia, 1277
García, José R., 829, 1825
Garciá-Blanco, Severino, 79
Gardini, Marcello, 193
Gargano, Michele, 921
Garland, Maria Teresa, 1435
Garlaschelli, Luigi, 879, 1109
Garner, C. David, 413
Gasyna, Zbigniew, 2397
Gavioli, Giovanna Battistuzzi, 1345
Geloso, Corrado, 1759
Gentil, Luis A., 1973
Gerloch, Malcolm, 2109
Ghedini, Mauro, 1075, 1217
Ghilardi, Carlo A., 211
Ghosh, Nabanita, 1963, 2461
Ghosh, Saktiprovad, 555
Gianguzza, Antonio, 773
Giannetto, Antonino, 375
Gibson, Dan, 1911
Gill, Daljit S., 1321
Gilli, Gastone, 1265
Gimeno, José, 1499
Gimeno, Mª. Concepción, 1883
Giorgi, Gianluca, 575
Girard, Anne-Marie, 101
Gisselbrecht, Jean-Paul, 367
Giudice, M. Teresa Lo, 519
Gleria, Mario, 757
Glidewell, Christopher, 2061
Gobetto, Roberto, 1277
Goedken, Virgil L., 193
Gogolashvili, Edward L., 1293
Goh, Lai Yoong, 431, 1951
González-Duarte, Pilar, 13
González, Angeles Sánchez, 927
González, Eliana, 829, 1825
Goodgame, David M. L., 1439
Gorrell, Ian B., 2229
Goswami, Sreebrata, 1635
Gotoh, Mikio, 1613, 2089
Gouteron, Jacqueline, 1117
Gradella, Cecilia, 1721
Graham, Stephen, 1599
Grassi, Antonio, 757
Grassi, Maria, 615
Grassi, Mariella, 161, 1819
Graziani, Rodolfo, 677, 1993
Greatrex, Robert, 385, 391
Greaves, Martin, 1697
Green, Jennifer C., 1037, 2139
Green, Malcolm L. H., 331, 2133
Green, Michael, 511, 1321, 1333
Greenwood, Norman N., 385, 391, 1465
Grepioni, Fabrizia, 879, 1721, 2343
Griffith, William P., 901, 1203, 1651
Griffiths, Trevor R., 325
Gross, Maurice, 367
Gútierrez-Puebla, Enrique, 2003
Guastini, Carlo, 145, 551, 953, 1793, 1957
Gudat, Dietrich, 693
Guerchais, Jacques E., 1799, 2187
Guilard, Roger, 1531
Guilhem, Jean, 1449
Gukathasan, Ravi R., 557
Gullotti, Michele, 1161, 1979
Gustems, L'o Luis, 569
Gutiérrez-Zorrilla, Juan M., 2323
Gutierrez-Jugo, Juan F., 2241
Gutowsky, Herbert S., 275
Győr, Miklós, 1925
Hämäläinen, Reijo, 2309
Haanstra, Willem G., 2309
Haga, Masa-aki, 371
Hague, David N., 1171
Hambley, Trevor W., 1059, 1067, 1951, 2205
Hamor, Thomas A., 1405, 1697
Hanabusa, Kenji, 1543
Hansford, Michael I., 1705
Hardcastle, Kenneth I., 2211
Harjula, Risto, 101
Harman, Mary E., 295
Harris, Robin K., 809
Harrison, Philip G., 2443
Harrowfield, Jack McB., 595, 2217
Hart, Ian J., 2261, 2281
Hattingh, Johannes T. Z., 1565
Hauptman, Zdenek V., 1705
Hay, Robert W., 85, 197, 2183
Hayakawa, Tadao, 1543
Hayashi, Mariko, 1947
Hayashi, Yoshihito, 1519
Healy, Peter C., 971, 1639
Hearne, John A., 2371
Helps, Ian M., 915
Henderson, Richard A., 425
Henderson, Sandra J. B., 1363
Henderson, William, 259
Henkel, Thomas, 2173
Henrick, Kim, 1067, 1455
Herbosa, Gabriel Garcia, 2049
Hernández, Sergio, 849
Hettrich, Ralph, 745
Hidai, Masanobu, 1241
Higgins, Kevin M., 701
Higgins, Paula, 2435
Higgins, Simon J., 1527
Higgins, Tim, 267
Hill, Anthony F., 1871, 2261
Hill, M. N. Stuart, 203
Hills, Adrian, 419, 1417
Himeno, Sadayuki, 1491
Hitchcock, Peter B., 447
Hong, Seung-Tae, 2335
Hope, Eric G., 313
Hori, Toshitaka, 1491
Hossain, M. Altaf, 2347
Hough, Edward, 2155
Hounslow, Andrea M., 233
House, Donald A., 853
Howard, Judith A. K., 303, 797, 1363, 1855, 1871, 2269, 2289
Howarth, Laura, 1385
Howarth, Oliver W., 1915
Hudson, Robert H. E., 2235
Hughes, David L., 419, 1413, 1417, 2389, 2453
Hughes, Martin N., 527, 533
Humanes, Madalena, 645
Hummel, Hans-Ulrich, 627
Hundal, Maninder Singh, 1341
Hunt, Paul A., 1127
Hunter, Geoffrey, 2115
Huq, Rokeya, 1933
Hursthouse, Michael B., 61, 67, 295, 581, 623, 985, 1101, 1227, 1273, 1537, 2061, 2149, 2315, 2347
Hussain, Bilquis, 623, 2149
Hyde, Timothy I., 965
Hynes, Michael J., 767
Ibáñez, Fernando, 1105
Ibrahim, Ali, 2347
Ichiba, Sumio, 631
Imperatori, Patrizia, 719
Institórisz, László, 1925
Intini, Francesco P., 947
Iqbal, Javed, 461
Irele, Patricia T., 2023, 2033
Ishida, Katsuaki, 1241
Ishiguro, Shin-ichi, 655
Ishimori, Tomitaro, 2083
Isobe, Kiyoshi, 1519
Itoh, Hiroshi, 1543
Itose, Shoichi, 2083
Jackson, Graham E., 2429
Jackson, Logan A., 2423
Jacobsen, Geraldine E., 105
Jalón, Félix A., 79
Jarauta, M. Pilar, 1987
Jeannin, Susanne, 1117
Jeannin, Yves, 1117
Jeffery, John C., 303, 1845, 2381
Jenkinson, Julian J., 453
Jimenez-Tenorio, Manuel, 2389, 2453
Jørgensen, Karl Anker, 2099, 2229
Johnson, Brian F. G., 243, 481, 505, 1421, 1455, 2023, 2033
Johnson, Neil P., 403
Johnson, Owen, 821
Jolliffe, Jennifer M., 2179
Jones, Christopher J., 127, 1393, 1405
Jones, Peter G., 73, 639, 2127, 2241
Jubb, Jayne, 1631
Judd, Robert J., 2205
Julve, Miguel, 729, 1681
Kabir, Shariff E., 5
Kadish, Karl M., 93, 1531
Kafarski, Pawel, 1053
Kahn, Olivier, 1117
Kaitner, Branko, 1657
Kaizaki, Sumio, 1947
Kalil, Mutasim I., 2443
Kamiusuki, Toshiro, 2077
Kannadaguili, Nagesha, 1003
Karaman, Rafik, 1911
Katsoulis, Dimitris E., 1483
Kawaji, Tetsuro, 943
Kaye, Perry T., 2033
Kelly, Mark J., 2429
Kelly, Paul F., 2179
Kemmitt, Raymond D. W., 259, 345
Kemp, Terence J., 1237, 2017
Kendrick, Aidan, 1311
Kennard, Olga, S1
Kennedy, John D., 383, 1465, 1657
Kepert, David L., 1639
Khalil, Mutasim I., 2443
Khan, M. Ishaque, 1139
Khandelwal, Bandana, 885
Khattar, Rajesh, 1421
Kida, Sigeo, 179, 943, 1613, 2077, 2083, 2089, 2095
Kikabhai, Thakor, 2443
Kilcullen, Neil, 2115
Kildea, John D., 1639
Kilner, Melvyn, 837

Kimura, Masaru, 357
Kinoshita, Isamu, 815
Kinoshita, Setsuko, 2457
Kirkpatrick, R. James, 275
Kirschenbaum, Louis J., 217
Kiss, Tamás, 1053, 2247
Kitaura, Eiji, 2077
Kitchen, Gillian F. M., 1227
Knight, Christopher T. G., 275
Knights, Clive F., 2371
Knox, Selby A. R., 1799, 1807
Kobayashi, Nagao, 2397
Kodera, Masahito, 943
Koe, Julian R., 985, 2315
Kohzuma, Takamitsu, 1613, 2089
Koikawa, Masayuki, 1613, 2077, 2089
Koley, Aditya P., 555
Kondoh, Atsuo, 1083, 1627
Korp, James D., 93
Korybut-Daszkiewicz, Bohdan, 85
Koyama, Toshiki, 1543
Kozlowski, Henryk, 173, 1053, 1283, 1471, 2247
Kpoton, Agapit, 43
Krijnen, Bert, 317
Kruger, Gert J., 1565
Kucharski, Edward S., 1779
Kundu, Amit K., 1889, 1897
Kunwar, Ajit C., 275
Kupryszewski, Gotfryd, 173
L'Helgouach, Hervé, 1435
Laguna, Antonio, 73, 1883, 2127
Laguna, Mariano, 73, 1883
Lahoz, Fernando J., 25, 1075, 2023, 2073
Lai, Ting-Fong, 2011
Lambert, Ronald J., 2061
Lammek, Bernard, 173
Landázuri, Cayetana, 1093
Lanfranchi, Maurizio, 1499, 1689
Lanfredi, Anna Maria Manotti, 753, 1217
Larkworthy, Leslie F., 1631
Laschi, Franco, 575
Lastra, Elena, 1499
Latorre, Julio, 729
Laurent, Jean-Pierre, 1017
Lautner, Jürgen, 639, 2127
Lavery, Aidan J., 965
Lawrence, Geoffrey A., 1059
Lay, Peter A., 2205
Lee, Seunghee, 145
Lee, Wai-On, 2011
Lehn, Jean-Marie, 1449
Lehto, Jukka, 101
Lei, Guixin, 635
Leigh, G. Jeffery, 425, 1413, 1417, 2389, 2453
Lejczak, Barbara, 1053
Leonard, Gordon A., 1631
Leoni, Piero, 155, 959
Leporati, Enrico, 383, 1299
Leung, Wing-Por, 105
Levason, William, 313, 453
Lewis, Jack, 243, 481, 505, 1421, 1455, 2023, 2033
Lickiss, Paul D., 447
Lifsey, Robert S., 93
Lightfoot, Philip, 1765
Liman, Ferid, 1471
Lin, Guangda, 635
Lincoln, Stephen F., 233
Lindsell, W. Edward, 991
Linford, Lorna, 1565
Livera, Cynara, 173
Llavona, Ricardo, 829, 1825
Lloret, Francesc, 729
Lobana, Tarlok S., 749, 2339
Lockhart, Joyce C., 203
Lombard, Anthonie, 1565
Longeri, Marcello, 1217
Loonat, Mohamed S., 2407
Lopez-Poveda, Manuel, 489
Lotz, Simon, 2199
Loyns, Andrew C., 683, 689
Mabbs, Frank E., 127
Mabrouk, Hassan E., 1759
Macías, Alejandro, 1409, 1787
MacLachlan, Dugald J., 895
Macpherson, Kirsty A., 1807
Maeda, Yonezo, 943
Mahmoud, Mouayed M., 837
Maitlis, Peter M., 2415
Maiya, G. Bhaskar, 1531
Maldotti, Andrea, 1197
Malito, John, 1933
Mallah, Talal, 1117
Manassero, Mario, 1109
Mangani, Stefano, 1979
Manjula, Vadaparti, 567
Mann, Brian E., 889, 1831
Manners, Ian, 283
Manohar, Hattikudur, 1507
Manoharan, Periakaruppan T., 555
Marais, Charles F., 1565
Markiewicz, Stan, 1933
Marolleau, Isabelle, 367
Marsich, Nazario, 753
Martínez-Ripoll, Martin, 2323
Martínez, Benjamin, 1381
Martinengo, Secondo, 2343
Martinez, Manuel, 1669
Marzilli, Patricia A., 1941
Masciocchi, Norberto, 1109
Masuda, Etsuko, 1543
Matsumoto, Keiji, 815, 1519
Matsumoto, Naohide, 179, 943, 2077, 2083, 2089, 2095
Matsumura-Inoue, Takeko, 371
Matthes, Karen E., 915
Mawby, Roger J., 465, 589
Mays, Martin J., 1555
Mazid, Muhammed, 2347
Mazumdar, Shyamalava, 1003
Mazzanti, Marinella, 953, 1793
McAlees, Alan J., 761
McArdle, Patrick, 267, 767
McAuliffe, Charles A., 907
McCann, G. Malachy, 2435
McCarthy, Simon, 581
McCleverty, Jon A., 127, 1405
McCrindle, Robert, 761
McCullough, Kevin J., 991
McDonnell, Martin B., 203
McGarvey, Bruce R., 439
McGrady, G. Sean, 545
McKee, Vickie, 19
McKenna, Peter, 345
McKillop, Kieran P., 1351
McPartlin, Mary, 5, 1067, 1455, 1555
McQuillan, Ferida, 1405
McWhinnie, William R., 1697
Mead, Kevin A., 1799
Meah, M. Nafees, 2211
Medhi, Okhil K., 1003
Meille, Stefano V., 615
Menabue, Ledi, 1345
Menanteau, Pamela del C., 2415
Mendiola, Maria Antonia, 1127
Mesa, José L., 53
Meske, Hermann, 627
Mezzetti, Antonio, 607, 1045
Micera, Giovanni, 1283, 1289
Michael, David J., 1689
Michelin, Rino A., 1149
Micheloni, Mauro, 133
Midollini, Stefano, 211
Miki, Shigeru, 2359
Miller, J. David, 457
Mingos, D. Michael P., 539
Minniti, Domenico, 375
Miravitlles, Carles, 1381, 1401
Miravitlles, Carlos, 863, 1739
Mitra, Samaresh, 1003
Modrego, Javier, 683, 1249
Molins, Elies, 1381, 1401, 1739
Molla, M. Elias, 447
Mollar, Miquel, 729
Molloy, Kieran C., 267, 289
Moneti, Simonetta, 211
Monge, Angeles, 2003
Montoneri, Enzo, 757, 1819
Moore, Laila S., 539
Moore, Peter, 873
Moret, Massimo, 1143
Moreton, Anthony D., 1171
Morgenstern-Badarau, Irène, 729
Moro-oka, Yoshihiko, 1083, 1627
Morris, Michael J., 1555
Morton, David, 489
Moss, Michael A. J., 1393
Motevalli, Majid, 2061
Moussa, Mahmoud N., 901
Muir, Kenneth W., 497, 991
Muller, Guillermo, 1669
Mura, Pasquale, 2367
Murray, Martin, 821
Musco, Alfredo, 615
Musgrove, Rupert J., 2269
Musmeci, M. Teresa, 519
Nagy, Attila, 2139
Nagy, László, 655
Nakai, Hiroshi, 815
Nakamura, Yukio, 1519
Nasir, Bashir A., 1871
Nassimbeni, Luigi R., 119
Natile, Giovanni, 947, 1689
Naumann, Dieter, 739
Navarro, Rafael, 169
Neaves, Bryan D., 127
Nelson, Jane, 1351
Nelson, S. Martin, 1351
Nelson, William W. J. H., 1455
Nestor, Karl, 1465
Neve, Francesco, 1075, 1217
Newman, Paul A., 331
Nicholson, David G., 2155
Niecke, Edgar, 693
Nieger, Martin, 693
Nishida, Suzuko, 357
Niven, Margaret L., 119
Nöth, Heinrich, 1311
Noltemeyer, Mathias, 1815
Norman, Nicholas C., 1887
O'Mahoney, Caroline A., 1179
Odiaka, Timothy I., 561
Ogden, J. Steven, 313
Ogden, Mark I., 2217
Ohtaki, Hitoshi, 655
Ohyoshi, Akira, 943
Ōkawa, Hisashi, 179, 943, 1613, 2077, 2083, 2089, 2095
Okuda, Tsutomu, 631
Olabe, Jose A., 1973
Oldfield, Eric, 275
Ooi, Shun'ichiro, 815
Organ, Gregory J., 1067
Orlandini, Annabella, 211
Oro, Luis A., 25, 683, 689, 1093, 1133, 1249, 1427, 1987, 2073
Orpen, A. Guy, 511, 745, 1227, 1321, 1333, 1751, 1799, 1807, 2049, S1
Orrell, Keith G., 701, 711
Ortiz-Avila, C. Yolanda, 1617
Osella, Domenico, 1277
Oshio, Hiroki, 943, 2077
Ossola, Franco, 677
Otero, Antonio, 79
Otte, Ronald, 1565
Ozarowski, Andrzej, 439
Ozutsumi, Kazuhiko, 655
Padel, Lilyane, 863
Pahor, Nevenka Bresciani, 607, 1045, 1941
Pakkanen, Tapani A., 2449
Panda, Rama K., 217
Paneque-Sosa, Marguerita, 489
Paoletti, Piero, 133
Papasergio, Rocco I., 105
Pappalardo, Giuseppe C., 757
Parekh, Anjali, 1067
Parish, R. V., 539, 907
Parker, David, 915
Parkin, Ivan P., 1179
Pascard, Claudine, 1449
Pasquali, Marco, 155, 959
Pasquinelli, Gianfranco, 601
Patrick, Jennifer M., 595
Patrizio, Salvatore, 719
Pauer, Frank, 2173
Pérez, Pedro L., 1427
Peacock, Robert D., 931
Peintler, Gábor, 1925
Pelizzi, Corrado, 247, 289, 361, 671
Pelizzi, Giancarlo, 247, 289
Pellerito, Lorenzo, 773
Pelosi, Giorgio, 671
Peltre, Marie-Jeanne, 1361
Peña, Octavio, 1435
Pennesi, Giovanna, 193
Pennington, Mark, 471
Perez-Torrente, Jesus J., 25
Pergola, Roberto Della, 879, 1109
Perotti, Angelo, 197
Perry, Richard J., 453
Pettersson, Lage, 1915
Pettit, Leslie D., 173, 1471
Pfeffer, Michel, 1715
Phillips, Nicolas J., 325
Pickett, Christopher J., 425
Pickup, Barry T., 889
Pilotti, Massimino U., 303, 1855, 2289
Pinciroli, Fiorella, 1161
Pinillos, M. Teresa, 1133, 1987
Pintar, Alessandro, 1161, 1979
Plasencia, Maria M., 1409
Platt, Andrew W. G., 139, 1193, 2069
Plenio, Herbert, 1815
Poë, Anthony J., 1933, 2235
Poirier, Monique, 43
Pombeiro, Armando J. L., 1209, 2381
Pons, Josefina, 1401
Pontellini, Roberto, 615
Poojary, M. Damodara, 1507
Pope, Michael T., 1483
Porchia, Marina, 677
Povey, David C., 1631, 2339
Powell, Harold R., 5, 1537
Powell, Richard D., 1651
Prasad, Lakanaju Sreeramachandra, 555
Prati, Laura, 161
Predieri, Giovanni, 247

Preston, Peter N., 497
Pringle, Paul G., 139, 1193, 2017, 2069
Pritchard, Robin G., 907
Proserpio, Davide M., 229
Prouse, Lesley J. S., 259, 345
Puchalska, Danuta, 2193
Puddephatt, Richard J., 2121
Pujari, Mahesh P., 85, 197
Purohit, Sanchita, 555
Purrello, Roberto, 773
Pursiainen, Jouni, 2449
Pyburn, Simon, 173, 1471
Quill, Kieran, 267
Radomska, Barbara, 173
Raithby, Paul R., 1421, 1555, 2023, 2033
Ramdas, Vijayalakshmi, 2339
Randaccio, Lucio, 1941
Randle, Neil P., 2211
Rankin, David W. H., 223, 545, 779, 859
Raston, Colin L., 105
Raubenheimer, Helgard G., 1565
Ravasio, Nicoletta, 921
Real, Julio, 1579
Redfern, Catherine M., 1037
Reedjik, Jan, 2309
Reid, Gillian, 1675
Rendle, Melvyn C., 1807
Reynolds, Philip A., 1779
Richards, Raymond L., 419, 2381
Riera, Victor, 639
Rigo, Pierluigi, 607, 1045
Rius, Jordi, 1381
Rizzarelli, Enrico, 773
Robb, John, 931
Robertson, Heather E., 859
Rockenbauer, Antal, 1925
Rodriquez-Argüelles, María C., 1787
Rodríguez, Julio, 829, 1825
Rodríguez, M. L., 639
Rodríguez, Isabel, 1381
Rodriguez, Maria J., 2073
Roe, S. Mark, 1589
Roesky, Herbert W., 1815, 2173
Rojo, Teófilo, 53, 237
Román, Enrique, 849
Román, Pascual, 2323
Romerosa, Antonio, 2323
Ros, Renzo, 1149
Rosé, Jacky, 1477
Rosi, Marzio, 33
Rossell, Oriol, 379
Rosset, Jean-Marie, 953
Rossetto, Gilberto, 677
Rossi, Gentilina, 193
Rossi, Michele, 921
Roué, Jean, 1799
Roy, Sujit, 2121
Royo, Gérard, 43
Royo, Pascual, 79
Ruhl, Barbara L., 85
Ruisi, Giuseppe, 519
Ruiz-Romero, M. Elena, 2127
Ruiz, Aurora, 1579
Ruiz, Jose, 2323
Ruiz, Miguel A., 1845
Russell, David R., 259, 345
Ryan, Helen, 2435
Rzepa, Henry S., 1609
Sánchez, Agustin, 1787
Sánchez, Luis J., 2003
Sabat, Michal, 575
Sabatini, Antonio, 575
Sabatino, Piera, 155, 959
Sakamoto, Masatomi, 2083
Sakurai, Tosio, 2359
Saladini, Monica, 1345
Sales, Joaquim, 1089
Sales, Keith D., 623
Salsini, Liana, 155
Salter, Ian D., 1227, 2039
Sammartano, Silvio, 1745
Sampson, Clifford N., 2235
Sandhu, Maninderjeet K., 2339
Sandhu, Sarjit Singh, 1341
Sangchakr, Benchang, 2253
Sansoni, Mirella, 1109
Santos, José G., 1105
Sanz, Marta, 1739
Sappa, Enrico, 601, 1477
Satô, Gen P., 371
Satoh, Keiichi, 1259
Saunders, David R., 511
Sawada, Koyoshi, 1259
Scapaccio, Giancarlo, 211
Schauer, Cynthia K., 185
Schaverien, Colin J., 1333
Schiøtt, Birgit, 2099
Schröder, Martin, 965, 1675
Schwing-Weill, Marie-José, 367
Scott, Ian D., 1375
Scott, John D., 2121
Seco, Miquel, 379
Segre, Annalaura, 2367
Sekhar, Vasu C., 1933
Sgamellotti, Antonio, 33
Sharma, G. Tomba, 115
Sharp, David W. A., 461
Sharp, Kenneth G., 1879
Shaw, Bernard L., 1527
Sheldrick, George M., 2173
Sherman, Darren J., 539
Sherwood, Paul, 1845, 1871
Shiels, Anthony, 2435
Shikholeslami, Afshine, 1361
Shimizu, Kunio, 371
Shirai, Hirofusa, 1543
Shiro, Motoo, 815
Short, Richard L., 61, 67, 1101
Shtyrlin, Valery G., 1293
Siatecki, Zdzislaw, 1053
Siddiqi, Khwaja S., 1401
Siegel, Andrew, 2235
Šik, Vladimir, 701, 711, 985, 2039, 2315
Silva, M. Fátima C. G., 2381
Silvestri, Arturo, 519
Singleton, Eric, 2303
Sinn, Ekk, 1187
Sironi, Angelo, 615, 1143, 1455
Skelton, Brian W., 105, 595, 971, 1639, 2217
Smith, Anthony K., 889
Smith, Clyde A., 2167
Smith, David O., 1375
Smith, Gallienus W., 2339
Smith, J. David, 447
Sneddon, David W., 761
Sola, Marco, 1345
Solans, Xavier, 729, 1089
Sood, Geeta, 1341
Sordo, José, 1409, 1787
Sosa, Plinio, 419
Sostero, Silvana, 2017, 2367
Spalding, Trevor R., 383, 1657
Spaniol, Thomas P., 1871
Spankie, Sally A. R., 497
Speier, Gábor, 2331
Spicer, Mark D., 453
Spodine, Evgenia, 1435
Stalke, Dietmar, 2173
Stalla, Beate, 1311
Stam, Casper H., 317
Stedman, Geoffrey, 533
Steel, Andrew T., 2443
Stella, Sergio, 1957
Stillman, Martin J., 2397
Stone, F. Gordon A., 303, 785, 797, 1363, 1845, 1855, 1865, 1871, 2261, 2269, 2281, 2289
Storch, Wolfgang, 1311
Straughan, Brian P., 1127
Stringer, Graham, 2139
Suárez, María I., 1787
Suardi, Edoardo, 1979
Suga, Masanobu, 661
Sullivan, Alice C., 2347
Sunley, Glenn J., 2415
Suzuki, Toshio, 1259
Szabó-Plánka, Terézia, 1925
Szöke, József, 2247
Taha, Fatma I., 901
Tahir, Tahir A., 457
Takahashi, Yokio, 1259
Tamada, Osamu, 1491
Tamburini, Sergio, 1993
Tanaka, Koji, 1547
Tanaka, Nobuhiko, 631
Tanaka, Toshio, 1547
Tandon, Santokh S., 19
Tang, Kaluo, 2297
Tang, Wai-Tong, 2011
Tang, Youqi, 2297
Tarantelli, Francesco, 33
Tarasconi, Pieralberto, 247, 289, 361, 671
Tattershall, Bruce W., 977
Tauler, Romà, 569
Taylor, Michael J., 2223
Taylor, Michael W., 119
Taylor, Robin, S1
Teixidor, Francesc, 1381, 1401, 1739
Tejel, Cristina, 1133
Thanyasiri, Thitinant, 1187
Thompson, Arthur R., 275
Thornton-Pett, Mark, 1465
Tiekink, Edward R. T., 233, 749
Tiripicchio-Camellini, Marisa, 25, 601, 921, 1093, 1427, 1477
Tiripicchio, Antonio, 25, 601, 753, 921, 1075, 1093, 1217, 1427, 1477, 1499, 1689
Tobe, Martin L., 645, 853, 1265
Todd, Martin, 203
Tomás, Milagros, 169, 1011, 1583
Tomita, Munetoshi, 179
Torrens, Hugo, 419
Traverso, Orazio, 2017, 2367
Trocha-Grimshaw, Jadwiga, 1351
Tsuboyama, Kaoru, 2359
Tsuboyama, Sei, 2359
Tuck, Dennis G., 439, 1759
Tucker, Andrew J., 1887
Tucker, B. Joly, 1631
Turpeinen, Urho, 2309
Twiss, Paul, 105
Uezumi, Satoshi, 1547
Umakoshi, Keisuke, 815
Underhill, Allan E., 61, 67, 1101
Usón, Rafael, 73, 169, 1011, 1583, 1883, 2127
Utuk, Imelda D., 489
Vacca, Alberto, 575
Valle, Giovanni C., 927, 1513
van Brecht, Bernardus J. A. M., 253
van der Zeijden, Adolphus A. H., 317
van Dyk, Marthie N., 2199
van Koten, Gerard, 317
Varga-Fábián, Mária, 1925
Vargas, Maria D., 1455
Vasudevan, Asha K., 2155
Vaz, Maria Cândida T. A., 133
Vettori, Umberto, 927
Vicente, Jose, 2241
Viganò, Roberto, 1161
Vigato, Pietro Alessandro, 1993
Viguri, Fernando, 25
Villarroya, B. Eva, 689
Villeneuve, Gerard, 53
Vitali, Francesca, 247
Vives, Josep, 13
Wait, Simon T., 1705
Wakita, Hisanobu, 2457
Walker, David G., 1413, 2389
Walker, Nigel P. C., 623
Wallwork, Stephen C., 837
Wang, Yongyin, 635
Waterfield, Philip C., 289
Watson, David G., S1
Welch, Alan J., 223, 1321, 1583
Weldon, Vincent J., 2253
Wells, Cecil F., 151
Went, Michael J., 1375
West, Anthony P., 1651
West, Antony A., 1697
White, Allan H., 105, 595, 971, 1639, 2217
White, Jonathan M., 745
Whiteley, Mark W., 1751
Wilkes, Philip, 809
Wilkinson, Geoffrey, 2149
Willey, Gerald R., 57
Williams, David J., 1179, 1439
Williams, Glyn, 645
Williams, Ian D., 511, 1321
Williams, Mark G., 1727
Wills, A. Richard, 1253
Wilner, Faye R., 2217
Wimbledon, Peter E., 533
Wimmer, Franz L., 403
Wimmer, Smita, 403
Winfield, John M., 461, 937
Winpenny, Richard E. P., 1439
Winter, Derek J., 1727
Winter, Mark J., 1887
Witt, Michael, 2173
Wong, Kwok-Yin, 2065
Wong, Luet-Lok, 1385, 2133
Wong, Richard C. S., 1951
Wong, Wing-Tak, 2011
Wood, Paul T., 809
Woodward, Gary, 821
Woodward, Peter, 1751
Woollins, J. Derek, 809, 859, 1179, 2179
Wright, Anthony H., 481
Xu, Quan Yun Y., 1531
Yamada, Koji, 631
Yamamoto, Yasuhiro, 2161
Yamase, Toshihiro, 661
Yamashita, Masahiro, 2457
Yamazaki, Hiroshi, 2161
Yang, Jianping, 2297
Yang, Qingchuan, 2297
Yano, Shigenobu, 1241
Yashiro, Morio, 1241
Yin, Jianguo, 635
Yoshikawa, Sadao, 1241
Young, J. Colin, 43
Zakharov, Alexey V., 1293
Zanella, Pierino, 677
Zanello, Piero, 1161, 1979
Zangrando, Ennio, 1941
Zatta, Paolo, 1513
Zerbinati, Orfeo, 1745
Zhong, Zhuang Jin, 2095
Ziessel, Raymond, 1449
Zora, Jalal A., 447

SUBJECT INDEX, 1989

ACETAMIDATE
Syntheses, electrochemistry, and spectroscopy of dirhodium(II) tetra-acetamidate and tetrakis(trifluoroacetamide) complexes with axial Group 15 substituents. The *X*-ray crystal structures of $[Rh_2(CH_3CONH)_4(AsPh_3)_2]$ and $[Rh_2(CH_3CONH)_{4-n}(CH_3CO_2)_n(MPh_3)_2]$, M = As or Sb, $n \approx 1$, 581–8

ACETATE
Syntheses, electrochemistry, and spectroscopy of dirhodium(II) tetra-acetamidate and tetrakis(trifluoroacetamide) complexes with axial Group 15 substituents. The *X*-ray crystal structures of $[Rh_2(CH_3CONH)_4(AsPh_3)_2]$ and $[Rh_2(CH_3CONH)_{4-n}(CH_3CO_2)_n(MPh_3)_2]$, M = As or Sb, $n \approx 1$, 581–8

Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 10. Proton, carbon-13, and aluminium-27 spectra of aluminium acetate at very high magnetic field, 1897–1902

Binuclear copper(II) complexes of new dinucleating ligands with a pyrazolate group as an endogenous bridge. Effects of exogenous azide and acetate bridges on magnetic properties, 2077–82

A convenient route to binuclear osmium(I) complexes containing diphosphine and arsinophosphine ligands. *X*-Ray crystal structure of $[Os_2(MeCO_2)_2(CO)_4(dppm)_2]$, 2303–8

ACETONITRILE
Synthesis and characterization of a family of nitrile-substituted triangular hydridocarbonyl rhenium clusters, $[Re_3(\mu\text{-}H)_3(CO)_{12-n}(NCMe)_n]$ (n = 1—3). *X*-Ray crystal structures of $[Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)]$ and $[Re_3(\mu\text{-}H)_3(CO)_9(NCMe)_3]$, 1143–8

ACETYLACETONATE
Oxovanadium(IV) and dioxomolybdenum(VI) complexes: synthesis from the corresponding acetylacetonato complexes and *X*-Ray structures, 145–50

Heteroleptic poly(pyrazolyl)borate derivatives of the lanthanide ions. The synthesis of acetylacetonate complexes and the molecular structures of $[Ln\{HB(C_3N_2H_3)_3\}_2\{MeC(O)CHC(O)Me\}]$ (Ln = Ce or Yb), 1393–1400

ACETYLACETONEIMINATE
N,N'-Ethylenebis(acetylacetoneiminato)titanium complexes: synthesis, crystal structures, and properties of titanium(III) and titanium(IV) derivatives, 953–8

ACID
Reactions of co-ordinated ligands. Part 44. The reactivity of the carbyne complex $[Mo(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$ towards protonic acids, diphenylphosphine, and the π-acid tetracyanoethylene; formation and crystal structures of $[MoH(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)][BF_4]$, $[Mo\{\sigma\text{-}OC(O)CF_3\}\{\eta^2\text{-}HOC(O)CF_3\}\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$, and $[Mo(\equiv CCH_2Bu^t)\{\eta^2\text{-}C_2(CN)_4\}\{P(OMe)_3\}(\eta\text{-}C_5H_5)]$, 511–8

ACTINIDE
Actinide structural studies. Part 17. The crystal and molecular structures of four uranyl(VI) complexes with *N,N*-dialkyldithiocarbamate ligands, 471–80

Tri(η-cyclopentadienyl)uranium(IV) silyl and siloxide compounds. Crystal structure of $[U(\eta^5\text{-}C_5H_5)_3(OSiPh_3)]$. Insertion of isocyanide into a uranium–silicon bond, 677–82

ACYL
Studies on olefin-co-ordinating transition-metal carbene complexes. Part 14. An unusual reaction of tricarbonyl(η^4-cyclopenta-1,3-diene)iron: a new approach to acyldicarbonyl(η-cyclopentadienyl)iron complexes, and the *X*-ray crystal structure of $[Fe(COC_6H_4CF_3\text{-}p)(\eta\text{-}C_5H_5)(CO)_2]$, 635–8

ADAMANTYL
Steric effect of the adamantyl ligand on crystal structure and dissociation rates in organocobalt B_{12} models, 1945–6

ADENOSINE
Potentiometric and electron spin resonance investigation on the interactions between adenosine 5′-triphosphate (atp) and triphosphate ligands with vanadyl ion. Synthesis and characterization of solid vanadyl-atp compounds from acidic aqueous solution, 575–80

ALCOHOL
Studies on transition-metal oxo and nitrido complexes. Part 10. New oxo–ruthenium and oxo–osmium pyridine complexes, and use of the former as catalysts for oxidation of alcohols, 901–6

Chelate-stabilised alcohol- and alkoxo-palladium(II) complexes derived from the ligands $Ph_2PCH_2CR_2OH$ (R = Me or H), 1193–6

Photo-oxidation of alcohols by hexachlorometalate(IV) ions (M = Pt, Pd, or Ir): spin trapping and matrix isolation electron spin resonances studies, 1237–40

ALKALINE EARTH
Thermodynamics of the formation of metal complexes of 1,4,10-trioxa-7,13-diazacyclopentadecane-*N,N'*-diacetic acid and of 1,4,10,13-tetraoxa-7,16-diazacyclo-octadecane-*N,N'*-diacetic acid, 133–8

ALKENE
Platinum metal complexes of potentially chelating alkene–thioether and alkene–selenoether ligands: synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{MeE(CH_2)_nCH{=}CH_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; n = 2 or 3) and the *X*-ray structure of *cis*-dibromo(2-thia-6-heptene)platinum(II), $[PtBr_2\{MeS(CH_2)_3CH{=}CH_2\}]$ 985–90

Cationic dinuclear rhodium complexes as catalyst precursors for the hydroformylation of alkenes, 1579–82

ALKENYL
Organoborazines. Part 2. Synthesis of alkenyltriborazines, 2423–8

ALKENYLIDENE
Transition metal–cyanocarbon chemistry. Part 8. Cyano-substituted buta-1,3-dienylidene bridged di-iron complexes from unprecedented cyanoalkyne insertion into the carbon–hydrogen bond of a bridging alkenylidene ligand, 2187–92

ALKOXIDE
Chelate-stabilised alcohol- and alkoxo-palladium(II) complexes derived from the ligands $Ph_2PCH_2CR_2OH$ (R = Me or H), 1193–6

ALKOXYCARBONYL
Carbonyl, hydridocarbonyl, and hydridoalkoxycarbonyl complexes of iridium with phosphorus–sulphur hybrid ligands, and the crystal and molecular structure of $[IrH(CO_2Me)(Ph_2PCH_2CH_2SEt)_2]BPh_4$, 607–14

ALKYL
Relative importance of the inductive and steric effects of alkyl groups (R) in understanding the nature of the Co^{III}–C bond in alkyl cobaloximes, and comments on related alkyl cobalamins, 115–8

A reinvestigation of the structures of organotin sulphates and chromates, including the crystal and molecular structure of bis(trimethyltin) sulphate dihydrate, 267–74

Synthesis, infrared, and tin-119 Mössbauer spectroscopic characterization of seven-co-ordinate diorganotin(IV) adducts with 2,6-diacetylpyridine acylhydrazones, including the *X*-ray crystal structure of $SnEt_2$(dapt) [H_2dapt = 2,6-diacetylpyridine bis(2-thenoylhydrazone)], 289–94

Novel five-co-ordinate diorganorhodium compounds. *X*-Ray structure of bis-*ortho*-chelated $[Rh^{III}(Me)I\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}]$, 317–24

The binding of trialkyltin(IV) moieties to rat haemoglobin, and the structure of model systems, studied by tin-119 Mössbauer spectroscopy, 519–26

Thermodynamics of hydroxy complex formation of dialkyltin(IV) ions in aqueous solution, 773–8

Reactions of cyclopalladated compounds. Part 21. Various examples of sulphur-assisted intramolecular palladation of aryl and alkyl groups, 1715–20

ALKYLATION
Formation of alkylurethanes from carbon dioxide by regioselective *O*-alkylation of alkali-metal *N,N*-diethylcarbamates in the presence of complexing agents, 1007–10

ALKYLIDENE
Organic chemistry of dinuclear metal centres. Part 12. Synthesis, *X*-ray crystal structure, and reactivity of the di-μ-alkylidene complex $[Ru_2(CO)_2(\mu\text{-}CHMe)(\mu\text{-}CMe_2)(\eta\text{-}C_5H_5)_2]$: alkylidene linking, 1799–806

ALKYLIDYNE
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 84. Carbaborane tungsten– platinum complexes having a $\mu\text{-}CC_6H_3Me_2$-2,6 ligand; crystal structures of $[WPt(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_n(PEt_3)(\mu\text{-}\sigma{:}\eta^5\text{-}C_2B_9H_8Me_2)]$ (n = 2 or 3), 303–12
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 85. Synthesis of chain and ring compounds containing molybdenum, 785–96
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 86. Alkylidyne(carbaborane)-molybdenum–gold, –rhodium and –iron complexes; crystal structure of $[NEt_4][MoFe_2(\mu\text{-}CC_6H_4Me\text{-}4)(\mu\text{-}\sigma{:}\sigma',\eta^5\text{-}C_2B_9H_7Me_2)(CO)_8]$, 797–808
Reactions of co-ordinated ligands. Part 45. Ligand displacement and oxidative reactions of the carbyne complex $[Mo(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$; crystal and molecular structures of $[Mo\{\eta^3\text{-}RN{=}C{\cdots}C(CH_2Bu^t){\cdots}C{=}NR\}(CNR)_2(\eta\text{-}C_5H_5)]$ (R = 2,6-$Me_2C_6H_3$), $[Mo(C{=}CHBu^t)I\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$, and $[Mo\{=C(CH_2Bu^t)P(O)(OMe)_2\}\{P(OMe)_3\}(\eta\text{-}C_5H_5)]$, 1321–32
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 87. Docosahedral carbaborane(alkylidyne)tungsten complexes as reagents for the synthesis of compounds with heteronuclear metal–metal bonds: crystal structures of $[NEt_4][W(\equiv CC_6H_3Me_2\text{-}2,6)(CO)_2(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$ and $[NEt_4][WFe(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_4(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$, 1363–74
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 88. Carbaboranetungsteniridium compounds; crystal structure of the complex $[WIr(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_2(PEt_3)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 1845–54
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 89. Tetra- and penta-nuclear tungsten–rhodium complexes: crystal structures of $[W_3Rh_2(\mu\text{-}CO)_2(\mu\text{-}CMe)\{\mu\text{-}C(Me)C(O)\}(\mu\text{-}PPh_2)_2(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$ and $[W_3Rh_2(\mu\text{-}CO)_3(\mu\text{-}CMe)\{\mu\text{-}C(Me)PPh_2\}(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$, 1855–64
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 90. Synthesis of the complexes $[W_2M_2(\mu\text{-}CO)(\mu\text{-}CMe)(\mu_3\text{-}CMe)(\mu\text{-}PPh_2)_2(CO)_3(\eta\text{-}C_5H_5)_2]$ (M = Rh or Ir) and related tetra- and penta-nuclear metal compounds; interconversion of ketenyl and λ^5-phospha-alkyne ligands bridging tungsten–rhodium bonds, 1865–70
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 91. Steric implications in the reactions of the complexes $[M(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W, R = C_6H_4Me-4, C_6H_4OMe-2, or $C_6H_3Me_2$-2,6) with the compounds $[Mo(CO)_3(NCMe)_3]$ and $[Cu(thf)(\eta\text{-}C_5Me_5)]$ (thf = tetrahydrofuran); crystal structure of $[Mo_3(\mu\text{-}CC_6H_3Me_2\text{-}2,6)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 1871–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 93. Synthesis of heteropolynuclear metal compounds with chains of seven to eleven metal atoms; crystal structure of $[Mo_2W_3Pt_6(\mu_3\text{-}CMe)_3(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(CO)_{10}(PMe_2Ph)_4(\eta\text{-}C_5H_5)_5]$, 2269–80
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 95. Synthesis and crystal structures of $[W_2RuPt(\mu\text{-}CC_6H_4Me\text{-}4)(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(PMe_2Ph)(\eta\text{-}C_5H_5)_2]$ and $[W_2Ru_2Pt_2(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(\mu\text{-}CO)_2(CO)_9(\eta\text{-}C_5H_5)_2]$, 2289–96

ALKYNE
Reactions of the bis(alkyne) complexes $[WI_2(CO)(NCMe)(\eta^2\text{-}RC_2R)_2]$ (R = Me or Ph) with mono- and bi-dentate phosphine-donor ligands and the *X*-ray crystal structure of $[WI_2(CO)\{Ph_2P(CH_2)PPh_2\}(\eta^2\text{-}MeC_2Me)]$, 295–302
Alkyne insertion into ruthenium–carbon bonds: formation and ring-closing reactions of vinyl complexes, 465–70
Reactions of co-ordinated ligands. Part 44. The reactivity of the carbyne complex $[Mo(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$ towards protonic acids, diphenylphosphine, and the π-acid tetracyanoethylene; formation and crystal structures of $[MoH(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)][BF_4]$, $[Mo\{\sigma\text{-}OC(O)CF_3\}\{\eta^2\text{-}HOC(O)CF_3\}\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$, and $[Mo(\equiv CCH_2Bu^t)\{\eta^2\text{-}C_2(CN)_4\}\{P(OMe)_3\}(\eta\text{-}C_5H_5)]$, 511–8
Reactions of hydride complexes of ruthenium(II) with alkynes, 589–94
Synthesis, structures, and reactions of ethenethiolato complexes of molybdenum and tungsten $[M\{\eta^3SC(CF_3){=}C(CF_3)H\}(CF_3C{\equiv}CCF_3)(\eta^3\text{-}C_5H_5)]$ (M = Mo or W). Their relevance to the mechanism of metal-promoted isomerisation of carbon–carbon double bonds, 1027–36
Heteronuclear transition metal–alkyne clusters. Part 1. Reactions of tris(alkyne)monocarbonyltungsten complexes with octacarbonyldicobalt. Synthesis, *X*-ray crystal structure, and two-dimensional nuclear magnetic resonance studies of $[WCo_2(\mu\text{-}C_2Et_2)(\mu\text{-}C_4Et_4)(CO)_8]$, 1375–80
Preparation, characterisation, and reactions with phosphite donor ligands of the new cationic monoalkyne complexes $[WI(CO)(NCMe)\{Ph_2P(CH_2)_nPPh_2\}(\eta^2\text{-}RC_2R)][BF_4]$ (n = 1—6; R = Me or Ph). *X*-Ray crystal structure of $[WI(CO)\{P(OPr^i)_3\}\{Ph_2P(CH_2)PPh_2\}(\eta^2\text{-}MeC_2Me)][BF_4]_{0.5}[OH]_{0.5}{\cdot}0.5H_2O$, 1903–10
Transition metal–cyanocarbon chemistry. Part 8. Cyano-substituted buta-1,3-dienylidene bridged di-iron complexes from unprecedented cyanoalkyne insertion into the carbon–hydrogen bond of a bridging alkenylidene ligand, 2187–92
Reactions of 1-alkynes with *trans*- $[ReCl(N_2)(Ph_2PCH_2CH_2PPh_2)_2]$: preparation of the vinylidene compounds *trans*-$[ReCl(=C{=}CHR)(Ph_2PCH_2CH_2PPh_2)_2]$ (R = alkyl or aryl) and *X*-ray structure of *trans*- $[ReCl(=C{=}CHPh)(Ph_2PCH_2CH_2PPh_2)_2]$, 2381–8

ALKYNYLALKYLIDYNE
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 94. Synthesis of di- and tri-metal compounds *via* the reagents $[M(\equiv C{-}C{\equiv}CBu^t)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W), 2281–8

ALKYNYLMETHYLIDYNE
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 92. Synthesis of alkynylmethylidyne-molybdenum and -tungsten complexes and their reactions with $[Co_2(CO)_8]$ and $[Mo_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 2261–8

ALLYL
Synthesis and stereochemical studies of η^3-allyl palladium(II) complexes containing a chiral chelating ligand, 161–8
Synthesis, characterization, and thermolytic behaviour of η^3-allyl(methyl)(tertiary phosphine)palladium(II), and *X*-ray structure of the cluster $[Pd_4(\mu\text{-}C_3H_5)_2(\mu\text{-}Cl)_2(\mu\text{-}dppm)_2]{\cdot}4C_4H_8O$ (dppm = $Ph_2PCH_2PPh_2$), 1519–26

ALUM
Vibrational spectroscopic studies of tervalent hexa-aqua cations: oriented single-crystal Raman spectra between 275 and 1 200 cm^{-1} of the caesium rhodium alums, $CsRh(SO_4)_2{\cdot}12H_2O$, $CsRh(SeO_4)_2{\cdot}12H_2O$, and $CsRh(SO_4)_2{\cdot}12D_2O$, 1771–8

ALUMINIUM
Crystal and molecular structures of diaqua(nitrilotriacetato)aluminium(III) and di-μ-hydroxobis(nitrilotriacetato)-dialuminate(III) dianion, 1513–8
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 9. Prolonged hydrolysis with aluminium metal monitored at very high magnetic field, 1889–96
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 10. Proton, carbon-13, and aluminium-27 spectra of aluminium acetate at very high magnetic field, 1897–902

ALUMINIUM-27
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 9. Prolonged hydrolysis with aluminium metal monitored at very high magnetic field, 1889–96
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 10. Proton, carbon-13, and aluminium-27 spectra of aluminium acetate at very high magnetic field, 1897–902

AMIDE
Preparation of the bis(trimethylsilyl)amido lanthanide chlorides $[\{Ln[N(SiMe_3)_2]_2(\mu\text{-}Cl)(thf)\}_2]$ (thf = tetrahydrofuran), and the crystal and molecular structures of the gadolinium and ytterbium complexes, 623–6
The chemical and electrochemical one-electron oxidation of diamidonaphthalene-bridged complexes: paramagnetic $[Rh_2]^{3+}$-containing A-frames, 683–8

AMIDE (contd)
Tri-aza analogue of an acetylacetonato-complex formed by nucleophilic attack of a co-ordinated nitrile by amidines. *X*-Ray crystal structure of $[Pt\{HNC(Ph)NC(Ph)NH\}_2]\cdot\frac{2}{3}PhMe$, 837–42
Synthesis of a new P_2N_2 ligand *N,N'*-bis[2-(diphenylphosphino)phenyl]propane-1,3-diamine, H_2L^2, and some of its complexes with elements of the nickel triad and rhodium: *X*-ray structure analyses of the neutral complex $[NiL^2]$ and the *trans*-spanned $[Rh(CO)Cl(H_2L^2)]$, 1067–74
Reaction of $[Rh_2\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]$ with $[M(PPh_3)]^+$ (M = Au, Ag, or Cu): formation of unusual 44-electron Rh_2M clusters. Crystal structure of $[Rh_2\{\mu\text{-}Au(PPh_3)\}\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]ClO_4\cdot 2CH_2Cl_2$, 1249–52
New dialkylamido complexes of transition metals in groups 4 and 5 stabilised by terdentate ligands, 1253–8
Thermodynamic and spectrophotometric investigation of complex formation between hydrogen, cobalt(II), nickel(II), and copper(II) ions and 2-amino-*N*-hydroxypropanamide in aqueous solution, 1299–310
Tertiary phosphine complexes of triply bonded ditungsten bis(t-butylamide) tetrachloride. The *X*-ray crystal structures of $[W_2Cl_4(NHBu^t)_2(PMe_3)_2]$, $[W_2Cl_4(NHBu^t)_2(PEt_3)_2]$, and *cis*-$[W_2Cl_4(NHBu^t)_2(PMe_2Ph)_2]$, 1537–42
Copper(II)-assisted hydrolysis of 2,4,6-tris(2-pyridyl)-1,3,5-triazine. Part 2. Crystal structures of [bis(2-pyridylcarbonyl)amido](pyridine-2-carboxamide)copper(II) trifluoromethanesulphonate and [bis(2-pyridylcarbonyl)amido][2,4,6-tris(2-pyridyl)-1,3,5-triazine]copper(II) trifluoromethanesulphonate, 1681–8
Bi-, tetra-, and poly-nuclear complexes of gold(I) and silver(I) with bis(diphenylphosphino)-methanide or -amide acting as six-electron donors, 1883–6
Complex-forming properties of L-α-alaninehydroxamic acid (2-amino-*N*-hydroxypropanamide), 2247–52
AMIDINE
Tri-aza analogue of an acetylacetonato-complex formed by nucleophilic attack of a co-ordinated nitrile by amidines. *X*-Ray crystal structure of $[Pt\{HNC(Ph)NC(Ph)NH\}_2]\cdot\frac{2}{3}PhMe$, 837–42
AMINE
Palladium complexes with the tripodal phosphine tris(2-diphenylphosphinoethyl)amine. Synthesis and structure of trigonal, tetrahedral, trigonal bipyramidal, and square planar complexes, 211–6
The reaction of hydroxo-species of palladium(II) with bidentate nucleophiles, 375–8
Isopropyldisilylamine and disilyl-t-butylamine: preparation, spectroscopic properties, and molecular structure in the gas phase, determined by electron diffraction, 779–84
Reactions of amine hydrochlorides with phosphorus trichloride oxide; preparation and *X*-ray crystal structure of 2,4,6-trichloro-1,3,5-triphenyl-1,3,5,2λ^5,4λ^5,6λ^5-triazatriphosphorinane 2,4,6-trioxide $(PhNPOCl)_3$, 821–8
Synthesis of a new P_2N_2 ligand *N,N'*-bis[2-(diphenylphosphino)phenyl]propane-1,3-diamine, H_2L^2, and some of its complexes with elements of the nickel triad and rhodium: *X*-ray structure analyses of the neutral complex $[NiL^2]$ and the *trans*-spanned $[Rh(CO)Cl(H_2L^2)]$, 1067–74
Zinc(II) complexes of 4,7-diazadecane-1,10-diamine, 4,8-diazaundecane-1,11-diamine, and tetraethylenepentamine: a carbon-13 nuclear magnetic resonance study, 1171–8
Nucleophilic (Michael) additions to $(Ph_2P)_2C{=}CH_2$ when chelated to platinum(II) dichloride or di-iodide, 1527–30
Syntheses, crystal structures, and Raman and resonance Raman spectroscopy of platinum(II), platinum(IV), and halogen-bridged chain platinum(II,IV) complexes involving the terdentate ligand 3-methyl-3-azapentane-1,5-diamine (4Me-dien), 1689–96
AMINO ACID
The unusual co-ordination ability of vasopressin-like peptides; potentiometric and spectroscopic studies of some copper(II) and nickel(II) complexes, 173–8
Possible biological activity in proton, metal, and aminohydroxamic acid equilibria. Protonation and complex formation reactions between *N*-hydroxy-D-asparagine and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solution (1988, 953), 383
Interligand interaction in mixed amino acid complexes, 567–8
Complexes of aminophosphonates. Part 3. Copper(II) complexes of several monophosphono and diphosphono dipeptides, 1053–8
Composition, stability, and lability of copper(II) dipeptide complexes, 1293–8
Synthesis, spectroscopic, and magnetic studies of copper(II) with *N*-protected amino acids: crystal and molecular structure of diaquatetrakis(μ-*N*-benzoyl-α-alaninato)-dicopper(II), 1341–4
Sulphonamide nitrogen-containing, nitrogen protected amino acids interacting with the Cd^{2+} ion. A cadmium-113 nuclear magnetic resonance and potentiometric study. *X*-Ray diffraction of $[Cd(ts\text{-}\beta\text{-}alaO)_2(H_2O)_4]$, 1345–50
Co-ordination of nickel(II) ions by angiotensin II and its peptide fragments. A potentiometric, proton nuclear magnetic resonance and circular dichroism spectroscopic study, 1471–6
Mixed-metal complexes in solution. A potentiometric and spectrophotometric study of copper(II)–nickel(II)–δ-hydroxylysine complexes in aqueous solution, 1745–50
Electron spin resonance study of copper(II) complexes of X-glycine and glycyl-X type dipeptides, and related tripeptides. Variation of co-ordination modes with ligand excess and pH in fluid and frozen aqueous solutions, 1925–32
Complex-forming properties of L-α-alaninehydroxamic acid (2-amino-*N*-hydroxypropanamide), 2247–52
Functionalized amino acid complexation to a cobalt(III) complex of (2*R*,5*R*,8*R*,11*R*)-2,5,8,11-tetraethyl-1,4,7,10-tetra-azacyclododecane. Crystal structures of complexes containing (*R*)- or (*S*)-serine and (*R*)-α-methylserine, and release of amino acid from the complexes, 2359–66
AMMONIA
New metal–sulphur–nitrogen compounds from reactions in liquid ammonia. The *X*-ray structures of *trans*-bis(acetophenone dimethylhydrazone-N^*)dichloropalladium(II) and [di(azathien)-1-yl-S^1N^4][2-(hydrazonoethyl)phenyl]palladium(II), 1179–86
AMMONIUM
Synthesis of ammonium ions and nitrosylation reactions using nitrosyl chloride and alkyl nitrites, 1139–42
ANGIOTENSIN
Co-ordination of nickel(II) ions by angiotensin II and its peptide fragments. A potentiometric, proton nuclear magnetic resonance and circular dichroism spectroscopic study, 1471–6
ANILINE
Addition of anilines to the $[Fe(CO)_3(1\text{—}5\text{-}\eta\text{-}C_7H_9)]BF_4$ complex, and the 'Ordered Transition State Mechanism', 561–6
ANTIMONY
Correlations between nuclear magnetic resonance spectra and crystal structures. A carbon-13 nuclear magnetic resonance study in the solid state of the Group 15 xanthates $[A(S_2COR)_3]$ (A = As^{III}, Sb^{III}, or Bi^{III}; R = Me, Et, or Pr^i), 233–6
Structural and motional study of pyridinium tetrahalogenoantimonates(III) by means of nuclear quadrupole resonance spectroscopy, 631–4
AQUATION
Base-catalysed aquation of αβ-*syn*- and αβ-*anti*-chloro- and bromo-[1,9-bis(2′-pyridyl)-2,5,8-triazanonane]- and -[1,11-bis(2′-pyridyl)-2,6,10-triazaundecane]-cobalt(III) cations. An unusually base-sensitive halogenopentamine cobalt(III) system, 645–54
Kinetics of aquation and base hydrolysis of some *trans*-$[Co(tn)_2(B)Cl]^{n+}$ (tn = 1,3-diaminopropane; B = OH, NCS, N_3, NO_2, NH_3, or CN) complexes. The effect of ring size on reactivity, 853–8
ARENE
Metal cluster-induced electrophilicity of arenes, 481–8
ARENEDIAZONIUM
Reactivity of new osmium dihydrides with arenediazonium cations: preparation and properties of bis(aryldiazene) and mono(aryldiazenido) complexes. A comparison with analogous iron and ruthenium derivatives, 2353–8
ARSENIC
An investigation of halide abstraction by arsenic(III): reactions of $AsCl_3$ with MCl_2 (M = Mg or Zn) and $TiCl_4$ in donor solvents (MeCN or $POCl_3$). Formation and crystal structure of the dimeric titanium(IV) compound $[Ti_2Cl_6(POCl_3)_2(PO_2Cl_2)_2]$, 57–60
Correlations between nuclear magnetic resonance spectra and crystal structures. A carbon-13 nuclear magnetic resonance study in the solid state of the Group 15 xanthates $[A(S_2COR)_3]$ (A = As^{III}, Sb^{III}, or Bi^{III}; R = Me, Et, or Pr^i), 233–6
Kinetic studies of the oxidation reaction of arsenic(III) to arsenic(V) by peroxodisulphate ion in aqueous alkaline media, 357–60
Some transition-metal complexes of 1,3,2-dithiarsolane, 885–8

ARSINE
A kinetic study of the transmission of ligand effects across the quadruple bond in $[Re_2Cl_8]^{2-}$, 767–72
ARYL
Novel five-co-ordinate diorganorhodium compounds. *X*-Ray structure of bis-*ortho*-chelated $[Rh^{III}(Me)I\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}]$, 317–24
A kinetic and mechanistic study of the solvolysis of aryltellurium trihalides in organic solvents, 457–60
Alkyne insertion into ruthenium–carbon bonds: formation and ring-closing reactions of vinyl complexes, 465–70
Substitution reactions on sterically hindered square-planar *trans*-$[NiBr(R)(PR'_3)_2]$ (R = aryl) complexes. Effects of the substituents of the aryl ligand, 1669–74
Reactions of cyclopalladated compounds. Part 21. Various examples of sulphur-assisted intramolecular palladation of aryl and alkyl groups, 1715–20
Synthesis of arylthallium complexes using organomercury compounds. Crystal and molecular structures of $[NMe_4][Tl(C_6H_4N{=}NPh\text{-}2)Cl_3]$ and $[Tl(C_6H_4CH_2NMe_2\text{-}2)Cl_2]$, 2241–6
ARYLAZOPYRIDINE
Synthesis, structure, and electrochemical reduction of 2-(arylazo)pyridine complexes of rhodium(III), 1635–8
ASPARAGINE
Possible biological activity in proton, metal, and aminohydroxamic acid equilibria. Protonation and complex formation reactions between *N*-hydroxy-D-asparagine and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solution (1988, 953), 383
ASPIRINATE
Synthesis, spectroscopic, electrochemical, and magnetic properties of dimolybdenum(II,II), diruthenium-(II,III) and -(II,II) complexes containing bridging aspirinate (2-acetoxybenzoate) ligands, 2435–42
AZATHIENYL
New metal–sulphur–nitrogen compounds from reactions in liquid ammonia. The *X*-ray structures of *trans*-bis(acetophenone dimethylhydrazone-N^α)dichloropalladium(II) and [di(azathien)-1-yl-S^1N^4][2-(hydrazonoethyl)phenyl]palladium(II), 1179–86
AZIDE
Reactivity of cationic molybdenum(II) complexes. Part 4. Isolation and crystal structure determination of *Rs*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(N_3)]$ and *Rs*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(NCO)]$, 959–64
Binuclear copper(II) complexes of new dinucleating ligands with a pyrazolate group as an endogenous bridge. Effects of exogenous azide and acetate bridges on magnetic properties, 2077–82
AZIDOETHANOL
Comparative study on the multielectron reduction of $HOC_2H_4N_3$ catalyzed by $[NBu^n_4]_4[MoFe_3S_4(SPh)_3(o\text{-}O_2C_6Cl_4)]_2$ and $[NBu^n_4]_2[Fe_4S_4(SPh)_4]$-modified glassy carbon electrodes, 1547–54
AZINE
Iridium(III) hydrido complexes with 2-pyridinaldazines. Crystal structure of $[IrH_2(mpaa)(PPh_3)_2]SbF_6$. Synthesis and characterization of homo- and hetero-nuclear complexes, 1075–82
Reactivity of the iridium nitrosyl complex $[Ir(NO)(paa)(PPh_3)_2][PF_6]_2$ (paa = 2-pyridinecarbaldehyde azine) with nucleophiles: insertion of NO into a methinic C–H bond; crystal structure of $[Ir\{(2\text{-}C_5H_4N)CH{=}N\text{–}N{=}C(NOH)(2\text{-}C_5H_4N)\}\{Me(EtO)C{=}NH\}(PPh_3)_2][PF_6]_2$, 1217–26
Rearrangements of >C=N– functionalities promoted by cobalt(I): reactivity of cyclopentadienylbis(ethylene)cobalt(I) with dibenzophenone azine, benzophenone oxime, benzylidene(phenyl)amine and crystal structure determinations of the products, 1957–62
AZOLE
Synthesis, electrochemistry, and electron spin resonance spectra of some seventeen-electron complexes containing the $\{Mo(NO)\}^{2+}$ core and the molecular structure of $[Mo(NO)\{HB(Me_2pz)_3\}(pyr)_2]$, 127–32
BARIUM
Lead(II) and barium(II) complexes of a potentially octadentate macrocyclic ligand (H_4L), capable of providing endogenous alkoxy and phenoxy bridges. The *X*-ray crystal structures of $[Pb(H_4L)][ClO_4]_2$, $[Pb_2(H_2L)][ClO_4]_2$, and $[(H_6L)(H_2O)_2][ClO_4]_2$, 19–24
A barium dithiocyanate complex with an unusual macrocycle containing pendant arms, the amine precursor, and related copper(II) diperchlorate complexes: synthesis and structure, 1993–2002
BASE CATALYSIS
Base-catalysed aquation of αβ-*syn*- and αβ-*anti*-chloro- and bromo-[1,9-bis(2′-pyridyl)-2,5,8-triazanonane]- and -[1,11-bis(2′-pyridyl)-2,6,10-triazaundecane]-cobalt(III) cations. An unusually base-sensitive halogenopentamine cobalt(III) system, 645–54
BENZENE
Substitution reactions of the zerovalent iron complexes $[Fe(\eta\text{-}C_6H_6)(PMe_3)_2]$ and $[Fe(\eta\text{-}C_6H_6)(dmpe)]$ (dmpe = $Me_2PCH_2CH_2PMe_2$), 1385–92
BENZIMIDAZOLE
Blue copper models. Spectroscopic and electrochemical studies of copper(II) complexes with new ligand systems containing sulphur and nitrogen donor atoms, 1161–70
X-Ray structure of a ternary complex, copper(II)–inosine 5′-monophosphate–benzimidazole. The first example for the absence of direct metal–nucleotide interaction, 1507–12
BENZOATE
Oxidative addition of dibenzoyl peroxide on metallic copper. The crystal structure of $[\{Cu(C_6H_5CO_2)_2(py)\}_2]$, 2331–4
BENZOTHIAZOLETHIOLATE
Interaction of benzo-1,3-thiazoline-2-thione and related ligands with copper(II) salts and the single-crystal *X*-ray structure of μ-[1,2-bis(diphenylphosphino)ethane]-bis{(benzo-1,3-thiazole-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]copper(I)},2167–72
BENZYL
Synthesis and characterization of benzylindium compounds, 1625–6
BIGUANIDE
Kinetics of the uncatalysed and silver(I)-catalysed oxidation of hydrogen peroxide by [ethylenebis(biguanide)]silver(III) ion in acid perchlorate media, 1645–50
BIPYRIDINE
Kinetics of the oxidation of chloride ions by tris(2,2′-bipyridine)nickel(III) ions in aqueous perchlorate media, 151–4
Ligand additivity in the oxidation potentials of bidentate mixed-ligand ruthenium(II) complexes, 371–4
The reaction of hydroxo-species of palladium(II) with bidentate nucleophiles, 375–8
Preparation and interconversion of dimeric di-μ-hydroxo and tri-μ-hydroxo complexes of platinum(II) and palladium(II) with 2,2′-bipyridine and 1,10-phenanthroline, 403–12
Spectrophotometric and calorimetric studies on the formation of binary (2,2′-bipyridine)nickel(II) and ternary (2,2′-bipyridine)chloronickel(II) complexes in *N*,*N*-dimethylformamide, 655–60
Crystal and molecular structures of μ-hydrido-bis[*fac*-(2,2′-bipyridine)tricarbonylrhenium(I)] chloride, *fac*-(2,2′-bipyridine)tricarbonylformatorhenium(I), and *fac*-(2,2′-bipyridine)tricarbonyl(cyanotrihydroborato)rhenium(I), 1449–54
Complexes of lead(II) bis(*O*,*O*′-dialkyl dithiophosphates) with nitrogen donor ligands. The crystal structures of $Pb[S_2P(OEt)_2]_2$·en (en = ethylenediamine), $Pb[S_2P(OEt)_2]_2$·bipy (bipy = 2,2′-bipyridine), and $\{Pb[S_2P(OEt)_2]_2\}_2$·en, 2443–8
BIPYRIDYL
Mode of binding of dimethyl sulphoxide in platinum(II) and palladium(II) cationic complexes containing a chelated diamine. *X*-Ray crystal structures of (2,2′-bipyridyl)chloro(dimethyl sulphoxide-*O*)palladium(II) tetrafluoroborate and chloro(dimethyl sulphoxide-*S*)(ethylenediamine)palladium(II) perchlorate, 1265–72
Structure of μ-fluoro-bis[bis(2,2′-bipyridyl)fluoronickel(II)] fluoride–ethanol (1/2) trihydrate, revealing several unique features including strong hydrogen bonds between fluoride ions and ethanol molecules, 1273–6
Reduction–oxidation properties of organotransition-metal complexes. Part 30. Triazenido-bridged carbonylrhodium bipyridyl complexes with $[Rh_2]^{2+}$, $[Rh_2]^{3+}$, and $[Rh_2]^{4+}$ cores, and the *X*-ray structures of $[Rh_2(CO)_2(bipy)(\mu\text{-}RNNNR)_2][BF_4]\cdot CH_2Cl_2$ and $[\{Rh_2I(CO)(bipy)(\mu\text{-}RNNNR)_2\}_2][PF_6]_2\cdot 2.5CH_2Cl_2$ (R = *p*-tolyl), 2049–60
BISMUTH
Correlations between nuclear magnetic resonance spectra and crystal structures. A carbon-13 nuclear magnetic resonance study in the solid state of the Group 15 xanthates $[A(S_2COR)_3]$ (A = As^{III}, Sb^{III}, or Bi^{III}; R = Me, Et, or Pr^i), 233–6

Synthesis, characterization, and crystal structures of bismuth complexes with 2,6-diacetylpyridine bis(2-thenoylhydrazone) (H_2dapt): [Bi(Hdapt)Cl_2]·dmso·H_2O and [Bi(dapt)Cl]·dmso, containing a quinquedentate ligand, 671–6
Synthetic and structural studies on organomolybdenum and organotungsten complexes containing bismuth. *X*-Ray crystal structures of [BiCl{Mo(CO)$_3$(η-C_5H_5)}$_2$] and [BiCl{Mo(CO)$_2$(CNBu^t)(η-C_5H_5)}$_2$] (1988, 2941), 1887

BORANE

A kinetic study of the gas-phase thermolysis of pentaborane(11), 385–90
Influence of added hydrogen on the kinetics and mechanism of thermal decomposition of tetraborane(10) and of pentaborane(11) in the gas phase, 391–8
Tris(trimethylsilyl)methyl and tris(dimethylphenylsilyl)methyl derivatives of boron. Crystal structures of dihydroxy[tris(trimethylsilyl)methyl]borane and of the lithium–boron complex [(MeOH)$_2$Li(μ-OMe)$_2$B(OMe)$_2$], 447–52
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 87. Docosahedral carbaborane(alkylidyne)tungsten complexes as reagents for the synthesis of compounds with heteronuclear metal–metal bonds: crystal structures of [NEt_4][W(≡C$C_6H_3Me_2$-2,6)(CO)$_2$(η^6-$C_2B_{10}H_{10}Me_2$)] and [NEt_4][WFe(μ-C$C_6H_3Me_2$-2,6)(CO)$_4$(η^6-$C_2B_{10}H_{10}Me_2$)], 1363–74
Polyhedral organoiridaborane chemistry. The reaction of MeNC with [6-(η^5-C_5Me_5)-*nido*-6-IrB_9H_{13}]. Nuclear magnetic resonance studies and the crystal and molecular structure of [4,4-(η^5-C_5Me_5)(MeNC)-*arachno*-4-IrB_8H_{12}], 1465–70
Metallaheteroborane chemistry. Part 5. Synthesis of *closo*-[2,2-(PR_3)$_2$-1,2-$SePtB_{10}H_{10}$] (R_3 = Et_3, Bu$^n_3$, or Me_2Ph) and *arachno*-[9,9-(PMe_2Ph)$_2$-6,9-$SePtB_8H_{10}$] and their characterisation by nuclear magnetic resonance techniques: the crystal and molecular structures of *closo*-[2,2-(PEt_3)$_2$-1,2-$SePtB_{10}H_{10}$] and *arachno*-[9,9-(PMe_2Ph)$_2$-6,9-$SePtB_8H_{10}$], 1657–68
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 88. Carbaboranetungsteniridium compounds; crystal structure of the complex [WIr(μ-CC_6H_4Me-4)(CO)$_2$(PEt_3)$_2$(η^5-$C_2B_9H_9Me_2$)], 1845–54

BORATE

Heteroleptic poly(pyrazolyl)borate derivatives of the lanthanide ions. The synthesis of acetylacetonate complexes and the molecular structures of [Ln{HB($C_3N_2H_3$)$_3$}$_2$(MeC(O)CHC(O)Me)] (Ln = Ce or Yb), 1393–400
Nature of peroxoborate species in aqueous solution: a study by boron-11 nuclear magnetic resonance and Raman spectroscopy, 1651–6
Bonding in clusters. Part 10. The nature of the BH groups in *closo*-borane anions. A study by vibrational spectroscopy, electronic spectroscopy for chemical analysis, and *ab initio* computation, 2253–60

BORAZINE

Organoborazines. Part 2. Synthesis of alkenyltriborazines, 2423–8

BORON

A kinetic study of the gas-phase thermolysis of pentaborane(11), 385–90
Influence of added hydrogen on the kinetics and mechanism of thermal decomposition of tetraborane(10) and of pentaborane(11) in the gas phase, 391–8
Tris(trimethylsilyl)methyl and tris(dimethylphenylsilyl)methyl derivatives of boron. Crystal structures of dihydroxy[tris(trimethylsilyl)methyl]borane and of the lithium–boron complex [(MeOH)$_2$Li(μ-OMe)$_2$B(OMe)$_2$], 447–52
Contributions to the chemistry of boron. Part 194. Synthesis and characterization of mono, bi-, and tri-cyclic boron–nitrogen–sulphur ring systems. Crystal structure of 2,7,9,14-tetrakis(diethylamino)-3,5,6,10,12,13-hexathia-1,8-diaza-2,4,7,9,11,14-hexaboratricyclo[9.3.0.0^{4,8}]tetradecane, 1311–20
Polyhedral organoiridaborane chemistry. The reaction of MeNC with [6-(η^5-C_5Me_5)-*nido*-6-IrB_9H_{13}]. Nuclear magnetic resonance studies and the crystal and molecular structure of [4,4-(η^5-C_5Me_5)(MeNC)-*arachno*-4-IrB_8H_{12}], 1465–70
Nature of peroxoborate species in aqueous solution: a study by boron-11 nuclear magnetic resonance and Raman spectroscopy, 1651–6
Metallaheteroborane chemistry. Part 5. Synthesis of *closo*-[2,2-(PR_3)$_2$-1,2-$SePtB_{10}H_{10}$] (R_3 = Et_3, Bu$^n_3$, or Me_2Ph) and *arachno*-[9,9-(PMe_2Ph)$_2$-6,9-$SePtB_8H_{10}$] and their characterisation by nuclear magnetic resonance techniques: the crystal and molecular structures of *closo*-[2,2-(PEt_3)$_2$-1,2-$SePtB_{10}H_{10}$] and *arachno*-[9,9-(PMe_2Ph)$_2$-6,9-$SePtB_8H_{10}$], 1657–68
Bonding in clusters. Part 10. The nature of the BH groups in *closo*-borane anions. A study by vibrational spectroscopy, electronic spectroscopy for chemical analysis, and *ab initio* computation, 2253–60
Organoborazines. Part 2. Synthesis of alkenyltriborazines, 2423–8

BORON-11

Nature of peroxoborate species in aqueous solution: a study by boron-11 nuclear magnetic resonance and Raman spectroscopy, 1651–6

BROMIDE

The nickel(II)–bromide system in dimethyl sulphoxide: a detailed study of the influences of temperature and mole ratio, 325–30

CADMIUM

Polymeric thiolate complexes in solution. Stability constants of the cadmium(II) complexes of 2-aminopropane-1-thiol, 13–8
Solvent influence on trifluoromethylation reactions with Cd(CF_3)$_2$: one-pot synthesis of trifluoromethyl iron complexes, 739–44
Formation of mixed-ligand complexes of cadmium(II) halide with tri-n-octylphosphine oxide and pyridine or substituted pyridines in 1,2-dichloroethane, 1259–64
Sulphonamide nitrogen-containing, nitrogen protected amino acids interacting with the Cd^{2+} ion. A cadmium-113 nuclear magnetic resonance and potentiometric study. *X*-Ray diffraction of [Cd(ts-β-alaO)$_2$(H_2O)$_4$], 1345–50
Metal complexes of α-hydroxyiminophosphonic acid derivatives. Preparation and crystal structures of calcium and cadmium complexes of methyl (*E*)-α-hydroxyiminobenzylphosphonate, 1911–4

CADMIUM-113

Sulphonamide nitrogen-containing, nitrogen protected amino acids interacting with the Cd^{2+} ion. A cadmium-113 nuclear magnetic resonance and potentiometric study. *X*-Ray diffraction of [Cd(ts-β-alaO)$_2$(H_2O)$_4$], 1345–50

CAESIUM

Radiotracers in fluorine chemistry. Part 12. Reactions between caesium fluoride and arsenic pentafluoride, boron trifluoride, sulphur tetrafluoride, carbonyl fluoride, and carbon dioxide under heterogeneous conditions at room temperature. Radiotracer studies using fluorine-18, sulphur-35, and carbon-14, 937–42
Vibrational spectroscopic studies of tervalent hexa-aqua cations: oriented single-crystal Raman spectra between 275 and 1 200 cm^{-1} of the caesium rhodium alums, CsRh(SO_4)$_2$·12H_2O, CsRh(SeO_4)$_2$·12H_2O, and CsRh(SO_4)$_2$·12D_2O, 1771–8

CALCIUM

Metal complexes of α-hydroxyiminophosphonic acid derivatives. Preparation and crystal structures of calcium and cadmium complexes of methyl (*E*)-α-hydroxyiminobenzylphosphonate, 1911–4
Aqueous chemistry and thermodynamic modelling of CaO–SiO_2–H_2O gels, 2371–80

CALIXARENE

Lanthanide ion complexes of the calixarenes. Part 4. Double inclusion by *p*-t-butylcalix[4]arene (H_4L). Crystal structures of [Eu_2(HL)$_2$(dmf)$_4$]·7dmf (dmf = dimethylformamide) and H_4L·dmso (dmso = dimethyl sulphoxide), 2217–22

CALORIMETRY

Spectrophotometric and calorimetric studies on the formation of binary (2,2′-bipyridine)nickel(II) and ternary (2,2′-bipyridine)chloronickel(II) complexes in *N*,*N*-dimethylformamide, 655–60

CARBENE

Insertion of phenylethyne-thiolate or -selenolate into metal–carbene bonds: synthons for co-ordinated thioacyl or selenoacyl anions and for anionic thiocarbene or selenocarbene complexes, 1565–78
Iron carbene complexes. Part 3. Aminolysis of di-iron alkoxycarbene complexes with ammonia and dimethylamine. *X*-Ray crystal structure of [Fe_2(μ-SPh)$_2$(CO)$_5${C(NMe_2)Ph}], 2199–204

CARBIDE

Redox activation of the hexanuclear ruthenium cluster [Ru_6C(CO)$_{16}$]$^{2-}$ using oxidative addition, 243–6
Polyhedral rearrangements in undeca- and dodeca-nuclear Group 1B metal osmium clusters, 505–10

CARBIDE (contd)
New carbide clusters in the cobalt subgroup. Part 17. Preparation and structural characterization of the mixed-metal octahedral dianion $[Co_2Rh_4C(CO)_{13}]^{2-}$ as its $[PPh_4]^+$ salt, 879–84
Synthesis of the cluster dianion $[Os_{11}C(CO)_{27}]^{2-}$ by pyrolysis and its reactions with electrophiles; *X*-ray structure analysis of the mixed-metal derivative $[PMePh_3][Os_{11}C(CO)_{27}\{Cu(NCMe)\}]\cdot CH_2Cl_2$ and the hydrido derivative $[PMePh_3][Os_{11}C(CO)_{27}H]$, 1455–64
Mixed-metal carbido carbonyl clusters. Part 4. Synthesis and structural characterization of $[Rh_6C(CO)_{13}\{Au_2(PPh_3)_2\}]$, 2343–6
CARBON-13
Zinc(II) complexes of 4,7-diazadecane-1,10-diamine, 4,8-diazaundecane-1,11-diamine, and tetraethylenepentamine: a carbon-13 nuclear magnetic resonance study, 1171–8
Isotopic multiplets in the carbon-13 nuclear magnetic resonance spectra due to partial deuteriation of co-ordinated NH_2 and NH groups of cobalt(III) complexes containing an N-glycoside. Importance of sugar ring oxygen atoms in the long-range isotope shifts, 1241–8
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 10. Proton, carbon-13, and aluminium-27 spectra of aluminium acetate at very high magnetic field, 1897–902
Solid-state high-resolution carbon-13 magnetic resonance spectra of dithioacetate complexes of platinum, palladium, and nickel, 2457–60
CARBON DIOXIDE
Formation of alkylurethanes from carbon dioxide by regioselective *O*-alkylation of alkali-metal *N*,*N*-diethylcarbamates in the presence of complexing agents, 1007–10
CARBON DISULPHIDE
Insertion of CS_2 into Ag–S bonds. Preparations and crystal structures of $[\{[Ag(SC_6H_2Pr^i_3\text{-}2,4,6)]_4\cdot CHCl_3\}_n]$ and its insertion product with CS_2, $[\{Ag(S_2CSC_6H_2Pr^i_3\text{-}2,4,6)\}_2\{Ag(SC_6H_2Pr^i_3\text{-}2,4,6)\}_6]\cdot 8CHCl_3$, 2297–302
CARBON TETRACHLORIDE
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–202
CARBONYL
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH≡COEt) ligands respectively, 5–12
Redox activation of the hexanuclear ruthenium cluster $[Ru_6C(CO)_{16}]^{2-}$ using oxidative addition, 243–6
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 84. Carbaborane tungsten–platinum complexes having a μ-$CC_6H_3Me_2$-2,6 ligand; crystal structures of $[WPt(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_n(PEt_3)(\mu\text{-}\sigma{:}\eta^5\text{-}C_2B_9H_8Me_2)]$ (n = 2 or 3), 303–12
Syntheses and dynamic stereochemistry of methyl– and phenyl–carbonyl heterobinuclear metal–metal bonded complexes, 379–82
Thiolate complexes of osmium(III) with tertiary phosphines and their dicarbonyl derivatives of osmium(II): *X*-ray crystal structure of *trans,trans,trans*-$[Os(SC_6F_5)_2(CO)_2(PEt_2Ph)_2]$, 419–24
Chromium chalcogen complexes. Insertion of elemental sulphur into $[\{Cr(cp)(CO)_2\}_2Se]$ and $[Cr(cp)_2(CO)_4Se_2]$ (cp = η-C_5H_5), 431–8
Metal cluster-induced electrophilicity of arenes, 481–8
Polyhedral rearrangements in undeca- and dodeca-nuclear Group 1B metal osmium clusters, 505–10
Addition of anilines to the $[Fe(CO)_3(1\text{—}5\text{-}\eta\text{-}C_7H_9)]BF_4$ complex, and the 'Ordered Transition State Mechanism', 561–6
Reactions of hydride complexes of ruthenium(II) with alkynes, 589–94
Chemistry of multi-site bound unsaturated ligands on metal carbonyl clusters. Intramolecular reductive coupling in the conversion of $[Ru_3(\mu\text{-}H)(CO)_9(\mu_3,\eta^2\text{-}C{\equiv}CBu^t)]$ to the butadienyl cluster $[Ru_3(CO)_8\{\mu_3,\eta^4\text{-}C(Bu^t)CC(H)C(Ph)(PPh_2)\}]$, and its crystal structure. An example of ligand isomerism on metal clusters, 601–6
Carbonyl, hydridocarbonyl, and hydridoalkoxycarbonyl complexes of iridium with phosphorus–sulphur hybrid ligands, and the crystal and molecular structure of $[IrH(CO_2Me)(Ph_2PCH_2CH_2SEt)_2]BPh_4$, 607–14
Studies on olefin-co-ordinating transition-metal carbene complexes. Part 14. An unusual reaction of tricarbonyl(η^4-cyclopenta-1,3-diene)iron: a new approach to acyldicarbonyl(η-cyclopentadienyl)iron complexes, and the *X*-ray crystal structure of $[Fe(COC_6H_4CF_3\text{-}p)(\eta\text{-}C_5H_5)(CO)_2]$, 635–8
Synthesis of diphenylphosphido-bridged manganese-gold complexes. Crystal structures of $[N(PPh_3)_2][Au_2Mn(\mu\text{-}PPh_2)_2(CO)_6(C_6F_5)_2]$ and $[Au_2Mn_2(\mu\text{-}PPh_2)_4(CO)_8]$, 639–44
Trinuclear mixed-valence complexes with the linear $[Rh_3]^{4+}$ core, 689–92
Solvent influence on trifluoromethylation reactions with $Cd(CF_3)_2$: one-pot synthesis of trifluoromethyl iron complexes, 739–44
New carbide clusters in the cobalt subgroup. Part 17. Preparation and structural characterization of the mixed-metal octahedral dianion $[Co_2Rh_4C(CO)_{13}]^{2-}$ as its $[PPh_4]^+$ salt, 879–84
Some transition-metal complexes of 1,3,2-dithiarsolane, 885–8
The mechanisms of fluxionality of $[Ir_4(CO)_{11}(PEt_3)]$; a reappraisal of the mechanism of carbonyl fluxionality on clusters, 889–94
Reactivity of cationic molybdenum(II) complexes. Part 4. Isolation and crystal structure determination of *cis*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(N_3)]$ and *cis*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(NCO)]$, 959–64
Crystal structures of di-iron μ-η^2-(*C*,*C*)-ketene complexes, $[\{Fe(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu\text{-}CH_2CO)]$ and $[\{Fe(\eta^5\text{-}C_5Me_5)(CO)_2\}_2(\mu\text{-}CH_2CO)]$. Synergistic metal-to-ligand back donation as revealed by comparison with $[\{Fe(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu\text{-}CH_2CH_2CO)]$, 1083–8
Synthesis and reactivity of binuclear pyrazolate-bridged ruthenium(I) complexes. Crystal structures of bis[μ-(3,5-dimethylpyrazolato-*NN'*)tricarbonylruthenium(I)] (*Ru–Ru*) and bis[μ-(3,5-dimethylpyrazolato-*NN'*)]-μ-iodo-bis[tricarbonylruthenium(II)] tri-iodide, 1093–100
Synthesis and characterization of pentanuclear Fe–Ir carbonyl clusters. Solid-state structures of $[N(PPh_3)_2]_2[FeIr_4(CO)_{15}]$ and $[PPh_4][Fe_2Ir_3(CO)_{14}]$, 1109–16
Synthesis and characterization of a family of nitrile-substituted triangular hydridocarbonyl rhenium clusters, $[Re_3(\mu\text{-}H)_3(CO)_{12-n}(NCMe)_n]$ (n = 1—3). *X*-Ray crystal structures of $[Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)]$ and $[Re_3(\mu\text{-}H)_3(CO)_9(NCMe)_3]$, 1143–8
The heteronuclear cluster chemistry of the Group 1B metals. Part 11. Effect of the nature of the bidentate diphosphine ligand on the metal framework structures of the gold heteronuclear cluster compounds $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1—6). *X*-Ray crystal structures of $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1 or 2), 1227–36
Solution structure and dynamic behaviour of two isomers of $[Fe_3(CO)_9\{P(OR_3)\}_3]$ (R = Me, Et, or Ph) derivatives, 1277–82
Reactions of co-ordinated ligands. Part 46. Formation of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)(\mu\text{-}CCH{=}CMe_2)(CO)_{10}]$ by carbon–carbon σ-bond and carbon–hydrogen activation of 3,3-dimethylcyclopropene; crystal and molecular structure of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and evidence for its facile rearrangement to $[Os_3(\mu\text{-}H)(\mu\text{-}CH{=}CHCHMe_2)(CO)_{10}]$, 1333–40
Heteronuclear transition metal–alkyne clusters. Part 1. Reactions of tris(alkyne)monocarbonyltungsten complexes with octacarbonyldicobalt. Synthesis, *X*-ray crystal structure, and two-dimensional nuclear magnetic resonance studies of $[WCo_2(\mu\text{-}C_2Et_2)(\mu\text{-}C_4Et_4)(CO)_8]$, 1375–80
Synthesis, structure, and reactivity of the heteronuclear clusters $[Os_5H(CO)_{15}\{M(PR_3)\}]$ and $[Os_5(CO)_{15}\{M(PR_3)\}_2]$ (M = Cu, Ag, or Au; R = Ph or Me); the *X*-ray crystal structure of $[Os_5H(CO)_{15}\{Au(PPh_3)\}]$, 1421–6
Crystal and molecular structures of μ-hydrido-bis[*fac*-(2,2′-bipyridine)tricarbonylrhenium(I)] chloride, *fac*-(2,2′-bipyridine)tricarbonylformatorhenium(I), and *fac*-(2,2′-bipyridine)tricarbonyl(cyanotrihydroborato)rhenium(I), 1449–54
Synthesis of the cluster dianion $[Os_{11}C(CO)_{27}]^{2-}$ by pyrolysis and its reactions with electrophiles; *X*-ray structure analysis of the mixed-metal derivative $[PMePh_3][Os_{11}C(CO)_{27}\{Cu(NCMe)\}]\cdot CH_2Cl_2$ and the hydrido derivative $[PMePh_3][Os_{11}C(CO)_{27}H]$, 1455–64
Synthesis and crystal structure of $[NiOs_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2\{\mu\text{-}Cu(PPh_3)\}(CO)_9]$. Hydrogenation–dehydrogenation reactions of dienes and alcohols with heterogeneous catalysts derived from $[NiM_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2(\mu\text{-}X)(CO)_9]$ [M = Ru, X = H; M = Os, X = Cu(PPh$_3$)], 1477–82
Chemistry of phosphido-bridged dimolybdenum complexes. Part 3. Reinvestigation of the reaction between $[Mo_2(\eta\text{-}C_5H_5)_2(CO)_6]$ and P_2Ph_4; *X*-ray structures of $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(CO)_2]$,

CARBONYL (contd)
[$Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(\mu\text{-}CO)$] and *trans*-[$Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2O(CO)$], 1555–64
Insertion of phenylethyne-thiolate or -selenolate into metal–carbene bonds: synthons for co-ordinated thioacyl or selenoacyl anions and for anionic thiocarbene or selenocarbene complexes, 1565–78
Molecular structure of heterobimetallic $\mu\text{-}\eta^2$-(C,C)-ketene complexes, 1627–30
Organic chemistry of dinuclear metal centres. Part 12. Synthesis, *X*-ray crystal structure, and reactivity of the di-μ-alkylidene complex [$Ru_2(CO)_2(\mu\text{-}CHMe)(\mu\text{-}CMe_2)(\eta\text{-}C_5H_5)_2$]: alkylidene linking, 1799–806
Organic chemistry of dinuclear metal centres. Part 13. Synthesis, structure, and reactivity of [$Ru_2(CO)_4(\eta^5\text{:}\eta^{5\prime}\text{-}C_5H_4CH_2C_5H_4)$], 1807–14
The mechanisms of fluxionality of [$Fe_3(CO)_{12-n}\{P(OR)_3\}_n$] (R = Me, n = 0—3; R = Pr^i, n = 2 or 3) and the *X*-ray structure of [$Fe_3(CO)_{10}\{P(OMe)_3\}_2$], 1831–44
Synthetic and structural studies on organomolybdenum and organotungsten complexes containing bismuth. *X*-Ray crystal structures of [$BiCl\{Mo(CO)_3(\eta\text{-}C_5H_5)\}_2$] and [$BiCl\{Mo(CO)_2(CNBu^t)(\eta\text{-}C_5H_5)\}_2$] (1988, 2941), 1887
Photofragmentation kinetics of some triruthenium carbonyl clusters, 1933–40
Chemistry of [$\{Cr(cp)(CO)_3\}_2$] (cp = η^5-C_5H_5). Reaction with elemental P_4. A high yield synthesis and crystal structures of [$\{Cr(cp)(CO)_2\}_2(\mu\text{-}\eta^2\text{-}P_2)$] and [$Cr(cp)(CO)_2(\eta^3\text{-}P_3)$], 1951–6
Cluster activation *via* cyclometallation. Formation of the cyclometallated triosmium carbonyl cluster [$Os_3H_2(CO)_9\{P(C_6H_4)Ph\}$] and its reactions with phosphorus donor ligands. The *X*-ray crystal structures of [$Os_3H_2(CO)_9\{P(C_6H_4)Ph\}$] and [$Os_3H(CO)_9\{P(OMe)_3\}(PPh_2)$], 2023–32
Reactions of the cyclometallated triosmium cluster [$Os_3H_2(CO)_9\{P(C_6H_4)Ph\}$] with Brønsted acids and dihydrogen: synthesis and *X*-ray crystal structure of [$Os_3H_2(CF_3CO_2)(CO)_9(\mu\text{-}PPh_2)$], 2033–8
The heteronuclear cluster chemistry of the Group 1B metals. Part 12. Variable temperature nuclear magnetic resonance spectroscopic studies of the dynamic behaviour of the mixed-metal cluster compounds [$M_2Ru_4(\mu_3\text{-}H)_2(\mu\text{-}L)(CO)_{12}$] [M = Cu or Ag, L = $Ph_2P(CH_2)_nPPh_2$ (n = 1—6) or *cis*-$Ph_2PCH{=}CHPPh_2$; M = Cu, L = $Ph_2As(CH_2)_nPPh_2$ (n = 1 or 2)] in solution, 2039–48
Reduction–oxidation properties of organotransition-metal complexes. Part 30. Triazenido-bridged carbonylrhodium bipyridyl complexes with $[Rh_2]^{2+}$, $[Rh_2]^{3+}$, and $[Rh_2]^{4+}$ cores, and the *X*-ray structures of [$Rh_2(CO)_2(bipy)(\mu\text{-}RNNNR)_2$][$BF_4$]·$CH_2Cl_2$ and [$\{Rh_2I(CO)(bipy)(\mu\text{-}RNNNR)_2\}_2$][$PF_6$]$_2$·2.5$CH_2Cl_2$ (R = *p*-tolyl), 2049–60
Characterisation of tridentate macrocyclic complexes of molybdenum(0) with tetra-aza macrocycles. Crystal structure of [$Mo(CO)_3L^1$] (L^1 = C-*meso*-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane), 2183–6
Transition metal–cyanocarbon chemistry. Part 8. Cyano-substituted buta-1,3-dienylidene bridged di-iron complexes from unprecedented cyanoalkyne insertion into the carbon–hydrogen bond of a bridging alkenylidene ligand, 2187–92
Iron carbene complexes. Part 3. Aminolysis of di-iron alkoxy-carbene complexes with ammonia and dimethylamine. *X*-Ray crystal structure of [$Fe_2(\mu\text{-}SPh)_2(CO)_5\{C(NMe_2)Ph\}$], 2199–204
Stepwise conversion of [$Os(CF_3CO_2)_2(CO)_4$] into [$Os(pyS)_2(CO)_2$]: *X*-ray crystal structures of the complexes [$Os(pyS)_2(CO)_x$] where x = 2 or 3 and pyS is the pyridine-2-thionato ligand, 2211–6
The 4-phenyl-1,2,3,5-dithiadiazole complex [$Fe_2(CO)_6(PhCN_2S_2)$]: its preparation, crystal structure, and an extended-Hückel molecular-orbital study of the bonding, 2229–34
Kinetics of reactions of hydrogen with [$Os_3(CO)_{11}(NCMe)$] and [$Os_3(CO)_{10}(NCMe)_2$], 2235–40
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 92. Synthesis of alkynylmethylidyne-molybdenum and -tungsten complexes and their reactions with [$Co_2(CO)_8$] and [$Mo_2(CO)_6(\eta\text{-}C_5H_5)_2$], 2261–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 93. Synthesis of heteropolynuclear metal compounds with chains of seven to eleven metal atoms; crystal structure of [$Mo_2W_3Pt_6(\mu_3\text{-}CMe)_3(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(CO)_{10}(PMe_2Ph)_4(\eta\text{-}C_5H_5)_3$], 2269–80
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 94. Synthesis of di- and tri-metal compounds *via* the reagents [$M(\equiv C\text{–}C\equiv CBu^t)(CO)_2(\eta\text{-}C_5H_5)$] (M = Mo or W), 2281–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 95. Synthesis and crystal structures of [$W_2RuPt(\mu\text{-}CC_6H_4Me\text{-}4)(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(PMe_2Ph)(\eta\text{-}C_5H_5)_2$] and [$W_2Ru_2Pt_2(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(\mu\text{-}CO)_2(CO)_9(\eta\text{-}C_5H_5)_2$], 2289–96
A convenient route to binuclear osmium(I) complexes containing diphosphine and arsinophosphine ligands. *X*-Ray crystal structure of [$Os_2(MeCO_2)_2(CO)_4(dppm)_2$], 2303–8
Mixed-metal carbido carbonyl clusters. Part 4. Synthesis and structural characterization of [$Rh_6C(CO)_{13}\{Au_2(PPh_3)_2\}$], 2343–6
Preparation and *X*-ray crystal structure of [$Ru_3RhH_3(CO)_{12}$], 2449–52

CARBOXAMIDE
Copper(II)-assisted hydrolysis of 2,4,6-tris(2-pyridyl)-1,3,5-triazine. Part 2. Crystal structures of [bis(2-pyridylcarbonyl)amido](pyridine-2-carboxamide)copper(II) trifluoromethanesulphonate and [bis(2-pyridylcarbonyl)amido][2,4,6-tris(2-pyridyl)-1,3,5-triazine]copper(II) trifluoromethanesulphonate, 1681–8

CARBOXYLATE
Highly polydentate ligands. Part 4. Crystal structures of neodymium(III) and erbium(III) complexes of 3,12-bis(carboxymethyl)-6,9-dioxa-3,12-diazatetradecanedioate(4−), 185–92
Bimetallic compounds of *trans*-cyclohexane-1,2-diamine-*NNN′N′*-tetra-acetate (cdta). Part 3. Structural and magnetic characterization of the dinuclear [$M(OH_2)_5$][M'(cdta)]·H_2O (M,M′ = Ni,Ni; Mn,Ni; Mn,Cu; Co,Ni; or Co,Cu) and the tetranuclear [$M(OH_2)_4$][M'(cdta)(OH_2)]·$4H_2O$ (M,M′ = Zn,Zn; Zn–Co; Co,Co; or Mn,Co) complexes, 863–72
An investigation of the bonding in [$Ru_2(O_2CCF_3)_4$] and [$Ru_2(O_2CCF_3)_4(NO)_2$], 1037–44
Preparation and characterisation of linear mixed-metal trinuclear carboxylate complexes of general formula [$M_2M'(O_2CR)_6(C_9H_7N)_2$]; crystal structure of [$Zn_2Ba(O_2CCMe_3)_6(C_9H_7N)_2$], 1127–32
Phenyltin trichloroacetate complexes: preparations and structures, 1589–98
Relation between the torsion angles of acetate chelate rings and the deuteron nuclear magnetic resonance chemical shifts for polyamine-N-carboxylatochromate(III) complexes, 1947–50
Electrochemistry of the quasi-reversible bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate-(V) and -(IV) and bis[2-hydroxy-2-methylbutanoato(2−)]oxochromate-(V) and -(IV) redox couples and the crystal and molecular structure of sodium bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate(V) sesquihydrate, 2205–10
Stepwise conversion of [$Os(CF_3CO_2)_2(CO)_4$] into [$Os(pyS)_2(CO)_2$]: *X*-ray crystal structures of the complexes [$Os(pyS)_2(CO)_x$] where x = 2 or 3 and pyS is the pyridine-2-thionato ligand, 2211–6
A convenient route to binuclear osmium(I) complexes containing diphosphine and arsinophosphine ligands. *X*-Ray crystal structure of [$Os_2(MeCO_2)_2(CO)_4(dppm)_2$], 2303–8
Oxidative addition of dibenzoyl peroxide on metallic copper. The crystal structure of [$\{Cu(C_6H_5CO_2)_2(py)\}_2$], 2331–4
Copper anti-inflammatory drugs in rheumatoid arthritis. Part 2. A potentiometric and spectroscopic study of copper(II) polyaminodicarboxylate complexes, 2429–34
Synthesis, spectroscopic, electrochemical, and magnetic properties of dimolybdenum(II,II), diruthenium-(II,III) and -(II,II) complexes containing bridging aspirinate (2-acetoxybenzoate) ligands, 2435–42

CARBOXYLIC ACID
Thermodynamics of the formation of metal complexes of 1,4,10-trioxa-7,13-diazacyclopentadecane-*N*,*N′*-diacetic acid and of 1,4,10,13-tetraoxa-7,16-diazacyclo-octadecane-*N*,*N′*-diacetic acid, 133–8
Cyclometallation of unsaturated carboxylic acids by pentamethylcyclopentadienyl-rhodium and -iridium complexes. Crystal structures of [$(C_5Me_5)Ir(CPh{=}CHCO\text{–}O)(Me_2SO)$] and [$(C_5Me_5)Ir(CPh{=}CHCO\text{–}OMe)I$]$^+$, 2415–22

CATALYSIS
Hydrogen production from ethanol catalysed by Group 8 metal complexes, 489–96

CATALYSIS (contd)
Catalytic oxidation of water mediated by rhenium oxides, 849–52
Studies on transition–metal oxo and nitrido complexes. Part 10. New oxo–ruthenium and oxo–osmium pyridine complexes, and use of the former as catalysts for oxidation of alcohols, 901–6
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–202
Synthesis and crystal structure of $[NiOs_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2\{\mu\text{-}Cu(PPh_3)\}(CO)_9]$. Hydrogenation–dehydrogenation reactions of dienes and alcohols with heterogeneous catalysts derived from $[NiM_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2(\mu\text{-}X)(CO)_9]$ [M = Ru, X = H; M = Os, X = $Cu(PPh_3)$], 1477–82
Comparative study on the multielectron reduction of $HOC_2H_4N_3$ catalyzed by $[NBu^n_4]_4[MoFe_3S_4(SPh)_3(o\text{-}O_2C_6Cl_4)]_2$ and $[NBu^n_4]_2[Fe_4S_4(SPh)_4]$-modified glassy carbon electrodes, 1547–54
Cationic dinuclear rhodium complexes as catalyst precursors for the hydroformylation of alkenes, 1579–82
Kinetics of the uncatalysed and silver(I)-catalysed oxidation of hydrogen peroxide by [ethylenebis(biguanide)]silver(III) ion in acid perchlorate media, 1645–50
CATECHOLATE
One-electron transfer processes in the reaction of tin(II) halides with substituted *o*-quinones; crystal structure of bis(3,5-di-t-butylcatecholato)tin–1,10-phenanthroline–dimethylformamide (1/1/2), 439–46
CHAIN
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 85. Synthesis of chain and ring compounds containing molybdenum, 785–96
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 93. Synthesis of heteropolynuclear metal compounds with chains of seven to eleven metal atoms; crystal structure of $[Mo_2W_3Pt_6(\mu_3\text{-}CMe)_3(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(CO)_{10}(PMe_2Ph)_4(\eta\text{-}C_5H_5)_5]$, 2269–80
CHARGE DENSITY
Charge density in the $[Mo(NCS)_6]^{3-}$ ion in $Cs_3Mo(NCS)_6$, 1779–86
CHLORIDE
A further investigation of the polarized single-crystal electronic absorption spectrum of $[AsPh_4][CrOCl_4]$, 1–4
An investigation of halide abstraction by arsenic(III): reactions of $AsCl_3$ with MCl_2 (M = Mg or Zn) and $TiCl_4$ in donor solvents (MeCN or $POCl_3$). Formation and crystal structure of the dimeric titanium(IV) compound $[Ti_2Cl_6(POCl_3)_2(PO_2Cl_2)_2]$, 57–60
Kinetics of the oxidation of chloride ions by tris(2,2′-bipyridine)nickel(III) ions in aqueous perchlorate media, 151–4
Tertiary phosphine complexes of triply bonded ditungsten bis(t-butylamide) tetrachloride. The *X*-ray crystal structures of $[W_2Cl_4(NHBu^t)_2(PMe_3)_2]$, $[W_2Cl_4(NHBu^t)_2(PEt_3)_2]$, and *cis*-$[W_2Cl_4(NHBu^t)_2(PMe_2Ph)_2]$, 1537–42
On the existence of the anion trichloro(η-cyclopentadienyl)titanate(1−). Crystal structure of the salt $[Co(C_5H_5)_2][Ti(C_5H_5)Cl_3]$, 2453–6
CHLOROMETHYL
Preparation of (chloromethyl)palladium(II) derivatives from complexes of palladium dichloride by reaction with diazomethane or bis(chloromethyl)mercury, 761–6
CHROMATE
A reinvestigation of the structures of organotin sulphates and chromates, including the crystal and molecular structure of bis(trimethyltin) sulphate dihydrate, 267–74
CHROMIUM
A further investigation of the polarized single-crystal electronic absorption spectrum of $[AsPh_4][CrOCl_4]$, 1–4
Chromium chalcogen complexes. Insertion of elemental sulphur into $[\{Cr(cp)(CO)_2\}_2Se]$ and $[Cr(cp)_2(CO)_4Se_2]$ (cp = $\eta\text{-}C_5H_5$), 431–8
Formation in solution, synthesis, and electrochemical study of oxalato complexes of *N,N′*-ethylenebis(salicylideneiminato)-chromium(III) and -iron(III): crystal structures of piperidinium [*N,N′*-ethylenebis(salicylideneiminato)](oxalato-O^1O^2)-chromate(III) and -ferrate(III), 729–38
Formation of chromium interlayers in α-zirconium phosphate, 895–900
Stacked planar molecules in antiferromagnetic di-isothiocyanatobis(thiourea)chromium(II), a new structural type for chromium(II), 1631–4
Relation between the torsion angles of acetate chelate rings and the deuteron nuclear magnetic resonance chemical shifts for polyamine-N-carboxylatochromate(III) complexes, 1947–50
Chemistry of $[\{Cr(cp)(CO)_3\}_2]$ (cp = $\eta^5\text{-}C_5H_5$). Reaction with elemental P_4. A high yield synthesis and crystal structures of $[\{Cr(cp)(CO)_2\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ and $[Cr(cp)(CO)_2(\eta^3\text{-}P_3)]$, 1951–6
Electrochemistry of the quasi-reversible bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate-(V) and -(IV) and bis[2-hydroxy-2-methylbutanoato(2−)]oxochromate-(V) and -(IV) redox couples and the crystal and molecular structure of sodium bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate(V) sesquihydrate, 2205–10
CIRCULAR DICHROISM
Synthesis and spectroscopic studies of cobalt(III) complexes of the chiral pendant-arm macrocycle *N,N′,N″*-tris[(2*S*)-2-hydroxypropyl]-1,4,7-triazacyclononane (H_3L); crystal structure of the hydrogen-bridged dimer $[CoLH_3LCo][PF_6]_3$, 931–6
Co-ordination of nickel(II) ions by angiotensin II and its peptide fragments. A potentiometric, proton nuclear magnetic resonance and circular dichroism spectroscopic study, 1471–6
Optical absorption and magnetic circular dichroism studies of hydrogen, copper(II), zinc(II), nickel(II), and cobalt(II) crown ether-substituted monomeric and dimeric phthalocyanines, 2397–406
CLATHRATE
Studies in Werner clathrates. Part 9. Structures with bis(isothiocyanato)tetrakis(4-phenylpyridine)nickel(II) as host, 119–26
CLUSTER
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH≡COEt) ligands respectively, 5–12
Redox activation of the hexanuclear ruthenium cluster $[Ru_6C(CO)_{16}]^{2-}$ using oxidative addition, 243–6
Metal cluster-induced electrophilicity of arenes, 481–8
Polyhedral rearrangements in undeca- and dodeca-nuclear Group 1B metal osmium clusters, 505–10
Gold-197 Mössbauer spectra and the bonding of some gold–gold and gold–platinum clusters, 539–44
Chemistry of multi-site bound unsaturated ligands on metal carbonyl clusters. Intramolecular reductive coupling in the conversion of $[Ru_3(\mu\text{-}H)(CO)_9(\mu_3,\eta^2\text{-}C{\equiv}CBu^t)]$ to the butadienyl cluster $[Ru_3(CO)_8\{\mu_3,\eta^4\text{-}C(Bu^t)CC(H)C(Ph)(PPh_2)\}]$, and its crystal structure. An example of ligand isomerism on metal clusters, 601–6
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 85. Synthesis of chain and ring compounds containing molybdenum, 785–96
New carbide clusters in the cobalt subgroup. Part 17. Preparation and structural characterization of the mixed-metal octahedral dianion $[Co_2Rh_4C(CO)_{13}]^{2-}$ as its $[PPh_4]^+$ salt, 879–84
The mechanisms of fluxionality of $[Ir_4(CO)_{11}(PEt_3)]$; a reappraisal of the mechanism of carbonyl fluxionality on clusters, 889–94
Lewis base adducts of Group 11 metal(I) complexes. Part 48. Heterobimetallic tris(dithiocarbamato)cobalt(III)–copper(I) halide adducts as a vehicle for novel copper(I) halide clusters (structurally characterized), 971–6
Synthesis and characterization of pentanuclear Fe–Ir carbonyl clusters. Solid-state structures of $[N(PPh_3)_2]_2[FeIr_4(CO)_{15}]$ and $[PPh_4][Fe_2Ir_3(CO)_{14}]$, 1109–16
Synthesis and characterization of a family of nitrile-substituted triangular hydridocarbonyl rhenium clusters, $[Re_3(\mu\text{-}H)_3(CO)_{12-n}(NCMe)_n]$ (*n* = 1—3). *X*-Ray crystal structures of $[Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)]$ and $[Re_3(\mu\text{-}H)_3(CO)_9(NCMe)_3]$, 1143–8
The heteronuclear cluster chemistry of the Group 1B metals. Part 11. Effect of the nature of the bidentate diphosphine ligand on the metal framework structures of the gold heteronuclear cluster compounds $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (*n* = 1—6). *X*-Ray crystal structures of $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (*n* = 1 or 2), 1227–36
Solution structure and dynamic behaviour of two isomers of $[Fe_3(CO)_9\{P(OR_3)\}_3]$ (R = Me, Et, or Ph) derivatives, 1277–82
Reactions of co-ordinated ligands. Part 46. Formation of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)(\mu\text{-}CCH{=}CMe_2)(CO)_{10}]$ by carbon–carbon σ-bond and carbon–hydrogen activation of 3,3-dimethylcyclopropene; crystal and

CLUSTER (contd)
molecular structure of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and evidence for its facile rearrangement to $[Os_3(\mu\text{-}H)(\mu\text{-}CH{=}CHCHMe_2)(CO)_{10}]$, 1333–40
Synthesis, structure, and reactivity of the heteronuclear clusters $[Os_5H(CO)_{15}\{M(PR_3)\}]$ and $[Os_5(CO)_{15}\{M(PR_3)\}_2]$ (M = Cu, Ag, or Au; R = Ph or Me); the *X*-ray crystal structure of $[Os_5H(CO)_{15}\{Au(PPh_3)\}]$, 1421–6
Synthesis of the cluster dianion $[Os_{11}C(CO)_{27}]^{2-}$ by pyrolysis and its reactions with electrophiles; *X*-ray structure analysis of the mixed-metal derivative $[PMePh_3][Os_{11}C(CO)_{27}\{Cu(NCMe)\}]\cdot CH_2Cl_2$ and the hydrido derivative $[PMePh_3][Os_{11}C(CO)_{27}H]$, 1455–64
Comparative study on the multielectron reduction of $HOC_2H_4N_3$ catalyzed by $[NBu^n_4]_4[MoFe_3S_4(SPh)_3(o\text{-}O_2C_6Cl_4)]_2$ and $[NBu^n_4]_2[Fe_4S_4(SPh)_4]$-modified glassy carbon electrodes, 1547–54
The mechanisms of fluxionality of $[Fe_3(CO)_{12-n}\{P(OR)_3\}_n]$ (R = Me, *n* = 0—3; R = Pr^i, *n* = 2 or 3) and the *X*-ray structure of $[Fe_3(CO)_{10}\{P(OMe)_3\}_2]$, 1831–44
Photofragmentation kinetics of some triruthenium carbonyl clusters, 1933–40
Cluster activation *via* cyclometallation. Formation of the cyclometallated triosmium carbonyl cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and its reactions with phosphorus donor ligands. The *X*-ray crystal structures of $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and $[Os_3H(CO)_9\{P(OMe)_3\}(PPh_2)]$, 2023–32
Reactions of the cyclometallated triosmium cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ with Brønsted acids and dihydrogen: synthesis and *X*-ray crystal structure of $[Os_3H_2(CF_3CO_2)(CO)_9(\mu\text{-}PPh_2)]$, 2033–8
The heteronuclear cluster chemistry of the Group 1B metals. Part 12. Variable temperature nuclear magnetic resonance spectroscopic studies of the dynamic behaviour of the mixed-metal cluster compounds $[M_2Ru_4(\mu_3\text{-}H)_2(\mu\text{-}L)(CO)_{12}]$ [M = Cu or Ag, L = $Ph_2P(CH_2)_nPPh_2$ (*n* = 1—6) or *cis*-$Ph_2PCH{=}CHPPh_2$; M = Cu, L = $Ph_2As(CH_2)_nPPh_2$ (*n* = 1 or 2)] in solution, 2039–48
Low-valent isocyanide complexes and clusters of palladium and platinum. Crystal structure of $[Pt\{C(=NR)N(R)C(=NR)\}(RNC)_2]$ (R = 2,6-$Me_2C_6H_3$), 2161–6
Kinetics of reactions of hydrogen with $[Os_3(CO)_{11}(NCMe)]$ and $[Os_3(CO)_{10}(NCMe)_2]$, 2235–40
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 94. Synthesis of di- and tri-metal compounds *via* the reagents $[M(\equiv C\text{–}C\equiv CBu^t)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W), 2281–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 95. Synthesis and crystal structures of $[W_2RuPt(\mu\text{-}CC_6H_4Me\text{-}4)(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(PMe_2Ph)(\eta\text{-}C_5H_5)_2]$ and $[W_2Ru_2Pt_2(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(\mu\text{-}CO)_2(CO)_9(\eta\text{-}C_5H_5)_2]$, 2289–96
Mixed-metal carbido carbonyl clusters. Part 4. Synthesis and structural characterization of $[Rh_6C(CO)_{13}\{Au_2(PPh_3)_2\}]$, 2343–6
Preparation and *X*-ray crystal structure of $[Ru_3RhH_3(CO)_{12}]$, 2449–52
COBALAMIN
Relative importance of the inductive and steric effects of alkyl groups (R) in understanding the nature of the Co^{III}–C bond in alkyl cobaloximes, and comments on related alkyl cobalamins, 115–8
COBALOXIME
Relative importance of the inductive and steric effects of alkyl groups (R) in understanding the nature of the Co^{III}–C bond in alkyl cobaloximes, and comments on related alkyl cobalamins, 115–8
COBALT
Tetra-aza macrocyclic complexes containing a pendant amino group. Copper(II), nickel(II), and cobalt(III) complexes of 5-aminomethyl-2,5,10,12-tetramethyl-1,4,8,11-tetra-azacyclotetradecane (L) and *X*-ray structural characterisation of the cobalt(III) complex $[Co(L)Cl][ClO_4]Cl\cdot EtOH$, 85–92
Relative importance of the inductive and steric effects of alkyl groups (R) in understanding the nature of the Co^{III}–C bond in alkyl cobaloximes, and comments on related alkyl cobalamins, 115–8
Metal complexes (Co^{3+}, Fe^{3+}, Mn^{3+}) of the quinquedentate salen analogue, 2-methyl-4-benzylthio-*N*,*N*′-butane-1,2-diylbis(salicylideneimine): crystal structures and sulphur co-ordination effects, 179–84
Possible biological activity in proton, metal, and aminohydroxamic acid equilibria. Protonation and complex formation reactions between *N*-hydroxy-D-asparagine and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solution (1988, 953), 383
Co-ordination chemistry of higher oxidation states. Part 29. Cobalt(III) complexes of bi- and tetra-thioethers: synthesis, properties, and cobalt-59 nuclear magnetic resonance data, 453–6
Base-catalysed aquation of αβ-*syn*- and αβ-*anti*-chloro- and bromo-[1,9-bis(2′-pyridyl)-2,5,8-triazanonane]- and -[1,11-bis(2′-pyridyl)-2,6,10-triazaundecane]-cobalt(III) cations. An unusually base-sensitive halogenopentamine cobalt(III) system, 645–54
Kinetics of aquation and base hydrolysis of some *trans*-$[Co(tn)_2(B)Cl]^{n+}$ (tn = 1,3-diaminopropane; B = OH, NCS, N_3, NO_2, NH_3, or CN) complexes. The effect of ring size on reactivity, 853–8
New carbide clusters in the cobalt subgroup. Part 17. Preparation and structural characterization of the mixed-metal octahedral dianion $[Co_2Rh_4C(CO)_{13}]^{2-}$ as its $[PPh_4]^+$ salt, 879–84
Synthesis and spectroscopic studies of cobalt(III) complexes of the chiral pendant-arm macrocycle *N*,*N*′,*N*″-tris[(2*S*)-2-hydroxypropyl]-1,4,7-triazacyclononane (H_3L); crystal structure of the hydrogen-bridged dimer $[CoLH_3LCo][PF_6]_3$, 931–6
Lewis base adducts of Group 11 metal(I) complexes. Part 48. Heterobimetallic tris(dithiocarbamato)cobalt(III)–copper(I) halide adducts as a vehicle for novel copper(I) halide clusters (structurally characterized), 971–6
6,13-Diamino-6,13-dimethyl-1,4,8,11-tetra-azacyclotetradecane, L^7, a new, potentially sexidentate polyamine ligand. Variable co-ordination to cobalt(III) and crystal structure of the complex $[Co(L^7)]Cl_2[ClO_4]$, 1059–66
Isotopic multiplets in the carbon-13 nuclear magnetic resonance spectra due to partial deuteriation of co-ordinated NH_2 and NH groups of cobalt(III) complexes containing an N-glycoside. Importance of sugar ring oxygen atoms in the long-range isotope shifts, 1241–8
Thermodynamic and spectrophotometric investigation of complex formation between hydrogen, cobalt(II), nickel(II), and copper(II) ions and 2-amino-*N*-hydroxypropanamide in aqueous solution, 1299–310
Heteronuclear transition metal–alkyne clusters. Part 1. Reactions of tris(alkyne)monocarbonyltungsten complexes with octacarbonyldicobalt. Synthesis, *X*-ray crystal structure, and two-dimensional nuclear magnetic resonance studies of $[WCo_2(\mu\text{-}C_2Et_2)(\mu\text{-}C_4Et_4)(CO)_8]$, 1375–80
Synthesis and characterization of cobalt(III) and cobalt(IV) complexes of *N*-(2-hydroxyphenyl)salicylamide and homologues, 1613–6
Neutron diffraction study of the cation distributions in the systems $Fe_{7-x}M_x(PO_4)_6$ (M = Mn or Co), 1765–70
Steric effect of the adamantyl ligand on crystal structure and dissociation rates in organocobalt B_{12} models, 1941–6
Rearrangements of >C=N– functionalities promoted by cobalt(I): reactivity of cyclopentadienylbis(ethylene)cobalt(I) with dibenzophenone azine, benzophenone oxime, benzylidene(phenyl)amine and crystal structure determinations of the products, 1957–62
Spectral intensity and charge distributions in the tetrahedral chromophores, bis(3-amino-2-methylpropane-2-thiolato)- and diacetatobis(ethylenethiourea)-cobalt(II), 2109–14
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 92. Synthesis of alkynylmethylidyne-molybdenum and -tungsten complexes and their reactions with $[Co_2(CO)_8]$ and $[Mo_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 2261–8
Functionalized amino acid complexation to a cobalt(III) complex of (2*R*,5*R*,8*R*,11*R*)-2,5,8,11-tetraethyl-1,4,7,10-tetra-azacyclododecane. Crystal structures of complexes containing (*R*)- or (*S*)-serine and (*R*)-α-methylserine, and release of amino acid from the complexes, 2359–66
On the existence of the anion trichloro(η-cyclopentadienyl)titanate(1−). Crystal structure of the salt $[Co(C_5H_5)_2][Ti(C_5H_5)Cl_3]$, 2453–6
COBALT-59
Co-ordination chemistry of higher oxidation states. Part 29. Cobalt(III) complexes of bi- and tetra-thioethers: synthesis, properties, and cobalt-59 nuclear magnetic resonance data, 453–6

CONDUCTIVITY
Crystal structure of the new low-dimensional metal $Cs_{0.82}[Pd\{S_2C_2(CN)_2\}_2]\cdot 0.5H_2O$, 1101–4
COPPER
The interaction of 1-methylimidazoline-2(3*H*)-thione with copper(II) salts, 39–42
Crystal structure, spectroscopic and magnetic properties of the complex [Cu(paphy)(NCS)(SCN)] (paphy = pyridine-2-carbaldehyde 2′-pyridylhydrazone). An unusual di-μ-thiocyanato-*N* bridged copper(II) dimer, 53–6
Tetra-aza macrocyclic complexes containing a pendant amino group. Copper(II), nickel(II), and cobalt(III) complexes of 5-aminomethyl-2,5,10,12-tetramethyl-1,4,8,11-tetra-azacyclotetradecane (L) and *X*-ray structural characterisation of the cobalt(III) complex $[Co(L)Cl][ClO_4]Cl\cdot EtOH$, 85–92
The unusual co-ordination ability of vasopressin-like peptides; potentiometric and spectroscopic studies of some copper(II) and nickel(II) complexes, 173–8
The copper(II) promoted hydrolysis of benzylpenicillin. Evidence for the participation of a Cu–OH species in the hydrolysis of the β-lactam ring, 197–202
Crystal structure and magnetic properties of 1-aqua-μ-hydroxo-1,2,2-tris(perchlorato)-1,2-bis(2,2′;6′,2″-terpyridine)dicopper(II), 237–42
The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 13. Characterization and stability constants of copper(II) species isolated from mixed-ligand solutions; crystal structure of the complex (pyridine-2,6-dicarboxylato)(*N,N,N′,N′*-tetramethyl-1,3-diaminopropane)copper(II), 253–8
Thiosemicarbazones as co-ordinating agents. Part 3. Synthesis, spectroscopic characterization, and *X*-ray structure of methyl pyruvate thiosemicarbazone hemihydrate, chloro(ethyl pyruvate thiosemicarbazonato)copper(II) (green form), and chloro(pyruvic acid thiosemicarbazonato)copper(II) dihydrate (blue form), 361–6
Possible biological activity in proton, metal, and aminohydroxamic acid equilibria. Protonation and complex formation reactions between *N*-hydroxy-D-asparagine and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solution (1988, 953), 383
Polyhedral rearrangements in undeca- and dodeca-nuclear Group 1B metal osmium clusters, 505–10
Interligand interaction in mixed amino acid complexes, 567–8
Spectrophotometric study of complex formation in copper(II) mono-, di-, and tri-ethanolamine systems, 569–74
Tetrathiafulvalenium salts of planar Pt^{II}, Pd^{II}, and Cu^{III} 1,2-dithio-oxalato-*S,S′* anions. Synthesis, chemistry and molecular structures of bis(tetrathiafulvalenium) bis(1,2-dithio-oxalato-*S,S′*)palladate(II), $[ttf]_2[Pd(S_2C_2O_2)_2]$, and of bis(tetrathiafulvalenium)tetrathiafulvalene bis(1,2-dithio-oxalato-*S,S′*)platinate(II), $[ttf]_3[Pt(S_2C_2O_2)_2]$, 719–28
Synthesis and *X*-ray crystal structure of chloro[2(1*H*)-pyridinethione-*S*]-bis(triphenylphosphine)copper(I), 749–52
Crystal structure of a novel tetranuclear dithiocarboxylato copper(I) complex, $[\{Cu(S_2CC_6H_4Me\text{-}p)\}_4(PPh_3)_2]$, 753–6
Reactivity of metallic copper with acidic organic compounds in the presence of molecular oxygen. Crystal structure of $[\{Cu(NCO)(py)_2\}_2]\cdot H_2O$, 921–6
Synthesis and characterization of imidazolate-bridged iron(III)–copper(II) and manganese(III)–copper(II) binuclear complexes, 943–6
Lewis base adducts of Group 11 metal(I) complexes. Part 48. Heterobimetallic tris(dithiocarbamato)cobalt(III)–copper(I) halide adducts as a vehicle for novel copper(I) halide clusters (structurally characterized), 971–6
Magnetic properties of mono-, bi-, and tri-nuclear copper(II) complexes of novel oxamato and oxamido ligands. Crystal structure of a mononuclear precursor, 1017–26
Complexes of aminophosphonates. Part 3. Copper(II) complexes of several monophosphono and diphosphono dipeptides, 1053–8
Iridium(III) hydrido complexes with 2-pyridinaldazines. Crystal structure of $[IrH_2(mpaa)(PPh_3)_2]SbF_6$. Synthesis and characterization of homo- and hetero-nuclear complexes, 1075–82
Low-lying electronic states in μ-phenolato copper(II) binuclear compounds with hydroxo, ethanolato, azido, and cyanato exogenous bridges: crystal structures, magnetic properties, and interpretations, 1117–26
Blue copper models. Spectroscopic and electrochemical studies of copper(II) complexes with new ligand systems containing sulphur and nitrogen donor atoms, 1161–70
Metal complexes as ligands. Part 12. Synthesis and *X*-ray crystal structure of a hexanuclear nickel(II) complex based on two isosceles trinuclear components with imidazolate bridges, 1187–92
Reaction of $[Rh_2\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]$ with $[M(PPh_3)]^+$ (M = Au, Ag, or Cu): formation of unusual 44-electron Rh_2M clusters. Crystal structure of $[Rh_2\{\mu\text{-}Au(PPh_3)\}\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]ClO_4\cdot 2CH_2Cl_2$, 1249–52
Composition, stability, and lability of copper(II) dipeptide complexes, 1293–8
Thermodynamic and spectrophotometric investigation of complex formation between hydrogen, cobalt(II), nickel(II), and copper(II) ions and 2-amino-*N*-hydroxypropanamide in aqueous solution, 1299–310
Synthesis, spectroscopic, and magnetic studies of copper(II) with *N*-protected amino acids: crystal and molecular structure of diaquatetrakis(μ-*N*-benzoyl-α-alaninato)-dicopper(II), 1341–4
Autoxidation of a dicopper(I) macrocyclic complex: evidence for a mixed-valence intermediate, 1351–60
Synthesis, structure, and reactivity of the heteronuclear clusters $[Os_5H(CO)_{15}\{M(PR_3)\}]$ and $[Os_5(CO)_{15}\{M(PR_3)\}_2]$ (M = Cu, Ag, or Au; R = Ph or Me); the *X*-ray crystal structure of $[Os_5H(CO)_{15}\{Au(PPh_3)\}]$, 1421–6
Dimeric mixed-ligand copper(II) complexes with di-imines and salicylaldehydate, 1435–8
Synthesis of the cluster dianion $[Os_{11}C(CO)_{27}]^{2-}$ by pyrolysis and its reactions with electrophiles; *X*-ray structure analysis of the mixed-metal derivative $[PMePh_3][Os_{11}C(CO)_{27}\{Cu(NCMe)\}]\cdot CH_2Cl_2$ and the hydrido derivative $[PMePh_3][Os_{11}C(CO)_{27}H]$, 1455–64
Synthesis and crystal structure of $[NiOs_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2\{\mu\text{-}Cu(PPh_3)\}(CO)_9]$. Hydrogenation–dehydrogenation reactions of dienes and alcohols with heterogeneous catalysts derived from $[NiM_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2(\mu\text{-}X)(CO)_9]$ [M = Ru, X = H; M = Os, X = $Cu(PPh_3)$], 1477–82
Binuclear copper(I) complexes containing two or three 2-(diphenylphosphine)pyridine (dppy) bridging ligands: *X*-ray crystal structure of $[Cu_2(\mu\text{-}dppy)_3(MeCN)][BF_4]_2$ and variable-temperature ^1H and $^{31}P\text{-}\{^1H\}$ nuclear magnetic resonance studies, 1499–506
X-Ray structure of a ternary complex, copper(II)–inosine 5′-monophosphate–benzimidazole. The first example for the absence of direct metal–nucleotide interaction, 1507–12
Functional metallomacrocycle derivatives and their polymers. Part 23. Biaxially orientated Langmuir–Blodgett films of substituted metallophthalocyanines, 1543–6
Lewis-base adducts of Group 11 metal(I) compounds. Part 58. Syntheses, *X*-ray structures, and far-infrared spectra of the novel $[CuX_2(\text{bidentate ligand})]^-$ (X = Cl or Br) anion salts of the $[Cu(dpa)_2]^+$ cation and the dimeric iodide $[(dpa)CuI_2Cu(dpa)]$ [dpa = di(2-pyridyl)amine], 1639–44
Copper(II)-assisted hydrolysis of 2,4,6-tris(2-pyridyl)-1,3,5-triazine. Part 2. Crystal structures of [bis(2-pyridylcarbonyl)amido](pyridine-2-carboxamide)copper(II) trifluoromethanesulphonate and [bis(2-pyridylcarbonyl)amido][2,4,6-tris(2-pyridyl)-1,3,5-triazine]copper(II) trifluoromethanesulphonate, 1681–8
Closely related macrocyclic and acyclic tridentate, pyridine derivatives, containing sulphur, and their complexes. Crystal structures of {dichloro-3,10-dithia-16-azabicyclo[10.3.1]hexadeca-1(16),12,14-triene}copper(II) and [2,6-bis(ethylthiomethyl)pyridine]dichlorocopper(II), 1739–44
Mixed-metal complexes in solution. A potentiometric and spectrophotometric study of copper(II)–nickel(II)–δ-hydroxylysine complexes in aqueous solution, 1745–50
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 91. Steric implications in the reactions of the complexes $[M(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W, R = C_6H_4Me-4, C_6H_4OMe-2, or $C_6H_3Me_2$-2,6) with the compounds $[Mo(CO)_3(NCMe)_3]$ and $[Cu(thf)(\eta\text{-}C_5Me_5)]$ (thf = tetrahydrofuran); crystal structure of $[Mo_3(\mu\text{-}CC_6H_3Me_2\text{-}2,6)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 1871–8
Electron spin resonance study of copper(II) complexes of X-glycine and glycyl-X type dipeptides, and related tripeptides. Variation of co-ordination modes with ligand excess and pH in fluid and frozen aqueous solutions, 1925–32
Spectroscopic and electrochemical study of copper and zinc complexes with a N_2S_2 ligand donor set. Crystal structure of the

COPPER (contd)
copper(II) complex derived from 1,3-propylenediamine and 3-formyl-1-phenyl-2(1*H*)-pyridinethione, 1979–86
A barium dithiocyanate complex with an unusual macrocycle containing pendant arms, the amine precursor, and related copper(II) diperchlorate complexes: synthesis and structure, 1993–2002
The heteronuclear cluster chemistry of the Group 1B metals. Part 12. Variable temperature nuclear magnetic resonance spectroscopic studies of the dynamic behaviour of the mixed-metal cluster compounds $[M_2Ru_4(\mu_3\text{-}H)_2(\mu\text{-}L)(CO)_{12}]$ [M = Cu or Ag, L = $Ph_2P(CH_2)_nPPh_2$ (n = 1—6) or *Rs*-$Ph_2PCH{=}CHPPh_2$; M = Cu, L = $Ph_2As(CH_2)_nPPh_2$ (n = 1 or 2)] in solution, 2039–48
Binuclear copper(II) complexes of new dinucleating ligands with a pyrazolate group as an endogenous bridge. Effects of exogenous azide and acetate bridges on magnetic properties, 2077–82
Crystal structures and magnetic properties of bi- and tetra-nuclear copper(II) complexes of 2,6-diformyl-4-methylphenol di(benzoylhydrazone), 2083–8
Synthesis, structure, and redox properties of dicopper(II,II) complexes of *N*-(hydroxyphenyl)salicylamide and homologues. Facile oxidation to dicopper-(II,III) and -(III,III) species; crystal structure of bis(tetrabutylphosphonium) bis{[(2-oxidobenzoyl)(2′-oxidophenyl)amido(3−)-NO^2,μ-$O^{2'}$]cuprate(II)}, 2089–94
Crystal structure and magnetic properties of the heterobinuclear complex $[(CH_3CN)LNi(mnt)Cu(mnt)]\cdot CH_3CN$ (L = tetrabenzo[*b*,*f*,*j*,*n*][1,5,9,13]tetra-azacyclohexadecine and mnt = maleonitriledithiolate), 2095–8
Interaction of benzo-1,3-thiazoline-2-thione and related ligands with copper(II) salts and the single-crystal *X*-ray structure of μ-[1,2-bis(diphenylphosphino)ethane]-bis{(benzo-1,3-thiazole-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]copper(I)}, 2167–72
Oxidative addition of dibenzoyl peroxide on metallic copper. The crystal structure of $[\{Cu(C_6H_3CO_2)_2(py)\}_2]$, 2331–4
Copper anti-inflammatory drugs in rheumatoid arthritis. Part 2. A potentiometric and spectroscopic study of copper(II) polyaminodicarboxylate complexes, 2429–34
CROWN ETHER
The nature of a sodium–crown interaction studied by sodium-23 nuclear magnetic resonance and by crystal structure determination of a complex with co-ordinated solvent, 203–10
Optical absorption and magnetic circular dichroism studies of hydrogen, copper(II), zinc(II), nickel(II), and cobalt(II) crown ether-substituted monomeric and dimeric phthalocyanines, 2397–406
CRYPTATE
Thermodynamic and electrochemical behaviour of lanthanide cryptates in *N*,*N*-dimethylformamide, 367–70
CRYSTAL STRUCTURE
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH≡COEt) ligands respectively, 5–12
Lead(II) and barium(II) complexes of a potentially octadentate macrocyclic ligand (H_4L), capable of providing endogenous alkoxy and phenoxy bridges. The *X*-ray crystal structures of $[Pb(H_4L)][ClO_4]_2$, $[Pb_2(H_2L)][ClO_4]_2$, and $[(H_6L)(H_2O)_2][ClO_4]_2$, 19–24
Rhodium complexes of the binucleating ligands pyridine-2-thiolate and benzothiazole-2-thiolate. Crystal structures of $[\{Rh(\mu\text{-}SC_5H_4N)(CO)_2\}_2]$ and $[\{Rh(\mu\text{-}SC_5H_4N)(tfbb)\}_2]\cdot Me_2CO$ (tfbb = tetrafluorobenzobarrelene), 25–32
Five-co-ordinated silicon compounds: geometry of formation by intramolecular co-ordination. Crystal structure of 2-(dimethylaminomethyl)phenyl-1-naphthylsilane, 43–52
Crystal structure, spectroscopic and magnetic properties of the complex [Cu(paphy)(NCS)(SCN)] (paphy = pyridine-2-carbaldehyde 2′-pyridylhydrazone). An unusual di-μ-thiocyanato-*N* bridged copper(II) dimer, 53–6
An investigation of halide abstraction by arsenic(III): reactions of $AsCl_3$ with MCl_2 (M = Mg or Zn) and $TiCl_4$ in donor solvents (MeCN or $POCl_3$). Formation and crystal structure of the dimeric titanium(IV) compound $[Ti_2Cl_6(POCl_3)_2(PO_2Cl_2)_2]$, 57–60
Comparison of the structures and properties of $[N(C_2H_5)_4][Pt\{S_2C_2(CN)_2\}_2]$ and $[H_3O]_x[NH_4]_{1-x}[Pt\{S_2C_2(CN)_2\}_2]\cdot 2 - xH_2O$, 61–6
The crystal structures of $K[Pd\{S_2C_2(CN)_2\}_2]\cdot H_2O$ and $[NH_4][Pd\{S_2C_2(CN)_2\}_2]\cdot H_2O$, 67–72
(Diphenylphosphinomethyl)diphenylphosphine sulphide ($Ph_2PCH_2PPh_2S$) and its methanide anion $Ph_2PCHPPh_2S^-$ as ligands in organogold chemistry. *X*-Ray crystal structure of *Rs*-$[Au(C_6F_5)_2(PPh_2CHPPh_2S)]$, 73–8
Halogeno, hydride, and alkyl carbonyl–monocyclopentadienyl niobium derivatives. Crystal and molecular structure of $[Nb(\eta\text{-}C_5H_5)Cl(H)(CO)(PMe_3)_2]$, 79–84
Tetra-aza macrocyclic complexes containing a pendant amino group. Copper(II), nickel(II), and cobalt(III) complexes of 5-aminomethyl-2,5,10,12-tetramethyl-1,4,8,11-tetra-azacyclotetradecane (L) and *X*-ray structural characterisation of the cobalt(III) complex $[Co(L)Cl][ClO_4]Cl\cdot EtOH$, 85–92
Structural, spectroscopic, and electrochemical characterization of tetrakis-μ-(2-pyrrolidinonato)-dirhodium(II) and tetrakis-μ-(δ-valerolactamato)-dirhodium(II), 93–100
Synthesis of α-, γ-phosphorus functionalized alkyl lithium species; *X*-ray structures of $[\{Li(L)(CH_2PMeR)\}_2]$ [L = *N*,*N*,*N*′,*N*′-tetramethylethylenediamine (tmen), R = Me or Ph; L = (−)-sparteine, R = Ph] and $[Li(tmen)\{CH(SiMe_3)C_6H_4PPh_2\text{-}o\}]$, 105–14
Studies in Werner clathrates. Part 9. Structures with bis(isothiocyanato)tetrakis(4-phenylpyridine)nickel(II) as host, 119–26
Synthesis, electrochemistry, and electron spin resonance spectra of some seventeen-electron complexes containing the $\{Mo(NO)\}^{2+}$ core and the molecular structure of $[Mo(NO)\{HB(Me_2pz)_3\}(pyr)_2]$, 127–32
Chelate-stabilised primary, secondary, and tertiary alcohol and alkoxo platinum(II) complexes. *X*-Ray crystal structure of $[Pt(Ph_2PCH_2CH_2O)_2]\cdot H_2O$, 139–44
Oxovanadium(IV) and dioxomolybdenum(VI) complexes: synthesis from the corresponding acetylacetonato complexes and *X*-Ray structures, 145–50
Reactivity of cationic molybdenum(II) complexes. Part 3. Synthesis of methoxide and carbomethoxide derivatives of η-pentamethylcyclopentadienyl–molybdenum(II) and the crystal structure determination of the oxidation product *trans*-$[\{Mo(\eta\text{-}C_5Me_5)(O)_2\}_2(\mu\text{-}O)]$, 155–60
Metal complexes (Co^{3+}, Fe^{3+}, Mn^{3+}) of the quinquedentate salen analogue, 2-methyl-4-benzylthio-*N*,*N*′-butane-1,2-diylbis(salicylideneimine): crystal structures and sulphur co-ordination effects, 179–84
Highly polydentate ligands. Part 4. Crystal structures of neodymium(III) and erbium(III) complexes of 3,12-bis(carboxymethyl)-6,9-dioxa-3,12-diazatetradecanedioate(4−), 185–92
The nature of a sodium–crown interaction studied by sodium-23 nuclear magnetic resonance and by crystal structure determination of a complex with co-ordinated solvent, 203–10
Palladium complexes with the tripodal phosphine tris(2-diphenylphosphinoethyl)amine. Synthesis and structure of trigonal, tetrahedral, trigonal bipyramidal, and square planar complexes, 211–6
The structure of $PO(OPF_2)_3$ in the gaseous and crystalline phases, 223–8
Correlations between nuclear magnetic resonance spectra and crystal structures. A carbon-13 nuclear magnetic resonance study in the solid state of the Group 15 xanthates $[A(S_2COR)_3]$ (A = As^{III}, Sb^{III}, or Bi^{III}; R = Me, Et, or Pr^i), 233–6
Crystal structure and magnetic properties of 1-aqua-μ-hydroxo-1,2,2-tris(perchlorato)-1,2-bis(2,2′;6′,2″-terpyridine)dicopper(II), 237–42
Synthesis and structural studies on silver–tin complex salts with bis(diphenylarsino)methane and bis(diphenylphosphino)methane, 247–52
The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 13. Characterization and stability constants of copper(II) species isolated from mixed-ligand solutions; crystal structure of the complex (pyridine-2,6-dicarboxylato)(*N*,*N*,*N*′,*N*′-tetramethyl-1,3-diaminopropane)copper(II), 253–8
Metallacyclic complexes. Part 2. Synthesis of metallathietane-3,3-dioxide complexes of platinum(II) and palladium(II); the crystal structures of $[Pt\{CH(COPh)S(O)_2CH(COPh)\}(PPh_3)_2]\cdot 2CH_2Cl_2$ and $[Pd\{CH(COPh)S(O)_2CH(COPh)\}(PMePh_2)_2]\cdot CH_2Cl_2\cdot H_2O$, 259–66
A reinvestigation of the structures of organotin sulphates and

CRYSTAL STRUCTURE (contd)
chromates, including the crystal and molecular structure of bis(trimethyltin) sulphate dihydrate, 267–74
Synthesis, infrared, and tin-119 Mössbauer spectroscopic characterization of seven-co-ordinate diorganotin(IV) adducts with 2,6-diacetylpyridine acylhydrazones, including the *X*-ray crystal structure of $SnEt_2$(dapt) [H_2dapt = 2,6-diacetylpyridine bis(2-thenoylhydrazone)], 289–94
Reactions of the bis(alkyne) complexes [WI_2(CO)(NCMe)(η^2-RC_2R)$_2$] (R = Me or Ph) with mono- and bi-dentate phosphine-donor ligands and the *X*-ray crystal structure of [WI_2(CO){$Ph_2P(CH_2)PPh_2$}(η^2-MeC$_2$Me)], 295–302
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 84. Carbaborane tungsten–platinum complexes having a μ-$CC_6H_3Me_2$-2,6 ligand; crystal structures of [$WPt(\mu$-$CC_6H_3Me_2$-2,6)(CO)$_n$(PEt_3)(μ-σ:η^5-$C_2B_9H_8Me_2$)] (*n* = 2 or 3), 303–12
Novel five-co-ordinate diorganorhodium compounds. *X*-Ray structure of bis-*ortho*-chelated [Rh^{III}(Me)I{$C_6H_3(CH_2NMe_2)_2$-2,6}], 317–24
A comparison of the rates of intramolecular hydrogen migration in the molecules [Mo(η-C_7H_8)$_2$]$^{n+}$ to give [Mo(η-C_7H_7)(η-C_7H_9)]$^{n+}$, *n* = 0 or 1: crystal structures of [Mo(η-C_7H_8)$_2$], [Mo(η-C_7H_7)(η-C_7H_9)], and [Mo(η-C_7H_8)$_2$] [BF_4], 331–44
Chemistry of metallacyclobutanones (η^3-oxodimethylenemethane complexes). Part 5. Ligand substitution reactions of metallacyclobutan-3-ones of platinum(II) and palladium(II) with tertiary phosphines and t-butyl isocyanide; crystal structures of [Pt{CH(CO_2Me)COCH(CO_2Me)}(CNBu^t)($AsPh_3$)] and [Pt{CH(CO_2Me)COC(CO_2Me)C(NHBu^t)}(CNBu^t)$_2$], 345–56
Thiosemicarbazones as co-ordinating agents. Part 3. Synthesis, spectroscopic characterization, and *X*-ray structure of methyl pyruvate thiosemicarbazone hemihydrate, chloro(ethyl pyruvate thiosemicarbazonato)copper(II) (green form), and chloro(pyruvic acid thiosemicarbazonato)copper(II) dihydrate (blue form), 361–6
Metallaheteroborane chemistry. Part 3. Synthesis of [2,2-(PR_3)$_2$-1,2-TePtB$_{10}H_{10}$] (R_3 = Et_3, Bu^n_3, or Me_2Ph), their characterisation by nuclear magnetic resonance spectroscopy, and the crystal and molecular structure of [2,2-(PEt_3)$_2$-1,2-TePtB$_{10}H_{10}$] (1988, 2555), 383
Thiolate complexes of osmium(III) with tertiary phosphines and their dicarbonyl derivatives of osmium(II): *X*-ray crystal structure of *trans,trans,trans*-[$Os(SC_6F_5)_2(CO)_2(PEt_2Ph)_2$] , 419–24
One-electron transfer processes in the reaction of tin(II) halides with substituted *o*-quinones; crystal structure of bis(3,5-di-t-butylcatecholato)tin–1,10-phenanthroline–dimethylformamide (1/1/2), 439–46
Tris(trimethylsilyl)methyl and tris(dimethylphenylsilyl)methyl derivatives of boron. Crystal structures of dihydroxy[tris(trimethylsilyl)methyl]borane and of the lithium–boron complex [$(MeOH)_2$Li(μ-OMe)$_2$B(OMe)$_2$], 447–52
Actinide structural studies. Part 17. The crystal and molecular structures of four uranyl(VI) complexes with *N,N*-dialkyldithiocarbamate ligands, 471–80
Synthesis of sulphimide complexes of palladium and platinum. Crystal and molecular structure of *cis*-dichloro[*S,S*-dimethyl-*N*-(2-pyrimidinyl)sulphimide](triphenylphosphine)palladium(II), 497–504
Reactions of co-ordinated ligands. Part 44. The reactivity of the carbyne complex [Mo(≡CCH$_2$Bu^t){P(OMe)$_3$}$_2$(η-C_5H_5)] towards protonic acids, diphenylphosphine, and the π-acid tetracyanoethylene; formation and crystal structures of [MoH(≡CCH$_2$Bu^t){P(OMe)$_3$}$_2$(η-C_5H_5)][BF_4], [Mo{σ-OC(O)CF_3}{η^2-HOC(O)CF_3}{P(OMe)$_3$}$_2$(η-C_5H_5)], and [Mo(≡CCH$_2$Bu^t){η^2-$C_2(CN)_4$}{P(OMe)$_3$}(η-C_5H_5)], 511–8
Reaction of elemental sulphur with (5*H*,14*H*-6,8,15,17-tetramethyldibenzo[*b,i*][1,4,8,11]tetra-azacyclotetradecinato)iron(II): synthesis and *X*-ray structure of a μ-sulphido iron(III) complex, 551–4
Oxidation of a Pt_2(μ-SO_2) moiety to μ-SO_3 and the crystal structure of [Pt_2(μ-SO_3)(μ-SO_2)(C_8H_{12})$_2$], 557–60
Syntheses, electrochemistry, and spectroscopy of dirhodium(II) tetra-acetamidate and tetrakis(trifluoroacetamide) complexes with axial Group 15 substituents. The *X*-ray crystal structures of [$Rh_2(CH_3CONH)_4(AsPh_3)_2$] and [$Rh_2(CH_3CONH)_{4-n}(CH_3CO_2)_n(MPh_3)_2$], M = As or Sb, $n \approx 1$, 581–8
Lewis-base adducts of lead(II) compounds. Part 4. Novel isomeric dimers of lead(II) thiocyanate–1,10-phenanthroline(1/2). Crystal structure determinations, 595–600
Chemistry of multi-site bound unsaturated ligands on metal carbonyl clusters. Intramolecular reductive coupling in the conversion of [Ru_3(μ-H)(CO)$_9$(μ_3,η^2-C≡CBu^t)] to the butadienyl cluster [Ru_3(CO)$_8$(μ_3,η^4-C(Bu^t)CC(H)C(Ph)(PPh_2)$_2$)], and its crystal structure. An example of ligand isomerism on metal clusters, 601–6
Carbonyl, hydridocarbonyl, and hydridoalkoxycarbonyl complexes of iridium with phosphorus–sulphur hybrid ligands, and the crystal and molecular structure of [IrH(CO_2Me)($Ph_2PCH_2CH_2SEt$)$_2$]BPh_4, 607–14
Crystallographic and nuclear magnetic resonance studies of carbonyl(η^3-methylallyl)(trichlorostannyl) complexes of platinum(II) and palladium(II), 615–22
Preparation of the bis(trimethylsilyl)amido lanthanide chlorides [{Ln[$N(SiMe_3)_2$]$_2$(μ-Cl)(thf)}$_2$] (thf = tetrahydrofuran), and the crystal and molecular structures of the gadolinium and ytterbium complexes, 623–6
Chemistry of subvalent main group metals with dithiolates. Part 2. *X*-Ray structural, thermal, and theoretical investigations on the novel one-dimensional stacking structure K_2[Pb{S_2C=C(CN)$_2$}$_2$]·$2H_2O$, 627–30
Studies on olefin-co-ordinating transition-metal carbene complexes. Part 14. An unusual reaction of tricarbonyl(η^4-cyclopenta-1,3-diene)iron: a new approach to acyldicarbonyl(η-cyclopentadienyl)iron complexes, and the *X*-ray crystal structure of [Fe($COC_6H_4CF_3$-*p*)(η-C_5H_5)(CO)$_2$], 635–8
Synthesis of diphenylphosphido-bridged manganese-gold complexes. Crystal structures of [$N(PPh_3)_2$][Au_2Mn(μ-PPh_2)$_2$(CO)$_4$(C_6F_5)$_2$] and [Au_2Mn_2(μ-PPh_2)$_4$(CO)$_8$], 639–44
Synthesis, characterization, and crystal structures of bismuth complexes with 2,6-diacetylpyridine bis(2-thenoylhydrazone) (H_2dapt): [Bi(Hdapt)Cl_2]·dmso·H_2O and [Bi(dapt)Cl]·dmso, containing a quinquedentate ligand, 671–6
Tri(η-cyclopentadienyl)uranium(IV) silyl and siloxide compounds. Crystal structure of [U(η^5-C_5H_5)$_3$($OSiPh_3$)]. Insertion of isocyanide into a uranium–silicon bond, 677–82
Synthesis, structure, and chemical reactivity of a stable C_5Me_5-substituted phosphanylium ion: (pentamethylcyclopentadienyl)-(t-butylamino)phosphanylium tetrachloroaluminate, 693–700
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 1. Low-temperature solution properties, and *X*-ray crystal structure of [$PtIMe_3$]{$(MeS)_2CHCH(SMe)_2$}], 701–10
Tetrathiafulvalenium salts of planar Pt^{II}, Pd^{II}, and Cu^{III} 1,2-dithio-oxalato-*S,S'* anions. Synthesis, chemistry and molecular structures of bis(tetrathiafulvalenium) bis(1,2-dithio-oxalato-*S,S'*)palladate(II), [ttf]$_2$[$Pd(S_2C_2O_2)_2$], and of bis(tetrathiafulvalenium)tetrathiafulvalene bis(1,2-dithio-oxalato-*S,S'*)platinate(II), [ttf]$_3$[$Pt(S_2C_2O_2)_2$], 719–28
Formation in solution, synthesis, and electrochemical study of oxalato complexes of *N,N'*-ethylenebis(salicylideneiminato)-chromium(III) and -iron(III): crystal structures of piperidinium [*N,N'*-ethylenebis(salicylideneiminato)](oxalato-O^1O^2)-chromate(III) and -ferrate(III), 729–38
Synthesis and *X*-ray crystal structure of [Rh(NO)(PPh_3)$_2$(*p*-$MeC_6H_4NNNC_6H_4Me$-*p*)][BF_4]·CH_2Cl_2, 745–8
Synthesis and *X*-ray crystal structure of chloro[2(1*H*)-pyridinethione-*S*]-bis(triphenylphosphine)copper(I), 749–52
Crystal structure of a novel tetranuclear dithiocarboxylato copper(I) complex, [{$Cu(S_2CC_6H_4Me$-*p*)}$_4$(PPh_3)$_2$], 753–6
Solid-state structure and solution conformation of 2,2,4,4,6,6-hexa(*p*-chlorophenoxo)cyclotri-λ^5-phosphazatriene. *X*-Ray and dipole moment studies, 757–60
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 86. Alkylidyne(carbaborane)-molybdenum–gold, –rhodium and –iron complexes; crystal structure of [NEt_4][$MoFe_2$(μ-CC_6H_4Me-4)(μ-σ:σ':η^5-$C_2B_9H_7Me_2$)(CO)$_8$], 797–808
Binuclear platinum(II) complexes bridged by pyridine-2-thiolate and related ligands. Synthesis and crystal structure, 815–20
Reactions of amine hydrochlorides with phosphorus trichloride oxide; preparation and *X*-ray crystal structure of 2,4,6-trichloro-1,3,5-triphenyl-1,3,5,2λ^5,4λ^5,6λ^5-triazatriphosphorinane 2,4,6-trioxide (PhNPOCl)$_3$, 821–8
Tri-aza analogue of an acetylacetonato-complex formed by

CRYSTAL STRUCTURE (contd)
nucleophilic attack of a co-ordinated nitrile by amidines. *X*-Ray crystal structure of $[Pt\{HNC(Ph)NC(Ph)NH\}_2]\cdot\frac{1}{2}PhMe$, 837–42
Bimetallic compounds of *trans*-cyclohexane-1,2-diamine-*NNN′N′*-tetra-acetate (cdta). Part 3. Structural and magnetic characterization of the dinuclear $[M(OH_2)_5][M'(cdta)]\cdot H_2O$ (M,M′ = Ni,Ni; Mn,Ni; Mn,Cu; Co,Ni; or Co,Cu) and the tetranuclear $[M(OH_2)_4][M'(cdta)(OH_2)]\cdot 4H_2O$ (M,M′ = Zn,Zn; Zn–Co; Co,Co; or Mn,Co) complexes, 863–72
New carbide clusters in the cobalt subgroup. Part 17. Preparation and structural characterization of the mixed-metal octahedral dianion $[Co_2Rh_4C(CO)_{13}]^{2-}$ as its $[PPh_4]^+$ salt, 879–84
Gold(I) complexes derived from secondary phosphines: $[\{Au(\mu\text{-}PR_2)\}_n]$, $[(AuBr)_2(\mu\text{-}PPh_2)]^-$, $[AuX(PHR_2)]$, and $[\{Au(PHR_2)_n\}]^+$. Crystal structure of $[AuBr(PHPh_2)]$, 907–14
Crystal structures and solution dynamics of mono- and di-nuclear rhodium complexes of heterodinucleating macrocyclic ligands containing the 2,6-di(thiomethyl)pyridine sub-unit, 915–20
Reactivity of metallic copper with acidic organic compounds in the presence of molecular oxygen. Crystal structure of $[\{Cu(NCO)(py)_2\}_2]\cdot H_2O$, 921–6
Crystal structure and mass spectrometry of dibromodimethyl[1-methyl-2(3*H*)-imidazolinethione-*S*]tin(IV), 927–30
Synthesis and spectroscopic studies of cobalt(III) complexes of the chiral pendant-arm macrocycle *N,N′,N″*-tris[(2*S*)-2-hydroxypropyl]-1,4,7-triazacyclononane (H_3L); crystal structure of the hydrogen-bridged dimer $[CoLH_3LCo][PF_6]_3$, 931–6
Synthesis and characterization of imidazolate-bridged iron(III)–copper(II) and manganese(III)–copper(II) binuclear complexes, 943–6
N,N′-Ethylenebis(acetylacetoneiminato)titanium complexes: synthesis, crystal structures, and properties of titanium(III) and titanium(IV) derivatives, 953–8
Reactivity of cationic molybdenum(II) complexes. Part 4. Isolation and crystal structure determination of *cis*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(N_3)]$ and *cis*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(NCO)]$, 959–64
Precursor catenand complexes: synthesis, structure, and electrochemistry of bis(2,6-di-iminopyridyl) complexes of nickel(II). The single-crystal *X*-ray structure of $[NiL^4{}_2][BF_4]_2$, 965–70
Lewis base adducts of Group 11 metal(I) complexes. Part 48. Heterobimetallic tris(dithiocarbamato)cobalt(III)–copper(I) halide adducts as a vehicle for novel copper(I) halide clusters (structurally characterized), 971–6
Platinum metal complexes of potentially chelating alkene–thioether and alkene–selenoether ligands: synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{MeE(CH_2)_nCH{=}CH_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; n = 2 or 3) and the *X*-ray structure of *cis*-dibromo(2-thia-6-heptene)platinum(II), $[PtBr_2\{MeS(CH_2)_3CH{=}CH_2\}]$ 985–90
Monocyclopentadienyl pentafluorothiophenolate complexes of molybdenum and their interactions with thallium(I) ions; dynamic nuclear magnetic resonance studies and crystal and molecular structures of $[TlMo(SC_6F_5)_2L_2(cp)]$ (L = CO or SC_6F_5; cp = η^5-C_5H_5), 991–1002
Synthesis and reactivity of trinuclear complexes of platinum containing the single bridging ligand SC_4H_8. Molecular structure of $[NBu_4]_2[trans\text{-}PtCl_2\{(\mu\text{-}SC_4H_8)Pt(C_6F_5)_3\}_2]$, 1011–6
Magnetic properties of mono-, bi-, and tri-nuclear copper(II) complexes of novel oxamato and oxamido ligands. Crystal structure of a mononuclear precursor, 1017–26
Six- and five-co-ordinate ruthenium(II) complexes with 1,2-bis(dicyclohexylphosphino)ethane. *X*-Ray crystal structure of the d^6 five-co-ordinate $[RuCl\{(C_6H_{11})_2PCH_2CH_2P(C_6H_{11})_2\}_2]PF_6$, 1045–52
6,13-Diamino-6,13-dimethyl-1,4,8,11-tetra-azacyclotetradecane, L^7, a new, potentially sexidentate polyamine ligand. Variable co-ordination to cobalt(III) and crystal structure of the complex $[Co(L^7)]Cl_2[ClO_4]$, 1059–66
Synthesis of a new P_2N_2 ligand *N,N′*-bis[2-(diphenylphosphino)phenyl]propane-1,3-diamine, H_2L^2, and some of its complexes with elements of the nickel triad and rhodium: *X*-ray structure analyses of the neutral complex $[NiL^2]$ and the *trans*-spanned $[Rh(CO)Cl(H_2L^2)]$, 1067–74
Iridium(III) hydrido complexes with 2-pyridinaldazines. Crystal structure of $[IrH_2(mpaa)(PPh_3)_2]SbF_6$. Synthesis and characterization of homo- and hetero-nuclear complexes, 1075–82
Crystal structures of di-iron μ-η^2-(C,C)-ketene complexes, $[\{Fe(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu\text{-}CH_2CO)]$ and $[\{Fe(\eta^5\text{-}C_5Me_5)\text{-}(CO)_2\}_2(\mu\text{-}CH_2CO)]$. Synergistic metal-to-ligand back donation as revealed by comparison with $[\{Fe(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu\text{-}CH_2CH_2CO)]$, 1083–8
Monohydrido-bridged platinum(II)–gold(I) complexes. *X*-Ray crystal structure of $[(Ph_3P)_2(C_6Cl_5)Pt(\mu\text{-}H)Au(PPh_3)]\text{-}ClO_4\cdot 2Et_2O$, 1089–92
Synthesis and reactivity of binuclear pyrazolate-bridged ruthenium(I) complexes. Crystal structures of bis[μ-(3,5-dimethylpyrazolato-*NN′*)tricarbonylruthenium(I)] (*Ru–Ru*) and bis[μ-(3,5-dimethylpyrazolato-*NN′*)]-μ-iodo-[tricarbonylruthenium(II)] tri-iodide, 1093–100
Crystal structure of the new low-dimensional metal $Cs_{0.82}[Pd\{S_2C_2(CN)_2\}_2]\cdot 0.5H_2O$, 1101–4
Synthesis and characterization of pentanuclear Fe–Ir carbonyl clusters. Solid-state structures of $[N(PPh_3)_2]_2[FeIr_4(CO)_{15}]$ and $[PPh_4][Fe_2Ir_3(CO)_{14}]$, 1109–16
Low-lying electronic states in μ-phenolato copper(II) binuclear compounds with hydroxo, ethanolato, azido, and cyanato exogenous bridges: crystal structures, magnetic properties, and interpretations, 1117–26
Preparation and characterisation of linear mixed-metal trinuclear carboxylate complexes of general formula $[M_2M'(O_2CR)_6(C_9H_7N)_2]$; crystal structure of $[Zn_2Ba(O_2CCMe_3)_6(C_9H_7N)_2]$, 1127–32
Trinuclear pyrazolate complexes. Crystal structure of $[(OC)_2Rh(\mu\text{-}pz)_2Pd(\mu\text{-}pz)_2Rh(CO)_2]$, 1133–8
Synthesis and characterization of a family of nitrile-substituted triangular hydridocarbonyl rhenium clusters, $[Re_3(\mu\text{-}H)_3(CO)_{12-n}(NCMe)_n]$ (n = 1—3). *X*-Ray crystal structures of $[Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)]$ and $[Re_3(\mu\text{-}H)_3(CO)_9(NCMe)_3]$, 1143–8
New metal–sulphur–nitrogen compounds from reactions in liquid ammonia. The *X*-ray structures of *trans*-bis(acetophenone dimethylhydrazone-N^α)dichloropalladium(II) and [di(azathien)-1-yl-S^1N^4][2-(hydrazonoethyl)phenyl]palladium(II), 1179–86
Metal complexes as ligands. Part 12. Synthesis and *X*-ray crystal structure of a hexanuclear nickel(II) complex based on two isosceles trinuclear components with imidazolate bridges, 1187–92
Reactivity of the iridium nitrosyl complex $[Ir(NO)(paa)(PPh_3)_2][PF_6]_2$ (paa = 2-pyridinecarbaldehyde azine) with nucleophiles: insertion of NO into a methinic C–H bond; crystal structure of $[Ir\{(2\text{-}C_5H_4N)CH{=}N\text{-}N{=}C(NOH)(2\text{-}C_5H_4N)\}\{Me(EtO)C{=}NH\}(PPh_3)_2][PF_6]_2$, 1217–26
The heteronuclear cluster chemistry of the Group 1B metals. Part 11. Effect of the nature of the bidentate diphosphine ligand on the metal framework structures of the gold heteronuclear cluster compounds $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1—6). *X*-Ray crystal structures of $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1 or 2), 1227–36
Reaction of $[Rh_2\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]$ with $[M(PPh_3)]^+$ (M = Au, Ag, or Cu): formation of unusual 44-electron Rh_2M clusters. Crystal structure of $[Rh_2\{\mu\text{-}Au(PPh_3)\}\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]ClO_4\cdot 2CH_2Cl_2$, 1249–52
Mode of binding of dimethyl sulphoxide in platinum(II) and palladium(II) cationic complexes containing a chelated diamine. *X*-Ray crystal structures of (2,2′-bipyridyl)chloro(dimethyl sulphoxide-*O*)palladium(II) tetrafluoroborate and chloro(dimethyl sulphoxide-*S*)(ethylenediamine)palladium(II) perchlorate, 1265–72
Structure of μ-fluoro-bis[bis(2,2′-bipyridyl)fluoronickel(II)] fluoride–ethanol (1/2) trihydrate, revealing several unique features including strong hydrogen bonds between fluoride ions and ethanol molecules, 1273–6
Contributions to the chemistry of boron. Part 194. Synthesis and characterization of mono, bi-, and tri-cyclic boron–nitrogen–sulphur ring systems. Crystal structure of 2,7,9,14-tetrakis(diethylamino)-3,5,6,10,12,13-hexathia-1,8-diaza-2,4,7,9,11,14-hexaboratricyclo[9.3.0.0^{4,8}]tetradecane, 1311–20
Reactions of co-ordinated ligands. Part 45. Ligand displacement and oxidative reactions of the carbyne complex $[Mo(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$; crystal and molecular structures of $[Mo\{\eta^3\text{-}RN{=}C\cdots C(CH_2Bu^t)\cdots C{=}NR\}(CNR)_2(\eta\text{-}C_5H_5)]$ (R = 2,6-$Me_2C_6H_3$), $[Mo(C{=}CHBu^t)I\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$, and $[Mo\{{=}C(CH_2Bu^t)P(O)(OMe)_2\}\{P(OMe)_3\}(\eta\text{-}C_5H_5)]$, 1321–32

CRYSTAL STRUCTURE (contd)

Reactions of co-ordinated ligands. Part 46. Formation of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)(\mu\text{-}CCH{=}CMe_2)(CO)_{10}]$ by carbon–carbon σ-bond and carbon–hydrogen activation of 3,3-dimethylcyclopropene; crystal and molecular structure of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and evidence for its facile rearrangement to $[Os_3(\mu\text{-}H)(\mu\text{-}CH{=}CHCHMe_2)(CO)_{10}]$, 1333–40

Synthesis, spectroscopic, and magnetic studies of copper(II) with *N*-protected amino acids: crystal and molecular structure of diaquatetrakis(μ-*N*-benzoyl-α-alaninato)-dicopper(II), 1341–4

Sulphonamide nitrogen-containing, nitrogen protected amino acids interacting with the Cd^{2+} ion. A cadmium-113 nuclear magnetic resonance and potentiometric study. *X*-Ray diffraction of $[Cd(ts\text{-}\beta\text{-}alaO)_2(H_2O)_4]$, 1345–50

Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 87. Docosahedral carbaborane(alkylidyne)tungsten complexes as reagents for the synthesis of compounds with heteronuclear metal–metal bonds: crystal structures of $[NEt_4][W(\equiv CC_6H_3Me_2\text{-}2,6)(CO)_2(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$ and $[NEt_4][WFe(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_4(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$, 1363–74

Heteronuclear transition metal–alkyne clusters. Part 1. Reactions of tris(alkyne)monocarbonyltungsten complexes with octacarbonyldicobalt. Synthesis, *X*-ray crystal structure, and two-dimensional nuclear magnetic resonance studies of $[WCo_2(\mu\text{-}C_2Et_2)(\mu\text{-}C_4Et_4)(CO)_8]$, 1375–80

Complexes of the pyridine-based, tridentate, sulphur-containing ligands 2,6-bis(ethylthiomethyl)pyridine, 2,6-bis(methoxycarbonylethylthiomethyl)pyridine, and 2,6-bis(benzylthiomethyl)pyridine. Crystal structure of [2,6-bis(ethylthiomethyl)pyridine]dichlorocadmium(II) hydrate, 1381–4

Heteroleptic poly(pyrazolyl)borate derivatives of the lanthanide ions. The synthesis of acetylacetonate complexes and the molecular structures of $[Ln\{HB(C_3N_2H_3)_3\}_2\{MeC(O)CHC(O)Me\}]$ (Ln = Ce or Yb), 1393–400

A planar, binucleating, pyrazole derivative ligand. Crystal structure of bis[μ-3,5-bis(2′-pyridyl)pyrazolato-$N^1N':N^2N''$]-bis[dimethanolnickel(II)] dichloride dihydrate, 1401–4

Synthesis and *X*-ray crystal structure of $[ReO(Cl)\{(2\text{-}OC_6H_4CH{=}NCH_2CH_2OCH_2)_2\}]$, an example of four-co-ordination by a potentially sexidentate ligand, 1405–8

Preparation and crystal structure of a binuclear compound of methylmercury(II) containing bismuthiol I as a bridging ligand, 1409–12

Hydrazido-complexes of titanium(IV) with tris(pyrazolyl)borates. Crystal structures of $[TiLCl_2(NMeNMe_2)]$ and $[TiLCl_2(NPhNH_2)]$, L = tris(pyrazolyl)borate, 1413–6

Crystal and molecular structure of [1,2-bis(diethylphosphino)ethane mono-oxide-*P,O*]trichloro-oxomolybdenum(V), 1417–20

Synthesis, structure, and reactivity of the heteronuclear clusters $[Os_5H(CO)_{15}\{M(PR_3)\}]$ and $[Os_5(CO)_{15}\{M(PR_3)\}_2]$ (M = Cu, Ag, or Au; R = Ph or Me); the *X*-ray crystal structure of $[Os_5H(CO)_{15}\{Au(PPh_3)\}]$, 1421–6

Reactivity of binuclear pyrazolate-bridged rhodium complexes with isocyanides. Molecular structure of $[Rh_2(\mu\text{-}pz)I_2(CNBu^t)_2(\mu\text{-}Ph_2PCH_2PPh_2)_2]BF_4$ (pz = pyrazolate), 1427–34

Synthesis, *X*-ray characterization, and *Q*-band electron spin resonance studies of heterometallic, polymeric compounds formed by yttrium and lanthanide(III) nitrates with HgL_2 (L = C_4H_8NO, the anion of 2-pyrrolidone); crystal structures of $[\{Hg_2EuL_4(NO_3)_3\}_\infty]$ and $[\{Hg_3Tb_2L_6(NO_3)_6\}_\infty]$, 1439–48

Crystal and molecular structures of μ-hydrido-bis[*fac*-(2,2′-bipyridine)tricarbonylrhenium(I)] chloride, *fac*-(2,2′-bipyridine)tricarbonylformatorhenium(I), and *fac*-(2,2′-bipyridine)tricarbonyl(cyanotrihydroborato)rhenium(I), 1449–54

Synthesis of the cluster dianion $[Os_{11}C(CO)_{27}]^{2-}$ by pyrolysis and its reactions with electrophiles; *X*-ray structure analysis of the mixed-metal derivative $[PMePh_3][Os_{11}C(CO)_{27}\{Cu(NCMe)\}]\cdot CH_2Cl_2$ and the hydrido derivative $[PMePh_3][Os_{11}C(CO)_{27}H]$, 1455–64

Polyhedral organoiridaborane chemistry. The reaction of MeNC with $[6\text{-}(\eta^5\text{-}C_5Me_5)\text{-}nido\text{-}6\text{-}IrB_9H_{13}]$. Nuclear magnetic resonance studies and the crystal and molecular structure of $[4,4\text{-}(\eta^5\text{-}C_5Me_5)(MeNC)\text{-}arachno\text{-}4\text{-}IrB_8H_{12}]$, 1465–70

Synthesis and crystal structure of $[NiOs_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2\{\mu\text{-}Cu(PPh_3)\}(CO)_9]$. Hydrogenation–dehydrogenation reactions of dienes and alcohols with heterogeneous catalysts derived from $[NiM_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2(\mu\text{-}X)(CO)_9]$ [M = Ru, X = H; M = Os, X = $Cu(PPh_3)$], 1477–82

The structure of 18-molybdodisulphate(VI)(4−) ion in $(NEt_4)_4S_2Mo_{18}O_{62}\cdot CH_3CN$, 1491–8

Binuclear copper(I) complexes containing two or three 2-(diphenylphosphine)pyridine (dppy) bridging ligands: *X*-ray crystal structure of $[Cu_2(\mu\text{-}dppy)_3(MeCN)][BF_4]_2$ and variable-temperature ^1H and $^{31}P\text{-}\{^1H\}$ nuclear magnetic resonance studies, 1499–506

X-Ray structure of a ternary complex, copper(II)–inosine 5′-monophosphate–benzimidazole. The first example for the absence of direct metal–nucleotide interaction, 1507–12

Crystal and molecular structures of diaqua(nitrilotriacetato)aluminium(III) and di-μ-hydroxo-bis(nitrilotriacetato)-dialuminate(III) dianion, 1513–8

Synthesis, characterization, and thermolytic behaviour of η^3-allyl(methyl)(tertiary phosphine)palladium(II), and *X*-ray structure of the cluster $[Pd_4(\mu\text{-}C_3H_5)_2(\mu\text{-}Cl)_2(\mu\text{-}dppm)_2]\cdot 4C_4H_8O$ (dppm = $Ph_2PCH_2PPh_2$), 1519–26

Tertiary phosphine complexes of triply bonded ditungsten bis(t-butylamide) tetrachloride. The *X*-ray crystal structures of $[W_2Cl_4(NHBu^t)_2(PMe_3)_2]$, $[W_2Cl_4(NHBu^t)_2(PEt_3)_2]$, and *cis*-$[W_2Cl_4(NHBu^t)_2(PMe_2Ph)_2]$, 1537–42

Chemistry of phosphido-bridged dimolybdenum complexes. Part 3. Reinvestigation of the reaction between $[Mo_2(\eta\text{-}C_5H_5)_2(CO)_6]$ and P_2Ph_4; *X*-ray structures of $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(CO)_2]$, $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(\mu\text{-}CO)]$ and *trans*-$[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2O(CO)]$, 1555–64

Insertion of phenylethyne-thiolate or -selenolate into metal–carbene bonds: synthons for co-ordinated thioacyl or selenoacyl anions and for anionic thiocarbene or selenocarbene complexes, 1565–78

Synthesis and reactivity of binuclear perhalogenophenyl derivatives of platinum(I). Molecular structure of $[Pt_2(C_6F_5)_2(CO)_2(PPh_3)_2]\cdot 0.4CHCl_3$, 1583–8

Phenyltin trichloroacetate complexes: preparations and structures, 1589–98

Molecular structure of heterobimetallic μ-η^2-(C,C)-ketene complexes, 1627–30

Stacked planar molecules in antiferromagnetic di-isothiocyanatobis(thiourea)chromium(II), a new structural type for chromium(II), 1631–4

Lewis-base adducts of Group 11 metal(I) compounds. Part 58. Syntheses, *X*-ray structures, and far-infrared spectra of the novel $[CuX_2(\text{bidentate ligand})]^-$ (X = Cl or Br) anion salts of the $[Cu(dpa)_2]^+$ cation and the dimeric iodide $[(dpa)CuI_2Cu(dpa)]$ [dpa = di(2-pyridyl)amine], 1639–44

Metallaheteroborane chemistry. Part 5. Synthesis of *closo*-[2,2-$(PR_3)_2$-1,2-$SePtB_{10}H_{10}$] (R_3 = Et_3, Bu^n_3, or Me_2Ph) and *arachno*-[9,9-$(PMe_2Ph)_2$-6,9-$SePtB_8H_{10}$] and their characterisation by nuclear magnetic resonance techniques: the crystal and molecular structures of *closo*-[2,2-$(PEt_3)_2$-1,2-$SePtB_{10}H_{10}$] and *arachno*-[9,9-$(PMe_2Ph)_2$-6,9-$SePtB_8H_{10}$], 1657–68

Platinum metal thioether macrocyclic complexes: synthesis, electrochemistry, and single-crystal *X*-ray structures of *cis*-$[RhCl_2L^2]PF_6$ and *trans*-$[RhCl_2L^3]PF_6$ (L^2 = 1,4,8,11-tetrathiacyclotetradecane, L^3 = 1,5,9,13-tetrathiacyclohexadecane), 1675–80

Copper(II)-assisted hydrolysis of 2,4,6-tris(2-pyridyl)-1,3,5-triazine. Part 2. Crystal structures of [bis(2-pyridylcarbonyl)amido](pyridine-2-carboxamide)copper(II) trifluoromethanesulphonate and [bis(2-pyridylcarbonyl)amido][2,4,6-tris(2-pyridyl)-1,3,5-triazine]copper(II) trifluoromethanesulphonate, 1681–8

Syntheses, crystal structures, and Raman and resonance Raman spectroscopy of platinum(II), platinum(IV), and halogen-bridged chain platinum(II,IV) complexes involving the terdentate ligand 3-methyl-3-azapentane-1,5-diamine (4Me-dien), 1689–96

Synthesis and reactions of 1,6-bis(2-butyltellurophenyl)-2,5-diazahexa-1,5-diene and related compounds. The crystal and molecular structures of 2-(butyldichlorotelluro)benzaldehyde and bis[2-(hydroxyiminomethyl)phenyl] ditelluride, 1697–704

Direct insertion of a nitrogen atom into the S–S bond of a 1,2,3,5-dithiadiazole ring in a direct current nitrogen glow discharge, and *X*-ray crystal structure of 4-methyl-1,2,3,5-dithiadiazole, 1705–14

Complexes of ligands providing endogenous bridges. Part 7. The concurrent formation of 1 + 1 and 2 + 2 oxa-azamacrocycles;

CRYSTAL STRUCTURE (contd)
the *X*-ray crystal structure of an exocyclic dinuclear copper(II) complex, 1727–38
Closely related macrocyclic and acyclic tridentate, pyridine derivatives, containing sulphur, and their complexes. Crystal structures of {dichloro-3,10-dithia-16-azabicyclo[10.3.1]hexadeca-1(16),12,14-triene}copper(II) and [2,6-bis(ethylthiomethyl)pyridine]dichlorocopper(II), 1739–44
Structural effects of one-electron oxidation on a cyclobutadieneiron derivative: *X*-ray crystal structures of $[Fe(CO)\{P(OMe)_3\}_2(\eta\text{-}C_4Ph_4)]$ and $[Fe(CO)\{P(OMe)_3\}_2(\eta\text{-}C_4Ph_4)]BF_4$, 1751–8
Synthetic, spectroscopic, and *X*-ray studies on methylmercury(II) and dimethylthallium(III) complexes with cyclopentanone thiosemicarbazone, 1787–92
Phenoxo and diphenoxo complexes of titanium(III) and vanadium(III): synthesis and *X*-ray structure, 1793–8
Organic chemistry of dinuclear metal centres. Part 12. Synthesis, *X*-ray crystal structure, and reactivity of the di-μ-alkylidene complex $[Ru_2(CO)_2(\mu\text{-}CHMe)(\mu\text{-}CMe_2)(\eta\text{-}C_5H_5)_2]$: alkylidene linking, 1799–806
Organic chemistry of dinuclear metal centres. Part 13. Synthesis, structure, and reactivity of $[Ru_2(CO)_4(\eta^5\text{:}\eta^{5\prime}\text{-}C_5H_4CH_2C_5H_4)]$, 1807–14
Preparation of thionylimide complexes of titanium, zirconium, and hafnium. Crystal structure of $[Zr(cp)(\eta\text{-}C_5Me_5)(NSO)_2]$, 1815–8
The mechanisms of fluxionality of $[Fe_3(CO)_{12-n}\{P(OR)_3\}_n]$ (R = Me, n = 0—3; R = Pr^i, n = 2 or 3) and the *X*-ray structure of $[Fe_3(CO)_{10}\{P(OMe)_3\}_2]$, 1831–44
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 88. Carbaboranetungsteniridium compounds; crystal structure of the complex $[WIr(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_2(PEt_3)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 1845–54
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 89. Tetra- and penta-nuclear tungsten–rhodium complexes: crystal structures of $[W_3Rh_2(\mu\text{-}CO)_2(\mu\text{-}CMe)\{\mu\text{-}C(Me)C(O)\}(\mu\text{-}PPh_2)_2(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$ and $[W_3Rh_2(\mu\text{-}CO)_3(\mu\text{-}CMe)\{\mu\text{-}C(Me)PPh_2\}(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$, 1855–64
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 91. Steric implications in the reactions of the complexes $[M(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W, R = C_6H_4Me-4, C_6H_4OMe-2, or $C_6H_3Me_2$-2,6) with the compounds $[Mo(CO)_3(NCMe)_3]$ and $[Cu(thf)(\eta\text{-}C_5Me_5)]$ (thf = tetrahydrofuran); crystal structure of $[Mo_3(\mu\text{-}CC_6H_3Me_2\text{-}2,6)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 1871–8
Synthetic and structural studies on organomolybdenum and organotungsten complexes containing bismuth. *X*-Ray crystal structures of $[BiCl\{Mo(CO)_3(\eta\text{-}C_5H_5)\}_2]$ and $[BiCl\{Mo(CO)_2(CNBu^t)(\eta\text{-}C_5H_5)\}_2]$ (1988, 2941), 1887
Preparation, characterisation, and reactions with phosphite donor ligands of the new cationic monoalkyne complexes $[WI(CO)(NCMe)\{Ph_2P(CH_2)_nPPh_2\}(\eta^2\text{-}RC_2R)][BF_4]$ (n = 1—6; R = Me or Ph). *X*-Ray crystal structure of $[WI(CO)\{P(OPr^i)_3\}\{Ph_2P(CH_2)PPh_2\}(\eta^2\text{-}MeC_2Me)][BF_4]_{0.5}[OH]_{0.5}\cdot 0.5H_2O$, 1903–10
Metal complexes of α-hydroxyiminophosphonic acid derivatives. Preparation and crystal structures of calcium and cadmium complexes of methyl (*E*)-α-hydroxyiminobenzylphosphonate, 1911–4
Steric effect of the adamantyl ligand on crystal structure and dissociation rates in organocobalt B_{12} models, 1941–6
Chemistry of $[\{Cr(cp)(CO)_3\}_2]$ (cp = η^5-C_5H_5). Reaction with elemental P_4. A high yield synthesis and crystal structures of $[\{Cr(cp)(CO)_2\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ and $[Cr(cp)(CO)_2(\eta^3\text{-}P_3)]$, 1951–6
Rearrangements of >C=N– functionalities promoted by cobalt(I): reactivity of cyclopentadienylbis(ethylene)cobalt(I) with dibenzophenone azine, benzophenone oxime, benzylidene(phenyl)amine and crystal structure determinations of the products, 1957–62
Spectroscopic and electrochemical study of copper and zinc complexes with a N_2S_2 ligand donor set. Crystal structure of the copper(II) complex derived from 1,3-propylenediamine and 3-formyl-1-phenyl-2(1*H*)-pyridinethione, 1979–86
Preparation and structural studies of diphenylthiophosphinito rhodium(III) complexes. *X*-Ray structure analysis of $[\{(C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2(\mu\text{-}Ph_2PS)][BPh_4]$, 1987–92
A barium dithiocyanate complex with an unusual macrocycle containing pendant arms, the amine precursor, and related copper(II) diperchlorate complexes: synthesis and structure, 1993–2002
Synthesis and characterization of bis(xanthate) complexes of Mo^{II} and W^{II}. Crystal structure of $[W(S_2COPr^i\text{-}S)(S_2COPr^i\text{-}SS')(CO)_2(PMe_3)_2]$, 2003–10
Ruthenium oxo complexes of macrocyclic tertiary amines. Synthesis, electrochemistry, and reactivities of ruthenium oxo complexes of *meso*-2,3,7,11,12-pentamethyl-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and *X*-ray crystal structure of *trans*-$[Ru^{IV}L^1(O)(NCO)]ClO_4$, 2011–6
Cluster activation *via* cyclometallation. Formation of the cyclometallated triosmium carbonyl cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and its reactions with phosphorus donor ligands. The *X*-ray crystal structures of $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and $[Os_3H(CO)_9\{P(OMe)_3\}(PPh_2)]$, 2023–32
Reactions of the cyclometallated triosmium cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ with Brønsted acids and dihydrogen: synthesis and *X*-ray crystal structure of $[Os_3H_2(CF_3CO_2)(CO)_9(\mu\text{-}PPh_2)]$, 2033–8
Reduction–oxidation properties of organotransition-metal complexes. Part 30. Triazenido-bridged carbonylrhodium bipyridyl complexes with $[Rh_2]^{2+}$, $[Rh_2]^{3+}$, and $[Rh_2]^{4+}$ cores, and the *X*-ray structures of $[Rh_2(CO)_2(bipy)(\mu\text{-}RNNNR)_2][BF_4]\cdot CH_2Cl_2$ and $[\{Rh_2I(CO)(bipy)(\mu\text{-}RNNNR)_2\}_2][PF_6]_2\cdot 2.5CH_2Cl_2$ (R = *p*-tolyl), 2049–60
Synthesis and properties of the bis(μ-thiosulphato-*S*)-bis(dinitrosylferrate)(2−) anion. Crystal and molecular structure of bis[bis(triphenylphosphoranylidene)ammonium] bis(μ-thiosulphato-*S*)-bis(dinitrosylferrate), 2061–4
Chelate-stabilised tetrahydrofuran complexes of platinum(II). Crystal structure of $[PtCl(Ph_2PCH_2C_4H_7O)\text{-}(Ph_2C_4H_7O)][PF_6]$, 2069–72
Activation of a vinyl carbon–hydrogen bond in a tris(pyrazolyl)boratoiridium complex. The *X*-ray crystal structure of $[IrH\{HB(pz)_3\}(\sigma\text{-}C_8H_{13})(\eta^2\text{-}C_8H_{14})]$, 2073–6
Crystal structures and magnetic properties of bi- and tetra-nuclear copper(II) complexes of 2,6-diformyl-4-methylphenol di(benzoylhydrazone), 2083–8
Synthesis, structure, and redox properties of dicopper(II,II) complexes of *N*-(hydroxyphenyl)salicylamide and homologues. Facile oxidation to dicopper-(II,III) and -(III,III) species; crystal structure of bis(tetrabutylphosphonium) bis{[(2-oxidobenzoyl)(2′-oxidophenyl)amido(3−)-NO^2,μ-$O^{2\prime}$]cuprate(II)}, 2089–94
Crystal structure and magnetic properties of the heterobinuclear complex $[(CH_3CN)LNi(mnt)Cu(mnt)]\cdot CH_3CN$ (L = tetrabenzo[*b*,*f*,*j*,*n*][1,5,9,13]tetra-azacyclohexadecine and mnt = maleonitriledithiolate), 2095–8
Mesitylgold(I) complexes. Crystal structures of $NEt_4[Au(mes)Cl]$ and $[N(PPh_3)_2][(mes)Au(CN)Au(mes)]$, 2127–32
Stereochemical role of lone pairs in main-group elements. Part 4. The crystal structure at 120 K of bis(1,4,7,10,13-pentaoxacyclopentadecane)tin(II) bis[trichlorostannate(II)], confirming the sterically inactive tin lone pair, 2155–60
Low-valent isocyanide complexes and clusters of palladium and platinum. Crystal structure of $[Pt\{C(=NR)N(R)C(=NR)\}(RNC)_2]$ (R = 2,6-$Me_2C_6H_3$), 2161–6
Interaction of benzo-1,3-thiazoline-2-thione and related ligands with copper(II) salts and the single-crystal *X*-ray structure of μ-[1,2-bis(diphenylphosphino)ethane]-bis{(benzo-1,3-thiazole-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]copper(I)}, 2167–72
Synthesis and crystal structures of three four-membered ring compounds containing PN_2Ti skeletons, 2173–8
Characterisation of tridentate macrocyclic complexes of molybdenum(0) with tetra-aza macrocycles. Crystal structure of $[Mo(CO)_3L^1]$ (L^1 = C-*meso*-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane), 2183–6
Iron carbene complexes. Part 3. Aminolysis of di-iron alkoxycarbene complexes with ammonia and dimethylamine. *X*-Ray crystal structure of $[Fe_2(\mu\text{-}SPh)_2(CO)_5\{C(NMe_2)Ph\}]$, 2199–204
Electrochemistry of the quasi-reversible bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate-(V) and -(IV) and bis[2-hydroxy-2-methylbutanoato(2−)]oxochromate-(V) and -(IV) redox couples and the crystal and molecular structure of sodium bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate(V) sesquihydrate, 2205–10

CRYSTAL STRUCTURE (contd)
Stepwise conversion of $[Os(CF_3CO_2)_2(CO)_4]$ into $[Os(pyS)_2(CO)_2]$: *X*-ray crystal structures of the complexes $[Os(pyS)_2(CO)_x]$ where $x = 2$ or 3 and pyS is the pyridine-2-thionato ligand, 2211–6
Lanthanide ion complexes of the calixarenes. Part 4. Double inclusion by *p*-t-butylcalix[4]arene (H_4L). Crystal structures of $[Eu_2(HL)_2(dmf)_4]\cdot 7dmf$ (dmf = dimethylformamide) and $H_4L\cdot dmso$ (dmso = dimethyl sulphoxide), 2217–22
The 4-phenyl-1,2,3,5-dithiadiazole complex $[Fe_2(CO)_6(PhCN_2S_2)]$: its preparation, crystal structure, and an extended-Hückel molecular-orbital study of the bonding, 2229–34
Synthesis of arylthallium complexes using organomercury compounds. Crystal and molecular structures of $[NMe_4][Tl(C_6H_4N{=}NPh\text{-}2)Cl_3]$ and $[Tl(C_6H_4CH_2NMe_2\text{-}2)Cl_2]$, 2241–6
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 93. Synthesis of heteropolynuclear metal compounds with chains of seven to eleven metal atoms; crystal structure of $[Mo_2W_3Pt_6(\mu_3\text{-}CMe)_3(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(CO)_{10}(PMe_2Ph)_4(\eta\text{-}C_5H_5)_5]$, 2269–80
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 95. Synthesis and crystal structures of $[W_2RuPt(\mu\text{-}CC_6H_4Me\text{-}4)(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(PMe_2Ph)(\eta\text{-}C_5H_5)_2]$ and $[W_2Ru_2Pt_2(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(\mu\text{-}CO)_2(CO)_9(\eta\text{-}C_5H_5)_2]$, 2289–96
Insertion of CS_2 into Ag–S bonds. Preparations and crystal structures of $[\{[Ag(SC_6H_2Pr^i_3\text{-}2,4,6)]_4\cdot CHCl_3\}_n]$ and its insertion product with CS_2, $[\{Ag(S_2CSC_6H_2Pr^i_3\text{-}2,4,6)\}_2\{Ag(SC_6H_2Pr^i_3\text{-}2,4,6)\}_6]\cdot 8CHCl_3$, 2297–302
A convenient route to binuclear osmium(I) complexes containing diphosphine and arsinophosphine ligands. *X*-Ray crystal structure of $[Os_2(MeCO_2)_2(CO)_4(dppm)_2]$, 2303–8
Unusual chelating properties of the ligand 1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane (bddo). Crystal structures of Ni(bddo)$(NCS)_2$, Zn(bddo)$(NCS)_2$ and Cd_2(bddo)$(NCS)_4$, 2309–14
Platinum metal complexes of potentially chelating alkene thioether and selenoether ligands: the synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{E[(CH_2)_nCR{=}CR_2]_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; $n = 2$ or 3; R = H or Me) and the *X*-ray crystal structure of *cis*-di-iodo(5-thianona-1,8-diene)platinum(II), $[PtI_2\{S[(CH_2)_2CH{=}CH_2]_2\}]$, 2315–22
Reactions of chloro(triphenylphosphine)gold(I) and [μ-1,2-bis(diphenylphosphine)ethane]-bis[bromogold(I)] with oxopurine bases. Molecular and crystal structure and bonding of (theophyllinato)(triphenylphosphine)gold(I), 2323–30
Oxidative addition of dibenzoyl peroxide on metallic copper. The crystal structure of $[\{Cu(C_6H_5CO_2)_2(py)\}_2]$, 2331–4
Crystal and molecular structure of a lattice adduct, $HgPh_2\cdot 2[Hg(SCN)_2(PPh_3)_2]$: an unusual case of two- and four-co-ordinate mercury in the same unit cell, 2339–42
Mixed-metal carbido carbonyl clusters. Part 4. Synthesis and structural characterization of $[Rh_6C(CO)_{13}\{Au_2(PPh_3)_2\}]$, 2343–6
Cyclic metallasiloxane compounds of Ti^{IV} and Zr^{IV}. *X*-Ray crystal structures of a *cis*-bis(pyridine) bis(cyclosiloxy)titanate and a pyridinelithiated tris(cyclosiloxy)zirconate, 2347–52
Functionalized amino acid complexation to a cobalt(III) complex of (2*R*,5*R*,8*R*,11*R*)-2,5,8,11-tetraethyl-1,4,7,10-tetra-azacyclododecane. Crystal structures of complexes containing (*R*)- or (*S*)-serine and (*R*)-α-methylserine, and release of amino acid from the complexes, 2359–66
Reactions of 1-alkynes with *trans*-$[ReCl(N_2)(Ph_2PCH_2CH_2PPh_2)_2]$: preparation of the vinylidene compounds *trans*-$[ReCl(=C{=}CHR)(Ph_2PCH_2CH_2PPh_2)_2]$ (R = alkyl or aryl) and *X*-ray structure of *trans*-$[ReCl(=C{=}CHPh)(Ph_2PCH_2CH_2PPh_2)_2]$, 2381–8
The chemistry of dinitrogen residues. Part 7. Hydrazido(1−)- and *N,N*-dimethylhydroxylaminato(1−)-complexes of titanium(IV), 2389–96
Substituted cyclopentadienyl complexes. Part 4. The catalysed synthesis and proton nuclear magnetic resonance spectra of $[Ru(\eta^5\text{-}C_5H_4Me)(CO)(L)I]$ and $[Ru(\eta^5\text{-}C_9H_7)(CO)(L)I]$ (L = phosphine or isocyanide) and the crystal structure determination of $[Ru(\eta^5\text{-}C_9H_7)(CO)\{P(CH_2Ph)_3\}I]$, 2407–14
Cyclometallation of unsaturated carboxylic acids by pentamethylcyclopentadienyl-rhodium and -iridium complexes. Crystal structures of $[(C_5Me_5)\overline{Ir(CPh{=}CHCO{-}O)}(Me_2SO)]$ and $[(C_5Me_5)\overline{Ir(CPh{=}CHCO{-}OMe)}I]^+$, 2415–22
Complexes of lead(II) bis(*O,O'*-dialkyl dithiophosphates) with nitrogen donor ligands. The crystal structures of $Pb[S_2P(OEt)_2]_2\cdot$en (en = ethylenediamine), $Pb[S_2P(OEt)_2]_2\cdot$bipy (bipy = 2,2'-bipyridine), and $\{Pb[S_2P(OEt)_2]_2\}_2\cdot$en, 2443–8
Preparation and *X*-ray crystal structure of $[Ru_3RhH_3(CO)_{12}]$, 2449–52
On the existence of the anion trichloro(η-cyclopentadienyl)titanate(1−). Crystal structure of the salt $[Co(C_5H_5)_2][Ti(C_5H_5)Cl_3]$, 2453–6
Tables of bond lengths determined by *X*-ray and neutron diffraction. Part 2. Organometallic compounds and co-ordination complexes of the *d*- and *f*-block metals, S1—S84
CYANATE
Reactivity of cationic molybdenum(II) complexes. Part 4. Isolation and crystal structure determination of *cis*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(N_3)]$ and *cis*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(NCO)]$, 959–64
CYANIDE
Reductive nitrosylation of tetraoxometalates. Part 15. Generation of $Mn(NO)^{3+}$, $Mn(NO)^{2+}$, and $Mn(NO)_2{}^{2+}$ moieties directly from $MnO_4{}^-$. Synthesis, characterization, and electrochemistry of cyanonitrosyl derivatives of manganese, 1963–72
Kinetics of formation, dissociation, and isomerization reactions in complexes of cyanopyridines and benzonitrile with pentacyanoruthenate(II), 1973–8
Mesitylgold(I) complexes. Crystal structures of $NEt_4[Au(mes)Cl]$ and $[N(PPh_3)_2][(mes)Au(CN)Au(mes)]$, 2127–32
Reductive nitrosylation of tetraoxometalates. Part 15. Generation of $Mn(NO)^{3+}$, $Mn(NO)^{2+}$, and $Mn(NO)_2{}^{2+}$ moieties directly from $MnO_4{}^-$. Synthesis, characterization, and electrochemistry of cyanonitrosyl derivatives of manganese (1989, 1963), 2461
CYANOPYRIDINE
Kinetics of formation, dissociation, and isomerization reactions in complexes of cyanopyridines and benzonitrile with pentacyanoruthenate(II), 1973–8
CYANOTRIHYDROBORATE
Crystal and molecular structures of μ-hydrido-bis[*fac*-(2,2'-bipyridine)tricarbonylrhenium(I)] chloride, *fac*-(2,2'-bipyridine)tricarbonylformatorhenium(I), and *fac*-(2,2'-bipyridine)tricarbonyl(cyanotrihydroborato)rhenium(I), 1449–54
CYCLOBUTADIENE
Structural effects of one-electron oxidation on a cyclobutadieneiron derivative: *X*-ray crystal structures of $[Fe(CO)\{P(OMe)_3\}_2(\eta\text{-}C_4Ph_4)]$ and $[Fe(CO)\{P(OMe)_3\}_2(\eta\text{-}C_4Ph_4)]BF_4$, 1751–8
CYCLOHEPTADIENYL
Addition of anilines to the $[Fe(CO)_3(1{-}5\text{-}\eta\text{-}C_7H_9)]BF_4$ complex, and the 'Ordered Transition State Mechanism,' 561–6
CYCLOHEPTATRIENE
A comparison of the rates of intramolecular hydrogen migration in the molecules $[Mo(\eta\text{-}C_7H_8)_2]^{n+}$ to give $[Mo(\eta\text{-}C_7H_7)(\eta\text{-}C_7H_9)]^{n+}$, $n = 0$ or 1: crystal structures of $[Mo(\eta\text{-}C_7H_8)_2]$, $[Mo(\eta\text{-}C_7H_7)(\eta\text{-}C_7H_9)]$, and $[Mo(\eta\text{-}C_7H_8)_2][BF_4]$, 331–44
CYCLOHEXANEDIAMINETETRA-ACETATE
Bimetallic compounds of *trans*-cyclohexane-1,2-diamine-*NNN'N'*-tetra-acetate (cdta). Part 3. Structural and magnetic characterization of the dinuclear $[M(OH_2)_5][M'(cdta)]\cdot H_2O$ (M,M' = Ni,Ni; Mn,Ni; Mn,Cu; Co,Ni; or Co,Cu) and the tetranuclear $[M(OH_2)_4][M'(cdta)(OH_2)]\cdot 4H_2O$ (M,M' = Zn,Zn; Zn–Co; Co,Co; or Mn,Co) complexes, 863–72
CYCLOMETALLATION
Cyclometallation of unsaturated carboxylic acids by pentamethylcyclopentadienyl-rhodium and -iridium complexes. Crystal structures of $[(C_5Me_5)\overline{Ir(CPh{=}CHCO{-}O)}(Me_2SO)]$ and $[(C_5Me_5)\overline{Ir(CPh{=}CHCO{-}OMe)}I]^+$, 2415–22
CYCLO-OCTENE
Activation of a vinyl carbon–hydrogen bond in a tris(pyrazolyl)boratoiridium complex. The *X*-ray crystal structure of $[IrH\{HB(pz)_3\}(\sigma\text{-}C_8H_{13})(\eta^2\text{-}C_8H_{14})]$, 2073–6
CYCLOPENTADIENEDIYL
Organic chemistry of dinuclear metal centres. Part 13. Synthesis, structure, and reactivity of $[Ru_2(CO)_4(\eta^5{:}\eta^{5'}\text{-}C_5H_4CH_2C_5H_4)]$, 1807–14
CYCLOPENTADIENYL
Halogeno, hydride, and alkyl carbonyl–monocyclopentadienyl niobium derivatives. Crystal and molecular structure of $[Nb(\eta\text{-}C_5H_5)Cl(H)(CO)(PMe_3)_2]$, 79–84
Studies on olefin-co-ordinating transition-metal carbene complexes.

CYCLOPENTADIENYL (contd)
Part 14. An unusual reaction of tricarbonyl(η^4-cyclopenta-1,3-diene)iron: a new approach to acyldicarbonyl(η-cyclopentadienyl)iron complexes, and the *X*-ray crystal structure of [Fe(COC$_6$H$_4$CF$_3$-*p*)(η-C$_5$H$_5$)(CO)$_2$], 635–8
On the relationship between crystallographic and spectroscopic evidence of dynamic processes in the solid state: the cases of *cis*- and *trans*-[Fe$_2$(η-C$_5$H$_5$)$_2$(CO)$_4$], 1721–6
Organic chemistry of dinuclear metal centres. Part 12. Synthesis, *X*-ray crystal structure, and reactivity of the di-μ-alkylidene complex [Ru$_2$(CO)$_2$(μ-CHMe)(μ-CMe$_2$)(η-C$_5$H$_5$)$_2$]: alkylidene linking, 1799–806
Preparation of thionylimide complexes of titanium, zirconium, and hafnium. Crystal structure of [Zr(cp)(η-C$_5$Me$_5$)(NSO)$_2$], 1815–8
Chemistry of [{Cr(cp)(CO)$_3$}$_2$] (cp = η^5-C$_5$H$_5$). Reaction with elemental P$_4$. A high yield synthesis and crystal structures of [{Cr(cp)(CO)$_2$}$_2$(μ-η^2-P$_2$)] and [Cr(cp)(CO)$_2$(η^3-P$_3$)], 1951–6
Rearrangements of >C=N– functionalities promoted by cobalt(I): reactivity of cyclopentadienylbis(ethylene)cobalt(I) with dibenzophenone azine, benzophenone oxime, benzylidene(phenyl)amine and crystal structure determinations of the products, 1957–62
Hydrogen scrambling processes in [Ta(η-C$_5$Me$_5$)(η-C$_5$H$_5$){(μ-H)$_2$BH$_2$}]: a surprising observation, 2133–8
Substituted cyclopentadienyl complexes. Part 4. The catalysed synthesis and proton nuclear magnetic resonance spectra of [Ru(η^5-C$_5$H$_4$Me)(CO)(L)I] and [Ru(η^5-C$_9$H$_7$)(CO)(L)I] (L = phosphine or isocyanide) and the crystal structure determination of [Ru(η^5-C$_9$H$_7$)(CO){P(CH$_2$Ph)$_3$}I], 2407–14
On the existence of the anion trichloro(η-cyclopentadienyl)titanate(1 –). Crystal structure of the salt [Co(C$_5$H$_5$)$_2$][Ti(C$_5$H$_5$)Cl$_3$], 2453–6

CYCLOPENTANONE
Synthetic, spectroscopic, and *X*-ray studies on methylmercury(II) and dimethylthallium(III) complexes with cyclopentanone thiosemicarbazone, 1787–92

CYCLOPHOSPHAZANE
Reactions of amine hydrochlorides with phosphorus trichloride oxide; preparation and *X*-ray crystal structure of 2,4,6-trichloro-1,3,5-triphenyl-1,3,5,2λ^5,4λ^5,6λ^5-triazatriphosphorinane 2,4,6-trioxide (PhNPOCl)$_3$, 821–8

CYCLOPHOSPHAZENE
Solid-state structure and solution conformation of 2,2,4,4,6,6-hexa(*p*-chlorophenoxo)cyclotri-λ^5-phosphazatriene. *X*-Ray and dipole moment studies, 757–60

CYCLOPROPENE
Reactions of co-ordinated ligands. Part 46. Formation of [Os$_3$(μ-H)(μ-CCH$_2$CHMe$_2$)(CO)$_{10}$] and [Os$_3$(μ-H)(μ-CCH=CMe$_2$)(CO)$_{10}$] by carbon–carbon σ-bond and carbon–hydrogen activation of 3,3-dimethylcyclopropene; crystal and molecular structure of [Os$_3$(μ-H)(μ-CCH$_2$CHMe$_2$)(CO)$_{10}$] and evidence for its facile rearrangement to [Os$_3$(μ-H)(μ-CH=CHCHMe$_2$)(CO)$_{10}$], 1333–40

DECOMPOSITION
A kinetic study of the gas-phase thermolysis of pentaborane(11), 385–90
Influence of added hydrogen on the kinetics and mechanism of thermal decomposition of tetraborane(10) and of pentaborane(11) in the gas phase, 391–8

DETERGENT
Electronic spectral study of the aqua ⇌ hydroxo equilibrium of model iron(III) haems encapsulated in aqueous detergent micelles, 1003–6

DIAMINE
The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 13. Characterization and stability constants of copper(II) species isolated from mixed-ligand solutions; crystal structure of the complex (pyridine-2,6-dicarboxylato)(*N*,*N*′,*N*′-tetramethyl-1,3-diaminopropane)copper(II), 253–8

DIARSINE
Synthesis and structural studies on silver–tin complex salts with bis(diphenylarsino)methane and bis(diphenylphosphino)methane, 247–52
Reactivity of binuclear pyrazolate-bridged rhodium complexes with isocyanides. Molecular structure of [Rh$_2$(μ-pz)I$_2$(CNBu^t)$_2$(μ-Ph$_2$PCH$_2$PPh$_2$)$_2$]BF$_4$ (pz = pyrazolate), 1427–34

DIAZAPHOSPHETIDINE
Synthesis and crystal structures of three four-membered ring compounds containing PN$_2$Ti skeletons, 2173–8

DIAZENE
Reactivity of new osmium dihydrides with arenediazonium cations: preparation and properties of bis(aryldiazene) and mono(aryldiazenido) complexes. A comparison with analogous iron and ruthenium derivatives, 2353–8

DIAZOMETHANE
Preparation of (chloromethyl)palladium(II) derivatives from complexes of palladium dichloride by reaction with diazomethane or bis(chloromethyl)mercury, 761–6

DICARBAUNDECABORATE
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 84. Carbaborane tungsten– platinum complexes having a μ-CC$_6$H$_3$Me$_2$-2,6 ligand; crystal structures of [WPt(μ-CC$_6$H$_3$Me$_2$-2,6)(CO)$_n$(PEt$_3$)(μ-σ:η^5-C$_2$B$_9$H$_8$Me$_2$)] (*n* = 2 or 3), 303–12
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 86. Alkylidyne(carbaborane)-molybdenum–gold, –rhodium and –iron complexes; crystal structure of [NEt$_4$][MoFe$_2$(μ$_3$-CC$_6$H$_4$Me-4)(μ-σ:σ′:η^5-C$_2$B$_9$H$_7$Me$_2$)(CO)$_8$], 797–808

DICHLOROETHANE
Formation of mixed-ligand complexes of cadmium(II) halide with tri-n-octylphosphine oxide and pyridine or substituted pyridines in 1,2-dichloroethane, 1259–64

DIETHYLCARBAMATE
Formation of alkylurethanes from carbon dioxide by regioselective *O*-alkylation of alkali-metal *N*,*N*-diethylcarbamates in the presence of complexing agents, 1007–10

DIHYDROGEN
Influence of added hydrogen on the kinetics and mechanism of thermal decomposition of tetraborane(10) and of pentaborane(11) in the gas phase, 391–8
Hydrogen production from ethanol catalysed by Group 8 metal complexes, 489–96
Kinetics of reactions of hydrogen with [Os$_3$(CO)$_{11}$(NCMe)] and [Os$_3$(CO)$_{10}$(NCMe)$_2$], 2235–40
Photochemical reactivity of 2[Ir^{III}HCl$_2$(PPr$^i_3$)$_2$]·H$_2$. Formation of monohydrido isomers of Ir^{III} and evidence of photoinduced oxidative addition of H$_2$ to Ir^{III}, 2367–70

DI-IMINE
Dimeric mixed-ligand copper(II) complexes with di-imines and salicylaldehydate, 1435–8

DIKETONE
Ligand additivity in the oxidation potentials of bidentate mixed-ligand ruthenium(II) complexes, 371–4

DIMETHYLFORMAMIDE
Spectrophotometric and calorimetric studies on the formation of binary (2,2′-bipyridine)nickel(II) and ternary (2,2′-bipyridine)chloronickel(II) complexes in *N*,*N*-dimethylformamide, 655–60

DIMETHYLGLYOXIMATE
Relative importance of the inductive and steric effects of alkyl groups (R) in understanding the nature of the Co^{III}–C bond in alkyl cobaloximes, and comments on related alkyl cobalamins, 115–8
Steric effect of the adamantyl ligand on crystal structure and dissociation rates in organocobalt B$_{12}$ models, 1941–6

DIMETHYL SULPHOXIDE
Studies in Werner clathrates. Part 9. Structures with bis(isothiocyanato)tetrakis(4-phenylpyridine)nickel(II) as host, 119–26
The nickel(II)–bromide system in dimethyl sulphoxide: a detailed study of the influences of temperature and mole ratio, 325–30
Mode of binding of dimethyl sulphoxide in platinum(II) and palladium(II) cationic complexes containing a chelated diamine. *X*-Ray crystal structures of (2,2′-bipyridyl)chloro(dimethyl sulphoxide-*O*)palladium(II) tetrafluoroborate and chloro(dimethyl sulphoxide-*S*)(ethylenediamine)palladium(II) perchlorate, 1265–72
Lanthanide ion complexes of the calixarenes. Part 4. Double inclusion by *p*-t-butylcalix[4]arene (H$_4$L). Crystal structures of [Eu$_2$(HL)$_2$(dmf)$_4$]·7dmf (dmf = dimethylformamide) and H$_4$L·dmso (dmso = dimethyl sulphoxide), 2217–22

DINITROGEN
A theoretical study on the co-ordination of dinitrogen and related molecules to nickel(0): '*ab initio*' calculations on the model compounds [Ni(PH$_3$)$_2$(N$_2$)], [Ni(PH$_3$)$_2$(N$_2$CH$_2$)], and [Ni(PH$_3$)$_2$(N$_2$H$_2$)], 33–8

DIOXANE
Reactivity studies on the hydrolysis of iron(II) complexes of substituted phenanthrolines in dioxane–water solvents, 1105–8
DIOXYGEN
Reactivity of metallic copper with acidic organic compounds in the presence of molecular oxygen. Crystal structure of $[\{Cu(NCO)(py)_2\}_2]\cdot H_2O$, 921–6
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–202
Autoxidation of a dicopper(I) macrocyclic complex: evidence for a mixed-valence intermediate, 1351–60
Reactions of heteropolyanions in non-polar solvents. Part 3. Activation of dioxygen by manganese(II) centres in polytungstates. Oxidation of hindered phenols, 1483–90
DIPHENYLTHIOPHOSPHINITE
Preparation and structural studies of diphenylthiophosphinito rhodium(III) complexes. *X*-Ray structure analysis of $[\{(C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2(\mu\text{-}Ph_2PS)][BPh_4]$, 1987–92
DIPHOSPHINE
Synthesis and structural studies on silver–tin complex salts with bis(diphenylarsino)methane and bis(diphenylphosphino)methane, 247–52
Reactions of the bis(alkyne) complexes $[WI_2(CO)(NCMe)(\eta^2\text{-}RC_2R)_2]$ (R = Me or Ph) with mono- and bi-dentate phosphine-donor ligands and the *X*-ray crystal structure of $[WI_2(CO)\{Ph_2P(CH_2)PPh_2\}(\eta^2\text{-}MeC_2Me)]$, 295–302
Mechanistic studies on hydrazido(2−)-complexes. Cleavage of the nitrogen–nitrogen bond in the reaction of $[Mo\{NN(CH_2)_4CH_2\}(Ph_2PCH_2CH_2PPh_2)_2]$ with acid, 425–30
Six- and five-co-ordinate ruthenium(II) complexes with 1,2-bis(dicyclohexylphosphino)ethane. *X*-Ray crystal structure of the d^6 five-co-ordinate $[RuCl\{(C_6H_{11})_2PCH_2CH_2P(C_6H_{11})_2\}_2]PF_6$, 1045–52
Synthesis of hydridotrifluoromethyl complexes of platinum(II). A spectroscopic investigation of the *trans* and *cis* influence of ligands in hydridoplatinum(II) compounds, 1149–60
Syntheses and redox properties of mixed isocyanide, carbonyl, or nitrile complexes of rhenium(I) *trans*-$[Re(CNMe)L(Ph_2PCH_2CH_2PPh_2)_2]X$ [L = CNR (R = alkyl or aryl), CO, or NCMe; X = Cl, BF_4, or PF_6], 1209–16
The heteronuclear cluster chemistry of the Group 1B metals. Part 11. Effect of the nature of the bidentate diphosphine ligand on the metal framework structures of the gold heteronuclear cluster compounds $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1—6). *X*-Ray crystal structures of $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1 or 2), 1227–36
Substitution reactions of the zerovalent iron complexes $[Fe(\eta\text{-}C_6H_6)(PMe_3)_2]$ and $[Fe(\eta\text{-}C_6H_6)(dmpe)]$ (dmpe = $Me_2PCH_2CH_2PMe_2$), 1385–92
Crystal and molecular structure of [1,2-bis(diethylphosphino)ethane mono-oxide-*P,O*]trichloro-oxomolybdenum(V), 1417–20
Reactivity of binuclear pyrazolate-bridged rhodium complexes with isocyanides. Molecular structure of $[Rh_2(\mu\text{-}pz)I_2(CNBu^t)_2(\mu\text{-}Ph_2PCH_2PPh_2)_2]BF_4$ (pz = pyrazolate), 1427–34
Synthesis, characterization, and thermolytic behaviour of η^3-allyl(methyl)(tertiary phosphine)palladium(II), and *X*-ray structure of the cluster $[Pd_4(\mu\text{-}C_3H_5)_2(\mu\text{-}Cl)_2(\mu\text{-}dppm)_2]\cdot 4C_4H_8O$ (dppm = $Ph_2PCH_2PPh_2$), 1519–26
Nucleophilic (Michael) additions to $(Ph_2P)_2C{=}CH_2$ when chelated to platinum(II) dichloride or di-iodide, 1527–30
Base-promoted cleavage of a P–C bond in $[PtCl_2(Ph_2PCH_2PPh_2\text{-}PP')]$ under mild conditions, 2017–22
The heteronuclear cluster chemistry of the Group 1B metals. Part 12. Variable temperature nuclear magnetic resonance spectroscopic studies of the dynamic behaviour of the mixed-metal cluster compounds $[M_2Ru_4(\mu_3\text{-}H)_2(\mu\text{-}L)(CO)_{12}]$ [M = Cu or Ag, L = $Ph_2P(CH_2)_nPPh_2$ (n = 1—6) or *cis*-$Ph_2PCH{=}CHPPh_2$; M = Cu, L = $Ph_2As(CH_2)_nPPh_2$ (n = 1 or 2)] in solution, 2039–48
Interaction of benzo-1,3-thiazoline-2-thione and related ligands with copper(II) salts and the single-crystal *X*-ray structure of μ-[1,2-bis(diphenylphosphino)ethane]-bis{(benzo-1,3-thiazole-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]copper(I)}, 2167–72
A convenient route to binuclear osmium(I) complexes containing diphosphine and arsinophosphine ligands. *X*-Ray crystal structure of $[Os_2(MeCO_2)_2(CO)_4(dppm)_2]$, 2303–8
Reactions of 1-alkynes with *trans*-$[ReCl(N_2)(Ph_2PCH_2CH_2PPh_2)_2]$: preparation of the vinylidene compounds *trans*-$[ReCl(=C{=}CHR)(Ph_2PCH_2CH_2PPh_2)_2]$ (R = alkyl or aryl) and *X*-ray structure of *trans*-$[ReCl(=C{=}CHPh)(Ph_2PCH_2CH_2PPh_2)_2]$, 2381–8
DIPOLE MOMENT
Solid-state structure and solution conformation of 2,2,4,4,6,6-hexa(*p*-chlorophenoxo)cyclotri-λ^5-phosphazatriene. *X*-Ray and dipole moment studies, 757–60
DIPYRIDYLAMINE
Lewis-base adducts of Group 11 metal(I) compounds. Part 58. Syntheses, *X*-ray structures, and far-infrared spectra of the novel $[CuX_2(\text{bidentate ligand})]^-$ (X = Cl or Br) anion salts of the $[Cu(dpa)_2]^+$ cation and the dimeric iodide $[(dpa)CuI_2Cu(dpa)]$ [dpa = di(2-pyridyl)amine], 1639–44
DITHIADIAZOLE
Direct insertion of a nitrogen atom into the S–S bond of a 1,2,3,5-dithiadiazole ring in a direct current nitrogen glow discharge, and *X*-ray crystal structure of 4-methyl-1,2,3,5-dithiadiazole, 1705–14
DITHIADIAZOLYL
The 4-phenyl-1,2,3,5-dithiadiazole complex $[Fe_2(CO)_6(PhCN_2S_2)]$: its preparation, crystal structure, and an extended-Hückel molecular-orbital study of the bonding, 2229–34
DITHIAOCTANE
Unusual chelating properties of the ligand 1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane (bddo). Crystal structures of Ni(bddo)$(NCS)_2$, Zn(bddo)$(NCS)_2$, and Cd_2(bddo)$(NCS)_4$, 2309–14
DITHIARSOLANE
Some transition-metal complexes of 1,3,2-dithiarsolane, 885–8
DITHIOACETATE
Solid-state high-resolution carbon-13 magnetic resonance spectra of dithioacetate complexes of platinum, palladium, and nickel, 2457–60
DITHIOCARBAMATE
Actinide structural studies. Part 17. The crystal and molecular structures of four uranyl(VI) complexes with *N,N*-dialkyldithiocarbamate ligands, 471–80
Lewis base adducts of Group 11 metal(I) complexes. Part 48. Heterobimetallic tris(dithiocarbamato)cobalt(III)–copper(I) halide adducts as a vehicle for novel copper(I) halide clusters (structurally characterized), 971–6
DITHIOCARBONATE
Correlations between nuclear magnetic resonance spectra and crystal structures. A carbon-13 nuclear magnetic resonance study in the solid state of the Group 15 xanthates $[A(S_2COR)_3]$ (A = As^{III}, Sb^{III}, or Bi^{III}; R = Me, Et, or Pr^i), 233–6
Synthesis and characterization of bis(xanthate) complexes of Mo^{II} and W^{II}. Crystal structure of $[W(S_2COPr^i\text{-}S)(S_2COPr^i\text{-}SS')(CO)_2(PMe_3)_2]$, 2003–10
DITHIOCARBOXYLATE
Crystal structure of a novel tetranuclear dithiocarboxylato copper(I) complex, $[\{Cu(S_2CC_6H_4Me\text{-}p)\}_4(PPh_3)_2]$, 753–6
DITHIOLATE
Crystal structure of the new low-dimensional metal $Cs_{0.82}[Pd\{S_2C_2(CN)_2\}_2]\cdot 0.5H_2O$, 1101–4
DITHIO-OXALATE
Tetrathiafulvalenium salts of planar Pt^{II}, Pd^{II}, and Cu^{III} 1,2-dithio-oxalato-*S,S'* anions. Synthesis, chemistry and molecular structures of bis(tetrathiafulvalenium) bis(1,2-dithio-oxalato-*S,S'*)palladate(II), $[ttf]_2[Pd(S_2C_2O_2)_2]$, and of bis(tetrathiafulvalenium)tetrathiafulvalene bis(1,2-dithio-oxalato-*S,S'*)platinate(II), $[ttf]_3[Pt(S_2C_2O_2)_2]$, 719–28
DITHIOPHOSPHATE
Complexes of lead(II) bis(*O,O'*-dialkyl dithiophosphates) with nitrogen donor ligands. The crystal structures of $Pb[S_2P(OEt)_2]_2\cdot$en (en = ethylenediamine), $Pb[S_2P(OEt)_2]_2\cdot$bipy (bipy = 2,2′-bipyridine), and $\{Pb[S_2P(OEt)_2]_2\}_2\cdot$en, 2443–8
DYNAMICS
Solution structure and dynamic behaviour of two isomers of $[Fe_3(CO)_9\{P(OR_3)\}_3]$ (R = Me, Et, or Ph) derivatives, 1277–82
On the relationship between crystallographic and spectroscopic evidence of dynamic processes in the solid state: the cases of *cis*- and *trans*-$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_4]$, 1721–6
ELECTROCHEMISTRY
Structural, spectroscopic, and electrochemical characterization of tetrakis-μ-(2-pyrrolidinonato)-dirhodium(II) and tetrakis-μ-(δ-valerolactamato)-dirhodium(II), 93–100

ELECTROCHEMISTRY (contd)
Synthesis, electrochemistry, and electron spin resonance spectra of some seventeen-electron complexes containing the $\{Mo(NO)\}^{2+}$ core and the molecular structure of $[Mo(NO)\{HB(Me_2pz)_3\}(pyr)_2]$, 127–32
Thermodynamic and electrochemical behaviour of lanthanide cryptates in *N,N*-dimethylformamide, 367–70
Ligand additivity in the oxidation potentials of bidentate mixed-ligand ruthenium(II) complexes, 371–4
Syntheses, electrochemistry, and spectroscopy of dirhodium(II) tetra-acetamidate and tetrakis(trifluoroacetamide) complexes with axial Group 15 substituents. The *X*-ray crystal structures of $[Rh_2(CH_3CONH)_4(AsPh_3)_2]$ and $[Rh_2(CH_3CONH)_{4-n}(CH_3CO_2)_n(MPh_3)_2]$, M = As or Sb, $n \approx 1$, 581–8
The chemical and electrochemical one-electron oxidation of diamidonaphthalene-bridged complexes: paramagnetic $[Rh_2]^{3+}$-containing A-frames, 683–8
Trinuclear mixed-valence complexes with the linear $[Rh_3]^{4+}$ core, 689–92
Formation in solution, synthesis, and electrochemical study of oxalato complexes of *N,N'*-ethylenebis(salicylideneiminato)-chromium(III) and -iron(III): crystal structures of piperidinium [*N,N'*-ethylenebis(salicylideneiminato)](oxalato-O^1O^2)-chromate(III) and -ferrate(III), 729–38
Precursor catenand complexes: synthesis, structure, and electrochemistry of bis(2,6-di-iminopyridyl) complexes of nickel(II). The single-crystal *X*-ray structure of $[NiL^4{}_2][BF_4]_2$, 965–70
Blue copper models. Spectroscopic and electrochemical studies of copper(II) complexes with new ligand systems containing sulphur and nitrogen donor atoms, 1161–70
Autoxidation of a dicopper(I) macrocyclic complex: evidence for a mixed-valence intermediate, 1351–60
Effect of axially bound anions on the electroreduction of tin(IV) porphyrins in tetrahydrofuran, 1531–6
Synthesis, structure, and electrochemical reduction of 2-(arylazo)pyridine complexes of rhodium(III), 1635–8
Platinum metal thioether macrocyclic complexes: synthesis, electrochemistry, and single-crystal *X*-ray structures of *cis*-$[RhCl_2L^2]PF_6$ and *trans*-$[RhCl_2L^3]PF_6$ (L^2 = 1,4,8,11-tetrathiacyclotetradecane, L^3 = 1,5,9,13-tetrathiacyclohexadecane), 1675–80
Reductive nitrosylation of tetraoxometalates. Part 15. Generation of $Mn(NO)^{3+}$, $Mn(NO)^{2+}$ and $Mn(NO)_2{}^{2+}$ moieties directly from $MnO_4{}^-$. Synthesis, characterization, and electrochemistry of cyanonitrosyl derivatives of manganese, 1963–72
Spectroscopic and electrochemical study of copper and zinc complexes with a N_2S_2 ligand donor set. Crystal structure of the copper(II) complex derived from 1,3-propylenediamine and 3-formyl-1-phenyl-2(1*H*)-pyridinethione, 1979–86
Ruthenium oxo complexes of macrocyclic tertiary amines. Synthesis, electrochemistry, and reactivities of ruthenium oxo complexes of *meso*-2,3,7,11,12-pentamethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and *X*-ray crystal structure of *trans*-$[Ru^{IV}L^1(O)(NCO)]ClO_4$, 2011–6
Reduction–oxidation properties of organotransition-metal complexes. Part 30. Triazenido-bridged carbonylrhodium bipyridyl complexes with $[Rh_2]^{2+}$, $[Rh_2]^{3+}$, and $[Rh_2]^{4+}$ cores, and the *X*-ray structures of $[Rh_2(CO)_2(bipy)(\mu\text{-}RNNNR)_2][BF_4]\cdot CH_2Cl_2$ and $[\{Rh_2I(CO)(bipy)(\mu\text{-}RNNNR)_2\}_2][PF_6]_2\cdot 2.5CH_2Cl_2$ (R = *p*-tolyl), 2049–60
Synthesis, structure, and redox properties of dicopper(II,II) complexes of *N*-(hydroxyphenyl)salicylamide and homologues. Facile oxidation to dicopper-(II,III) and -(III,III) species; crystal structure of bis(tetrabutylphosphonium) bis{[(2-oxidobenzoyl)(2′-oxidophenyl)amido(3−)-NO^2,μ-$O^{2'}$]cuprate(II)}, 2089–94
Complexes of technetium, rhenium, and rhodium with sexidentate Schiff-base ligands, 2115–20
Electrochemistry of the quasi-reversible bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate-(V) and -(IV) and bis[2-hydroxy-2-methylbutanoato(2−)]oxochromate-(V) and -(IV) redox couples and the crystal and molecular structure of sodium bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate(V) sesquihydrate, 2205–10
Synthesis, spectroscopic, electrochemical, and magnetic properties of dimolybdenum(II,II), diruthenium-(II,III) and -(II,II) complexes containing bridging aspirinate (2-acetoxybenzoate) ligands, 2435–42
Reductive nitrosylation of tetraoxometalates. Part 15. Generation of $Mn(NO)^{3+}$, $Mn(NO)^{2+}$, and $Mn(NO)_2{}^{2+}$ moieties directly from $MnO_4{}^-$. Synthesis, characterization, and electrochemistry of cyanonitrosyl derivatives of manganese (1989, 1963), 2461
ELECTRODE
Comparative study on the multielectron reduction of $HOC_2H_4N_3$ catalyzed by $[NBu^n{}_4]_4[MoFe_3S_4(SPh)_3(o\text{-}O_2C_6Cl_4)]_2$ and $[NBu^n{}_4]_2[Fe_4S_4(SPh)_4]$-modified glassy carbon electrodes, 1547–54
ELECTRODE POTENTIAL
Ligand additivity in the oxidation potentials of bidentate mixed-ligand ruthenium(II) complexes, 371–4
Syntheses and redox properties of mixed isocyanide, carbonyl, or nitrile complexes of rhenium(I) *trans*-$[Re(CNMe)L(Ph_2PCH_2CH_2PPh_2)_2]X$ [L = CNR (R = alkyl or aryl), CO, or NCMe; X = Cl, BF_4, or PF_6], 1209–16
ELECTRON DIFFRACTION
The structure of $PO(OPF_2)_3$ in the gaseous and crystalline phases, 223–8
The molecular structures of gaseous tetrafluorohydridophosphorane, HPF_4, and trifluorodihydridophosphorane, H_2PF_3, as determined by electron diffraction, 545–50
Isopropyldisilylamine and disilyl-t-butylamine: preparation, spectroscopic properties, and molecular structure in the gas phase, determined by electron diffraction, 779–84
Gas-phase molecular structure of *NN'*-bis(trimethylsilyl)sulphur di-imide, determined by electron diffraction, 859–62
ELECTRONIC
A further investigation of the polarized single-crystal electronic absorption spectrum of $[AsPh_4][CrOCl_4]$, 1–4
Spectroscopic studies in matrix isolated tungsten chlorides and bromides, 313–6
The nickel(II)–bromide system in dimethyl sulphoxide: a detailed study of the influences of temperature and mole ratio, 325–30
Spectrophotometric study of complex formation in copper(II) mono-, di-, and tri-ethanolamine systems, 569–74
Syntheses, electrochemistry, and spectroscopy of dirhodium(II) tetra-acetamidate and tetrakis(trifluoroacetamide) complexes with axial Group 15 substituents. The *X*-ray crystal structures of $[Rh_2(CH_3CONH)_4(AsPh_3)_2]$ and $[Rh_2(CH_3CONH)_{4-n}(CH_3CO_2)_n(MPh_3)_2]$, M = As or Sb, $n \approx 1$, 581–8
Spectrophotometric and calorimetric studies on the formation of binary (2,2′-bipyridine)nickel(II) and ternary (2,2′-bipyridine)chloronickel(II) complexes in *N,N*-dimethylformamide, 655–60
Electronic spectral study of the aqua $\rightleftharpoons$ hydroxo equilibrium of model iron(III) haems encapsulated in aqueous detergent micelles, 1003–6
Thermodynamic and spectrophotometric investigation of complex formation between hydrogen, cobalt(II), nickel(II), and copper(II) ions and 2-amino-*N*-hydroxypropanamide in aqueous solution, 1299–310
Mixed-metal complexes in solution. A potentiometric and spectrophotometric study of copper(II)–nickel(II)–δ-hydroxylysine complexes in aqueous solution, 1745–50
Electron spin resonance study of copper(II) complexes of X-glycine and glycyl-X type dipeptides, and related tripeptides. Variation of co-ordination modes with ligand excess and pH in fluid and frozen aqueous solutions, 1925–32
Spectral intensity and charge distributions in the tetrahedral chromophores, bis(3-amino-2-methylpropane-2-thiolato)- and diacetatobis(ethylenethiourea)-cobalt(II), 2109–14
Optical absorption and magnetic circular dichroism studies of hydrogen, copper(II), zinc(II), nickel(II), and cobalt(II) crown ether-substituted monomeric and dimeric phthalocyanines, 2397–406
ELECTRON TRANSFER
Kinetics of the oxidation of chloride ions by tris(2,2′-bipyridine)nickel(III) ions in aqueous perchlorate media, 151–4
Kinetics and mechanism of the reaction between 4-t-butylphenolate anion and tetrahydroxoargentate(III) in aqueous alkaline media, 217–22
Stabilisation of trivalent nickel through 1:2 co-ordination by cyclic terdentate ligands $CH_2CH_2NH(CH_2)_2NH(CH_2)_2X$ (X = NH, O, or S), 229–32
Reduction–oxidation properties of organotransition-metal

ELECTRON TRANSFER (contd)
complexes. Part 29. Pentaphenylcyclopentadienyl complexes of ruthenium, 283–8
Kinetic studies of the oxidation reaction of arsenic(III) to arsenic(V) by peroxodisulphate ion in aqueous alkaline media, 357–60
Ligand additivity in the oxidation potentials of bidentate mixed-ligand ruthenium(II) complexes, 371–4
One-electron transfer processes in the reaction of tin(II) halides with substituted *o*-quinones; crystal structure of bis(3,5-di-t-butylcatecholato)tin–1,10-phenanthroline–dimethylformamide (1/1/2), 439–46
Oxidation of silver metal and silver(I) cations by molybdenum, tungsten, and uranium hexafluorides and by the nitrosonium cation in acetonitrile. Preparation and properties of silver(III) hexafluorometalates(V), 461–4
Oxidation of a $Pt_2(\mu\text{-}SO_2)$ moiety to $\mu\text{-}SO_3$ and the crystal structure of $[Pt_2(\mu\text{-}SO_3)(\mu\text{-}SO_2)(C_8H_{12})_2]$, 557–60
The chemical and electrochemical one-electron oxidation of diamidonaphthalene-bridged complexes: paramagnetic $[Rh_2]^{3+}$-containing A-frames, 683–8
Trinuclear mixed-valence complexes with the linear $[Rh_3]^{4+}$ core, 689–92
Catalytic oxidation of water mediated by rhenium oxides, 849–52
Blue copper models. Spectroscopic and electrochemical studies of copper(II) complexes with new ligand systems containing sulphur and nitrogen donor atoms, 1161–70
Syntheses and redox properties of mixed isocyanide, carbonyl, or nitrile complexes of rhenium(I) *trans*-$[Re(CNMe)L(Ph_2PCH_2CH_2PPh_2)_2]X$ [L = CNR (R = alkyl or aryl), CO, or NCMe; X = Cl, BF_4, or PF_6], 1209–16
Photo-oxidation of alcohols by hexachlorometalate(IV) ions (M = Pt, Pd, or Ir): spin trapping and matrix isolation electron spin resonances studies, 1237–40
Autoxidation of a dicopper(I) macrocyclic complex: evidence for a mixed-valence intermediate, 1351–60
Reactions of heteropolyanions in non-polar solvents. Part 3. Activation of dioxygen by manganese(II) centres in polytungstates. Oxidation of hindered phenols, 1483–90
Effect of axially bound anions on the electroreduction of tin(IV) porphyrins in tetrahydrofuran, 1531–6
Comparative study on the multielectron reduction of $HOC_2H_4N_3$ catalyzed by $[NBu^n_4]_4[MoFe_3S_4(SPh)_3(o\text{-}O_2C_6Cl_4)]_2$- and $[NBu^n_4]_2[Fe_4S_4(SPh)_4]$-modified glassy carbon electrodes, 1547–54
Synthesis, structure, and electrochemical reduction of 2-(arylazo)pyridine complexes of rhodium(III), 1635–8
Kinetics of the uncatalysed and silver(I)-catalysed oxidation of hydrogen peroxide by [ethylenebis(biguanide)]silver(III) ion in acid perchlorate media, 1645–50
Structural effects of one-electron oxidation on a cyclobutadieneiron derivative: *X*-ray crystal structures of $[Fe(CO)\{P(OMe)_3\}_2(\eta\text{-}C_4Ph_4)]$ and $[Fe(CO)\{P(OMe)_3\}_2(\eta\text{-}C_4Ph_4)]BF_4$, 1751–8
Co-ordination compounds of indium. Part 47. Indium(I) and thallium(I) derivatives of alkanedithiols, 1759–64
Ruthenium oxo complexes of macrocyclic tertiary amines. Synthesis, electrochemistry, and reactivities of ruthenium oxo complexes of *meso*-2,3,7,11,12-pentamethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and *X*-ray crystal structure of *trans*-$[Ru^{IV}L^1(O)(NCO)]ClO_4$, 2011–6
Reduction–oxidation properties of organotransition-metal complexes. Part 30. Triazenido-bridged carbonylrhodium bipyridyl complexes with $[Rh_2]^{2+}$, $[Rh_2]^{3+}$, and $[Rh_2]^{4+}$ cores, and the *X*-ray structures of $[Rh_2(CO)_2(bipy)(\mu\text{-}RNNNR)_2][BF_4]\cdot CH_2Cl_2$ and $[\{Rh_2I(CO)(bipy)(\mu\text{-}RNNNR)_2\}_2][PF_6]_2\cdot 2.5CH_2Cl_2$ (R = *p*-tolyl), 2049–60
Oxo transfer reactions. Mechanistic studies on the oxidation of triphenylphosphine by *trans*-$[Ru^{VI}L(O)_2]^{2+}$ (L = 1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane), 2065–8
Synthesis, structure, and redox properties of dicopper(II,II) complexes of *N*-(hydroxyphenyl)salicylamide and homologues. Facile oxidation to dicopper-(II,III) and -(III,III) species; crystal structure of bis(tetrabutylphosphonium) bis{[(2-oxidobenzoyl)-(2′-oxidophenyl)amido(3−)-NO^2,μ-$O^{2'}$]cuprate(II)}, 2089–94
Synthesis and *X*-ray crystal structure of tetra(2-methylphenyl)molybdenum(IV), $Mo(2\text{-}MeC_6H_4)_4$. Redox chemistry of $M(2\text{-}MeC_6H_4)_4$ compounds of molybdenum, rhenium, ruthenium, and osmium, 2149–54
Electrochemistry of the quasi-reversible bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate-(V) and -(IV) and bis[2-hydroxy-2-methylbutanoato(2−)]oxochromate-(V) and -(IV) redox couples and the crystal and molecular structure of sodium bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate(V) sesquihydrate, 2205–10
ELECTROPHILICITY
Metal cluster-induced electrophilicity of arenes, 481–8
EQUILIBRIUM
The equilibrium of strontium ion exchange of sodium titanate, $Na_4Ti_9O_{20}\cdot xH_2O$, 101–4
The nickel(II)–bromide system in dimethyl sulphoxide: a detailed study of the influences of temperature and mole ratio, 325–30
Electronic spectral study of the aqua $\rightleftharpoons$ hydroxo equilibrium of model iron(III) haems encapsulated in aqueous detergent micelles, 1003–6
E.S.R.
Synthesis, electrochemistry, and electron spin resonance spectra of some seventeen-electron complexes containing the $\{Mo(NO)\}^{2+}$ core and the molecular structure of $[Mo(NO)\{HB(Me_2pz)_3\}(pyr)_2]$, 127–32
One-electron transfer processes in the reaction of tin(II) halides with substituted *o*-quinones; crystal structure of bis(3,5-di-t-butylcatecholato)tin–1,10-phenanthroline–dimethylformamide (1/1/2), 439–46
Photochemical studies of alkylammonium molybdates. Part 8. Location of protons interacting with the paramagnetic electron in a single crystal of photoirradiated $[NH_3Pr^i]_6[Mo_8O_{26}(OH)_2]\cdot 2H_2O$, 661–70
The chemical and electrochemical one-electron oxidation of diamidonaphthalene-bridged complexes: paramagnetic $[Rh_2]^{3+}$-containing A-frames, 683–8
Photo-oxidation of alcohols by hexachlorometalate(IV) ions (M = Pt, Pd, or Ir): spin trapping and matrix isolation electron spin resonances studies, 1237–40
Proton electron nuclear double resonance study of oxovanadium(IV) complexes of D-galacturonic and polygalacturonic acids, 1283–8
Proton electron nuclear double resonance study of oxovanadium(IV) complexes of *o*-diphenolic ligands, 1289–92
Synthesis, *X*-ray characterization, and *Q*-band electron spin resonance studies of heterometallic, polymeric compounds formed by yttrium and lanthanide(III) nitrates with HgL_2 (L = C_4H_6NO, the anion of 2-pyrrolidone); crystal structures of $[\{Hg_2EuL_4(NO_3)_3\}_n]$ and $[\{Hg_3Tb_2L_6(NO_3)_6\}_n]$, 1439–48
Electron spin resonance study of copper(II) complexes of X-glycine and glycyl-X type dipeptides, and related tripeptides. Variation of co-ordination modes with ligand excess and pH in fluid and frozen aqueous solutions, 1925–32
Binuclear copper(II) complexes of new dinucleating ligands with a pyrazolate group as an endogenous bridge. Effects of exogenous azide and acetate bridges on magnetic properties, 2077–82
ETHANOL
Hydrogen production from ethanol catalysed by Group 8 metal complexes, 489–96
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–202
Structure of μ-fluoro-bis[bis(2,2′-bipyridyl)fluoronickel(II)] fluoride–ethanol (1/2) trihydrate, revealing several unique features including strong hydrogen bonds between fluoride ions and ethanol molecules, 1273–6
ETHANOLAMINE
Spectrophotometric study of complex formation in copper(II) mono-, di-, and tri-ethanolamine systems, 569–74
ETHYLENE
Rearrangements of >C=N– functionalities promoted by cobalt(I): reactivity of cyclopentadienylbis(ethylene)cobalt(I) with dibenzophenone azine, benzophenone oxime, benzylidene(phenyl)amine and crystal structure determinations of the products, 1957–62
ETHYLENEDIAMINE
Mode of binding of dimethyl sulphoxide in platinum(II) and palladium(II) cationic complexes containing a chelated diamine. *X*-Ray crystal structures of (2,2′-bipyridyl)chloro(dimethyl sulphoxide-*O*)palladium(II) tetrafluoroborate and chloro(dimethyl sulphoxide-*S*)(ethylenediamine)palladium(II) perchlorate, 1265–72
Complexes of lead(II) bis(*O*,*O*′-dialkyl dithiophosphates) with nitrogen donor ligands. The crystal structures of $Pb[S_2P(OEt)_2]_2$·en (en = ethylenediamine), $Pb[S_2P(OEt)_2]_2$·bipy (bipy = 2,2′-bipyridine), and $\{Pb[S_2P(OEt)_2]_2\}_2$·en, 2443–8

ETHYNE
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH≡COEt) ligands respectively, 5–12
EUROPIUM
Lanthanide ion complexes of the calixarenes. Part 4. Double inclusion by *p*-t-butylcalix[4]arene (H_4L). Crystal structures of $[Eu_2(HL)_2(dmf)_4]\cdot 7dmf$ (dmf = dimethylformamide) and $H_4L\cdot dmso$ (dmso = dimethyl sulphoxide), 2217–22
EXCHANGE
Zirconium phosphate ester interchange reactions, 1617–24
FILM
Functional metallomacrocycle derivatives and their polymers. Part 23. Biaxially orientated Langmuir–Blodgett films of substituted metallophthalocyanines, 1543–6
FLUORIDE
Oxidation of silver metal and silver(I) cations by molybdenum, tungsten, and uranium hexafluorides and by the nitrosonium cation in acetonitrile. Preparation and properties of silver(III) hexafluorometalates(V), 461–4
Radiotracers in fluorine chemistry. Part 12. Reactions between caesium fluoride and arsenic pentafluoride, boron trifluoride, sulphur tetrafluoride, carbonyl fluoride, and carbon dioxide under heterogeneous conditions at room temperature. Radiotracer studies using fluorine-18, sulphur-35, and carbon-14, 937–42
Structure of μ-fluoro-bis[bis(2,2′-bipyridyl)fluoronickel(II)] fluoride–ethanol (1/2) trihydrate, revealing several unique features including strong hydrogen bonds between fluoride ions and ethanol molecules, 1273–6
FLUXIONALITY
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH≡COEt) ligands respectively, 5–12
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 2. High-temperature fluxionality, 711–8
The mechanisms of fluxionality of $[Ir_4(CO)_{11}(PEt_3)]$; a reappraisal of the mechanism of carbonyl fluxionality on clusters, 889–94
Platinum metal complexes of potentially chelating alkene–thioether and alkene–selenoether ligands: synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{MeE(CH_2)_nCH=CH_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; n = 2 or 3) and the *X*-ray structure of *cis*-dibromo(2-thia-6-heptene)platinum(II), $[PtBr_2\{MeS(CH_2)_3CH=CH_2\}]$ 985–90
Synthesis, structures, and reactions of ethenethiolato complexes of molybdenum and tungsten $[M\{\eta^3\text{-}SC(CF_3)=C(CF_3)H\}(CF_3C{\equiv}CCF_3)(\eta^5\text{-}C_5H_5)]$ (M = Mo or W). Their relevance to the mechanism of metal promoted isomerisation of carbon–carbon double bonds, 1027–36
Preparation and characterisation of some nickel(II) tetra-aza macrocyclic complexes bearing pendant polymerisable groups as part of the ligand superstructure, 1599–608
The mechanisms of fluxionality of $[Fe_3(CO)_{12-n}\{P(OR)_3\}_n]$ (R = Me, n = 0—3; R = Pr^i, n = 2 or 3) and the *X*-ray structure of $[Fe_3(CO)_{10}\{P(OMe)_3\}_2]$, 1831–44
The heteronuclear cluster chemistry of the Group 1B metals. Part 12. Variable temperature nuclear magnetic resonance spectroscopic studies of the dynamic behaviour of the mixed-metal cluster compounds $[M_2Ru_4(\mu_3\text{-}H)_2(\mu\text{-}L)(CO)_{12}]$ [M = Cu or Ag, L = $Ph_2P(CH_2)_nPPh_2$ (n = 1—6) or *cis*-$Ph_2PCH{=}CHPPh_2$; M = Cu, L = $Ph_2As(CH_2)_nPPh_2$ (n = 1 or 2)] in solution, 2039–48
Hydrogen scrambling processes in $[Ta(\eta\text{-}C_5Me_5)(\eta\text{-}C_5H_5)\{(\mu\text{-}H)_2BH_2\}]$: a surprising observation, 2133–8
Platinum metal complexes of potentially chelating alkene thioether and selenoether ligands: the synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{E[(CH_2)_nCR{=}CR_2]_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; n = 2 or 3; R = H or Me) and the *X*-ray crystal structure of *cis*-di-iodo(5-thianona-1,8-diene)platinum(II), $[PtI_2\{S[(CH_2)_2CH=CH_2]_2\}]$, 2315–22
FORMATE
Crystal and molecular structures of μ-hydrido-bis[*fac*-(2,2′-bipyridine)tricarbonylrhenium(I)] chloride, *fac*-(2,2′-bipyridine)tricarbonylformatorhenium(I), and *fac*-(2,2′-bipyridine)tricarbonyl(cyanotrihydroborato)rhenium(I), 1449–54
GALACTURONIC ACID
Proton electron nuclear double resonance study of oxovanadium(IV) complexes of D-galacturonic and polygalacturonic acids, 1283–8
GALLIUM
The hydrolysis of metal ions. Part 11. The ionic strength dependence of gallium(III), 399–402
GEL
Aqueous chemistry and thermodynamic modelling of $CaO\text{–}SiO_2\text{–}H_2O$ gels, 2371–80
GLYCOSIDE
Isotopic multiplets in the carbon-13 nuclear magnetic resonance spectra due to partial deuteriation of co-ordinated NH_2 and NH groups of cobalt(III) complexes containing an N-glycoside. Importance of sugar ring oxygen atoms in the long-range isotope shifts, 1241–8
GOLD
(Diphenylphosphinomethyl)diphenylphosphine sulphide ($Ph_2PCH_2PPh_2S$) and its methanide anion $Ph_2PCHPPh_2S^-$ as ligands in organogold chemistry. *X*-Ray crystal structure of *cis*-$[Au(C_6F_5)_2(PPh_2CHPPh_2S)]$, 73–8
Polyhedral rearrangements in undeca- and dodeca-nuclear Group 1B metal osmium clusters, 505–10
Gold-197 Mössbauer spectra and the bonding of some gold–gold and gold–platinum clusters, 539–44
Studies on gold(II) complexes with hard and soft donor ligands. Part 1. Complexes with *o*-aminobenzenethiol (1988, 2607), 555
Synthesis of diphenylphosphido-bridged manganese-gold complexes. Crystal structures of $[N(PPh_3)_2][Au_2Mn(\mu\text{-}PPh_2)_2(CO)_4(C_6F_5)_2]$ and $[Au_2Mn_2(\mu\text{-}PPh_2)_4(CO)_8]$, 639–44
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 86. Alkylidyne(carbaborane)molybdenum–gold, –rhodium and –iron complexes; crystal structure of $[NEt_4][MoFe_2(\mu_3\text{-}CC_6H_4Me\text{-}4)(\mu\text{-}\sigma{:}\sigma'{:}\eta^5\text{-}C_2B_9H_7Me_2)(CO)_8]$, 797–808
Gold(I) complexes derived from secondary phosphines: $[\{Au(\mu\text{-}PR_2)\}_n]$, $[(AuBr)_2(\mu\text{-}PPh_2)]^-$, $[AuX(PHR_2)]$, and $[\{Au(PHR_2)_n\}]^+$. Crystal structure of $[AuBr(PHPh_2)]$, 907–14
Monohydrido-bridged platinum(II)–gold(I) complexes. *X*-Ray crystal structure of $[(Ph_3P)_2(C_6Cl_5)Pt(\mu\text{-}H)Au(PPh_3)]\text{-}ClO_4\cdot 2Et_2O$, 1089–92
The heteronuclear cluster chemistry of the Group 1B metals. Part 11. Effect of the nature of the bidentate diphosphine ligand on the metal framework structures of the gold heteronuclear cluster compounds $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1—6). *X*-Ray crystal structures of $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1 or 2), 1227–36
Reaction of $[Rh_2\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]$ with $[M(PPh_3)]^+$ (M = Au, Ag, or Cu): formation of unusual 44-electron Rh_2M clusters. Crystal structure of $[Rh_2\{\mu\text{-}Au(PPh_3)\}\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]ClO_4\cdot 2CH_2Cl_2$, 1249–52
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 87. Docosahedral carbaborane(alkylidyne)tungsten complexes as reagents for the synthesis of compounds with heteronuclear metal–metal bonds: crystal structures of $[NEt_4][W(\equiv CC_6H_3Me_2\text{-}2,6)(CO)_2(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$ and $[NEt_4][WFe(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_4(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$, 1363–74
Synthesis, structure, and reactivity of the heteronuclear clusters $[Os_5H(CO)_{15}\{M(PR_3)\}]$ and $[Os_5(CO)_{15}\{M(PR_3)\}_2]$ (M = Cu, Ag, or Au; R = Ph or Me); the *X*-ray crystal structure of $[Os_5H(CO)_{15}\{Au(PPh_3)\}]$, 1421–6
Bi-, tetra-, and poly-nuclear complexes of gold(I) and silver(I) with bis(diphenylphosphino)-methanide or -amide acting as six-electron donors, 1883–6
Mesitylgold(I) complexes. Crystal structures of $NEt_4[Au(mes)Cl]$ and $[N(PPh_3)_2][(mes)Au(CN)Au(mes)]$, 2127–32
Reactions of chloro(triphenylphosphine)gold(I) and [μ-1,2-bis(diphenylphosphine)ethane]-bis[bromogold(I)] with oxopurine bases. Molecular and crystal structure and bonding of (theophyllinato)(triphenylphosphine)gold(I), 2323–30
Mixed-metal carbido carbonyl clusters. Part 4. Synthesis and structural characterization of $[Rh_6C(CO)_{13}\{Au_2(PPh_3)_2\}]$, 2343–6
HAEMOGLOBIN
The binding of trialkyltin(IV) moieties to rat haemoglobin, and the structure of model systems, studied by tin-119 Mössbauer spectroscopy, 519–26
HAFNIUM
Preparation of thionylimide complexes of titanium, zirconium, and hafnium. Crystal structure of $[Zr(cp)(\eta\text{-}C_5Me_5)(NSO)_2]$, 1815–8

HALIDE
Halogeno, hydride, and alkyl carbonyl–monocyclopentadienyl niobium derivatives. Crystal and molecular structure of $[Nb(\eta\text{-}C_5H_5)Cl(H)(CO)(PMe_3)_2]$, 79–84
Spectroscopic studies in matrix isolated tungsten chlorides and bromides, 313–16
A kinetic and mechanistic study of the solvolysis of aryltellurium trihalides in organic solvents, 457–60
Structural and motional study of pyridinium tetrahalogenoantimonates(III) by means of nuclear quadrupole resonance spectroscopy, 631–4
Lewis base adducts of Group 11 metal(I) complexes. Part 48. Heterobimetallic tris(dithiocarbamato)cobalt(III)–copper(I) halide adducts as a vehicle for novel copper(I) halide clusters (structurally characterized), 971–6
Formation of mixed-ligand complexes of cadmium(II) halide with tri-n-octylphosphine oxide and pyridine or substituted pyridines in 1,2-dichloroethane, 1259–64
Investigations of tin(II) halide aqueous solutions and solvent extracts by ^{119}Sn nuclear magnetic resonance spectroscopy: characterisation of the trihalogenostannate(II) anions $[SnX_3]^-$, $[SnX_2Y]^-$, and $[SnX(Y)Z]^-$ (X, Y, or Z = Cl, Br, or I), 2223–8
Platinum metal complexes of potentially chelating alkene thioether and selenoether ligands: the synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{E[(CH_2)_nCR{=}CR_2]_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; n = 2 or 3; R = H or Me) and the *X*-ray crystal structure of *cis*-di-iodo(5-thianona-1,8-diene)platinum(II), $[PtI_2\{S[(CH_2)_2CH{=}CH_2]_2\}]$, 2315–22

HETEROCYCLE
Contributions to the chemistry of boron. Part 194. Synthesis and characterization of mono, bi-, and tri-cyclic boron–nitrogen–sulphur ring systems. Crystal structure of 2,7,9,14-tetrakis(diethylamino)-3,5,6,10,12,13-hexathia-1,8-diaza-2,4,7,9,11,14-hexaboratricyclo[9.3.0.0^{4,8}]tetradecane, 1311–20

HETEROPOLYANION
Reactions of heteropolyanions in non-polar solvents. Part 3. Activation of dioxygen by manganese(II) centres in polytungstates. Oxidation of hindered phenols, 1483–90
The structure of 18-molybdodisulphate(VI)(4−) ion in $(NEt_4)_4S_2Mo_{18}O_{62}\cdot CH_3CN$, 1491–8
Monomolybdononavanadate and *cis*- and *trans*-dimolybdo-octavanadate, 1915–24

HEXADIENEDIYL
Chemistry of multi-site bound unsaturated ligands on metal carbonyl clusters. Intramolecular reductive coupling in the conversion of $[Ru_3(\mu\text{-}H)(CO)_9(\mu_3,\eta^2\text{-}C{\equiv}CBu^t)]$ to the butadienyl cluster $[Ru_3(CO)_8\{\mu_3,\eta^4\text{-}C(Bu^t)CC(H)C(Ph)(PPh_2)\}]$, and its crystal structure. An example of ligand isomerism on metal clusters, 601–6

HYDRAZIDE
Mechanistic studies on hydrazido(2−)-complexes. Cleavage of the nitrogen–nitrogen bond in the reaction of $[Mo\{NN(CH_2)_4CH_2\}(Ph_2PCH_2CH_2PPh_2)_2]$ with acid, 425–30
Hydrazido-complexes of titanium(IV) with tris(pyrazolyl)borates. Crystal structures of $[TiLCl_2(NMeNMe_2)]$ and $[TiLCl_2(NPhNH_2)]$, L = tris(pyrazolyl)borate, 1413–16

HYDRAZINE
Nucleophilic (Michael) additions to $(Ph_2P)_2C{=}CH_2$ when chelated to platinum(II) dichloride or di-iodide, 1527–30

HYDRAZONATE
Synthesis, infrared, and tin-119 Mössbauer spectroscopic characterization of seven-co-ordinate diorganotin(IV) adducts with 2,6-diacetylpyridine acylhydrazones, including the *X*-ray crystal structure of $SnEt_2$(dapt) [H_2dapt = 2,6-diacetylpyridine bis(2-thenoylhydrazone)], 289–94

HYDRAZONE
Crystal structure, spectroscopic and magnetic properties of the complex [Cu(paphy)(NCS)(SCN)] (paphy = pyridine-2-carbaldehyde 2′-pyridylhydrazone). An unusual di-μ-thiocyanato-*N* bridged copper(II) dimer, 53–6
Synthesis, characterization, and crystal structures of bismuth complexes with 2,6-diacetylpyridine bis(2-thenoylhydrazone) (H_2dapt): [Bi(Hdapt)Cl_2]·dmso·H_2O and [Bi(dapt)Cl]·dmso, containing a quinquedentate ligand, 671–6
New metal–sulphur–nitrogen compounds from reactions in liquid ammonia. The *X*-ray structures of *trans*-bis(acetophenone dimethylhydrazone-*N*^{2})dichloropalladium(II) and [di(azathien)-1-yl-*S*^{1}*N*^{4}][2-(hydrazonoethyl)phenyl]palladium(II), 1179–86
Crystal structures and magnetic properties of bi- and tetra-nuclear copper(II) complexes of 2,6-diformyl-4-methylphenol di(benzoylhydrazone), 2083–8

HYDRIDE
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH=COEt) ligands respectively, 5–12
Halogeno, hydride, and alkyl carbonyl–monocyclopentadienyl niobium derivatives. Crystal and molecular structure of $[Nb(\eta\text{-}C_5H_5)Cl(H)(CO)(PMe_3)_2]$, 79–84
Reactions of hydride complexes of ruthenium(II) with alkynes, 589–94
Chemistry of multi-site bound unsaturated ligands on metal carbonyl clusters. Intramolecular reductive coupling in the conversion of $[Ru_3(\mu\text{-}H)(CO)_9(\mu_3,\eta^2\text{-}C{\equiv}CBu^t)]$ to the butadienyl cluster $[Ru_3(CO)_8\{\mu_3,\eta^4\text{-}C(Bu^t)CC(H)C(Ph)(PPh_2)\}]$, and its crystal structure. An example of ligand isomerism on metal clusters, 601–6
Iridium(III) hydrido complexes with 2-pyridinaldazines. Crystal structure of $[IrH_2(mpaa)(PPh_3)_2]SbF_6$. Synthesis and characterization of homo- and hetero-nuclear complexes, 1075–82
Monohydrido-bridged platinum(II)–gold(I) complexes. *X*-Ray crystal structure of $[(Ph_3P)_2(C_6Cl_5)Pt(\mu\text{-}H)Au(PPh_3)]\text{-}ClO_4\cdot 2Et_2O$, 1089–92
Synthesis and characterization of a family of nitrile-substituted triangular hydridocarbonyl rhenium clusters, $[Re_3(\mu\text{-}H)_3(CO)_{12-n}(NCMe)_n]$ (n = 1—3). *X*-Ray crystal structures of $[Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)]$ and $[Re_3(\mu\text{-}H)_3(CO)_9(NCMe)_3]$, 1143–8
Synthesis of hydridotrifluoromethyl complexes of platinum(II). A spectroscopic investigation of the *trans* and *cis* influence of ligands in hydridoplatinum(II) compounds, 1149–60
The heteronuclear cluster chemistry of the Group 1B metals. Part 11. Effect of the nature of the bidentate diphosphine ligand on the metal framework structures of the gold heteronuclear cluster compounds $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1—6). *X*-Ray crystal structures of $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1 or 2), 1227–36
Reactions of co-ordinated ligands. Part 46. Formation of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)(\mu\text{-}CCH{=}CMe_2)(CO)_{10}]$ by carbon–carbon σ-bond and carbon–hydrogen activation of 3,3-dimethylcyclopropene; crystal and molecular structure of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and evidence for its facile rearrangement to $[Os_3(\mu\text{-}H)(\mu\text{-}CH{=}CHCHMe_2)(CO)_{10}]$, 1333–40
Synthesis, structure, and reactivity of the heteronuclear clusters $[Os_5H(CO)_{15}\{M(PR_3)\}]$ and $[Os_5(CO)_{15}\{M(PR_3)\}_2]$ (M = Cu, Ag, or Au; R = Ph or Me); the *X*-ray crystal structure of $[Os_5H(CO)_{15}\{Au(PPh_3)\}]$, 1421–6
Crystal and molecular structures of μ-hydrido-bis[*fac*-(2,2′-bipyridine)tricarbonylrhenium(I)] chloride, *fac*-(2,2′-bipyridine)tricarbonylformatorhenium(I), and *fac*-(2,2′-bipyridine)tricarbonyl(cyanotrihydroborato)rhenium(I), 1449–54
Synthesis of the cluster dianion $[Os_{11}C(CO)_{27}]^{2-}$ by pyrolysis and its reactions with electrophiles; *X*-ray structure analysis of the mixed-metal derivative $[PMePh_3][Os_{11}C(CO)_{27}\{Cu(NCMe)\}]\cdot CH_2Cl_2$ and the hydrido derivative $[PMePh_3][Os_{11}C(CO)_{27}H]$, 1455–64
Synthesis and crystal structure of $[NiOs_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2\{\mu\text{-}Cu(PPh_3)\}(CO)_9]$. Hydrogenation–dehydrogenation reactions of dienes and alcohols with heterogeneous catalysts derived from $[NiM_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2(\mu\text{-}X)(CO)_9]$ [M = Ru, X = H; M = Os, X = Cu(PPh$_3$)], 1477–82
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 88. Carbaboranetungsteniridium compounds; crystal structure of the complex $[WIr(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_2(PEt_3)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 1845–54
Cluster activation *via* cyclometallation. Formation of the cyclometallated triosmium carbonyl cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and its reactions with phosphorus donor ligands. The *X*-ray crystal structures of $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and $[Os_3H(CO)_9\{P(OMe)_3\}(PPh_2)]$, 2023–32
Reactions of the cyclometallated triosmium cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ with Brønsted acids and dihydrogen: synthesis and *X*-ray crystal structure of $[Os_3H_2(CF_3CO_2)(CO)_9(\mu\text{-}PPh_2)]$, 2033–8
The heteronuclear cluster chemistry of the Group 1B metals. Part

HYDRIDE (contd)
12. Variable temperature nuclear magnetic resonance spectroscopic studies of the dynamic behaviour of the mixed-metal cluster compounds $[M_2Ru_4(\mu_3\text{-}H)_2(\mu\text{-}L)(CO)_{12}]$ [M = Cu or Ag, L = $Ph_2P(CH_2)_nPPh_2$ (n = 1—6) or *cis*-$Ph_2PCH{=}CHPPh_2$; M = Cu, L = $Ph_2As(CH_2)_nPPh_2$ (n = 1 or 2)] in solution, 2039–48
Activation of a vinyl carbon–hydrogen bond in a tris(pyrazolyl)boratoiridium complex. The *X*-ray crystal structure of $[IrH\{HB(pz)_3\}(\sigma\text{-}C_8H_{13})(\eta^2\text{-}C_8H_{14})]$, 2073–6
Reactivity of new osmium dihydrides with arenediazonium cations: preparation and properties of bis(aryldiazene) and mono(aryldiazenido) complexes. A comparison with analogous iron and ruthenium derivatives, 2353–8
Photochemical reactivity of $2[Ir^{III}HCl_2(PPr^i_3)_2]\cdot H_2$. Formation of monohydrido isomers of Ir^{III} and evidence of photoinduced oxidative addition of H_2 to Ir^{III}, 2367–70
Preparation and *X*-ray crystal structure of $[Ru_3RhH_3(CO)_{12}]$, 2449–52
HYDRIDO
Carbonyl, hydridocarbonyl, and hydridoalkoxycarbonyl complexes of iridium with phosphorus–sulphur hybrid ligands, and the crystal and molecular structure of $[IrH(CO_2Me)(Ph_2PCH_2CH_2SEt)_2]BPh_4$, 607–14
HYDROFORMYLATION
Cationic dinuclear rhodium complexes as catalyst precursors for the hydroformylation of alkenes, 1579–82
HYDROGEN-2
Relation between the torsion angles of acetate chelate rings and the deuteron nuclear magnetic resonance chemical shifts for polyamine-N-carboxylatochromate(III) complexes, 1947–50
HYDROGENATION
Cationic dinuclear rhodium complexes as catalyst precursors for the hydroformylation of alkenes, 1579–82
HYDROGEN BONDING
Structure of μ-fluoro-bis[bis(2,2′-bipyridyl)fluoronickel(II)] fluoride–ethanol (1/2) trihydrate, revealing several unique features including strong hydrogen bonds between fluoride ions and ethanol molecules, 1273–6
HYDROGEN PEROXIDE
Kinetics of the uncatalysed and silver(I)-catalysed oxidation of hydrogen peroxide by [ethylenebis(biguanide)]silver(III) ion in acid perchlorate media, 1645–50
HYDROLYSIS
The copper(II) promoted hydrolysis of benzylpenicillin. Evidence for the participation of a Cu–OH species in the hydrolysis of the β-lactam ring, 197–202
Thermodynamics of hydroxy complex formation of dialkyltin(IV) ions in aqueous solution, 773–8
Kinetics of aquation and base hydrolysis of some *trans*-$[Co(tn)_2(B)Cl]^{n+}$ (tn = 1,3-diaminopropane; B = OH, NCS, N_3, NO_2, NH_3, or CN) complexes. The effect of ring size on reactivity, 853–8
Reactivity studies on the hydrolysis of iron(II) complexes of substituted phenanthrolines in dioxane–water solvents, 1105–8
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 9. Prolonged hydrolysis with aluminium metal monitored at very high magnetic field, 1889–96
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 10. Proton, carbon-13, and aluminium-27 spectra of aluminium acetate at very high magnetic field, 1897–902
Base-promoted cleavage of a P–C bond in $[PtCl_2(Ph_2PCH_2PPh_2\text{-}PP')]$ under mild conditions, 2017–22
HYDROXAMIC ACID
Complex-forming properties of L-α-alaninehydroxamic acid (2-amino-*N*-hydroxypropanamide), 2247–52
HYDROXIDE
Crystal structure and magnetic properties of 1-aqua-μ-hydroxo-1,2,2-tris(perchlorato)-1,2-bis(2,2′;6′,2″-terpyridine)dicopper(II), 237–42
The reaction of hydroxo-species of palladium(II) with bidentate nucleophiles, 375–8
Preparation and interconversion of dimeric di-μ-hydroxo and tri-μ-hydroxo complexes of platinum(II) and palladium(II) with 2,2′-bipyridine and 1,10-phenanthroline, 403–12
Thermodynamics of hydroxy complex formation of dialkyltin(IV) ions in aqueous solution, 773–8
Crystal and molecular structures of diaqua(nitrilotriacetato)aluminium(III) and di-μ-hydroxo-bis(nitrilotriacetato)dialuminate(III) dianion, 1513–8
Phenyltin trichloroacetate complexes: preparations and structures, 1589–98
Preparation and structural studies of diphenylthiophosphinito rhodium(III) complexes. *X*-Ray structure analysis of $[\{(C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2(\mu\text{-}Ph_2PS)][BPh_4]$, 1987–92
The chemistry of dinitrogen residues. Part 7. Hydrazido(1−)- and *N,N*-dimethylhydroxylaminato(1−)-complexes of titanium(IV), 2389–96
HYDROXYLAMINATE
The chemistry of dinitrogen residues. Part 7. Hydrazido(1−)- and *N,N*-dimethylhydroxylaminato(1−)-complexes of titanium(IV), 2389–96
HYPONITROUS ACID
Stoicheiometric and nitrogen-15 labelling studies on the hyponitrous acid–nitrous acid reaction, 527–32
The kinetics and mechanism of the hyponitrous acid–nitrous acid reaction at 0 °C, 533–8
HYROXIDE
The copper(II) promoted hydrolysis of benzylpenicillin. Evidence for the participation of a Cu–OH species in the hydrolysis of the β-lactam ring, 197–202
IMIDAZOLATE
Synthesis and characterization of imidazolate-bridged iron(III)–copper(II) and manganese(III)–copper(II) binuclear complexes, 943–6
Metal complexes as ligands. Part 12. Synthesis and *X*-ray crystal structure of a hexanuclear nickel(II) complex based on two isosceles trinuclear components with imidazolate bridges, 1187–92
IMIDAZOLINE
The interaction of 1-methylimidazoline-2(3*H*)-thione with copper(II) salts, 39–42
Crystal structure and mass spectrometry of dibromodimethyl[1-methyl-2(3*H*)-imidazolinethione-*S*]tin(IV), 927–30
IMIDE
Gas-phase molecular structure of *NN*′-bis(trimethylsilyl)sulphur diimide, determined by electron diffraction, 859–62
IMINE
Reactivity of the iridium nitrosyl complex $[Ir(NO)(paa)(PPh_3)_2][PF_6]_2$ (paa = 2-pyridinecarbaldehyde azine) with nucleophiles: insertion of NO into a methinic C–H bond; crystal structure of $[Ir\{(2\text{-}C_5H_4N)CH{=}N\text{-}N{=}C(NOH)\text{-}(2\text{-}C_5H_4N)\}\{Me(EtO)C{=}NH\}(PPh_3)_2][PF_6]_2$, 1217–26
Spectroscopic and electrochemical study of copper and zinc complexes with a N_2S_2 ligand donor set. Crystal structure of the copper(II) complex derived from 1,3-propylenediamine and 3-formyl-1-phenyl-2(1*H*)-pyridinethione, 1979–86
INDENYL
Electronic structure of transition-metal indenyl compounds: a He I and He II photoelectron spectroscopic study of $[Mn(\eta^5\text{-}C_9H_7)(CO)_3]$, $[Fe(\eta^5\text{-}C_9H_7)_2]$, $[Ru(\eta^5\text{-}C_9H_7)_2]$, and $[Ru(\eta^5\text{-}C_9H_7)(\eta\text{-}C_5Me_5)]$, 2139–48
Substituted cyclopentadienyl complexes. Part 4. The catalysed synthesis and proton nuclear magnetic resonance spectra of $[Ru(\eta^5\text{-}C_5H_4Me)(CO)(L)I]$ and $[Ru(\eta^5\text{-}C_9H_7)(CO)(L)I]$ (L = phosphine or isocyanide) and the crystal structure determination of $[Ru(\eta^5\text{-}C_9H_7)(CO)\{P(CH_2Ph)_3\}I]$, 2407–14
INDIUM
Synthesis and characterization of benzylindium compounds, 1625–6
Co-ordination compounds of indium. Part 47. Indium(I) and thallium(I) derivatives of alkanedithiols, 1759–64
INOSINE
X-Ray structure of a ternary complex, copper(II)–inosine 5′-monophosphate–benzimidazole. The first example for the absence of direct metal–nucleotide interaction, 1507–12
ION EXCHANGE
The equilibrium of strontium ion exchange of sodium titanate, $Na_4Ti_9O_{20}\cdot xH_2O$, 101–4
The nature of a sodium–crown interaction studied by sodium-23 nuclear magnetic resonance and by crystal structure determination of a complex with co-ordinated solvent, 203–10
Lamellar inorganic ion exchangers. Hydrogen–lithium ion exchange in γ-titanium phosphate, 829–36
Formation of chromium interlayers in α-zirconium phosphate, 895–900
Lamellar inorganic ion exchangers. H^+/Cs^+ ion exchange in γ-titanium phosphate, 1825–30

IONIC STRENGTH
The hydrolysis of metal ions. Part 11. The ionic strength dependence of gallium(III), 399–402
ION PAIRING
Vibrational study of ionic association in aprotic solvents. Part 12. Isothiocyanate M(NCS) complexes of non-transition-metal ions, 2193–8
I.R.
Synthesis, infrared, and tin-119 Mössbauer spectroscopic characterization of seven-co-ordinate diorganotin(IV) adducts with 2,6-diacetylpyridine acylhydrazones, including the *X*-ray crystal structure of $SnEt_2$(dapt) [H_2dapt = 2,6-diacetylpyridine bis(2-thenoylhydrazone)], 289–94
Spectroscopic studies in matrix isolated tungsten chlorides and bromides, 313–6
Lewis-base adducts of Group 11 metal(I) compounds. Part 58. Syntheses, *X*-ray structures, and far-infrared spectra of the novel $[CuX_2$(bidentate ligand)$]^-$ (X = Cl or Br) anion salts of the $[Cu(dpa)_2]^+$ cation and the dimeric iodide [(dpa)CuI_2Cu(dpa)] [dpa = di(2-pyridyl)amine], 1639–44
Vibrational study of ionic association in aprotic solvents. Part 12. Isothiocyanate M(NCS) complexes of non-transition-metal ions, 2193–8
Bonding in clusters. Part 10. The nature of the BH groups in *closo*-borane anions. A study by vibrational spectroscopy, electronic spectroscopy for chemical analysis, and *ab initio* computation, 2253–60
IRIDIUM
Carbonyl, hydridocarbonyl, and hydridoalkoxycarbonyl complexes of iridium with phosphorus–sulphur hybrid ligands, and the crystal and molecular structure of $[IrH(CO_2Me)(Ph_2PCH_2CH_2SEt)_2]BPh_4$, 607–14
The mechanisms of fluxionality of $[Ir_4(CO)_{11}(PEt_3)]$; a reappraisal of the mechanism of carbonyl fluxionality on clusters, 889–94
Iridium(III) hydrido complexes with 2-pyridinaldazines. Crystal structure of $[IrH_2$(mpaa)$(PPh_3)_2]SbF_6$. Synthesis and characterization of homo- and hetero-nuclear complexes, 1075–82
Synthesis and characterization of pentanuclear Fe–Ir carbonyl clusters. Solid-state structures of $[N(PPh_3)_2]_2[FeIr_4(CO)_{15}]$ and $[PPh_4][Fe_2Ir_3(CO)_{14}]$, 1109–16
Trinuclear pyrazolate complexes. Crystal structure of $[(OC)_2Rh(\mu\text{-}pz)_2Pd(\mu\text{-}pz)_2Rh(CO)_2]$, 1133–8
Synthesis of ammonium ions and nitrosylation reactions using nitrosyl chloride and alkyl nitrites, 1139–42
Reactivity of the iridium nitrosyl complex $[Ir(NO)$(paa)$(PPh_3)_2][PF_6]_2$ (paa = 2-pyridinecarbaldehyde azine) with nucleophiles: insertion of NO into a methinic C–H bond; crystal structure of $[Ir\{(2\text{-}C_5H_4N)CH{=}N{-}N{=}C(NOH)(2\text{-}C_5H_4N)\}\{Me(EtO)C{=}NH\}(PPh_3)_2][PF_6]_2$, 1217–26
Photo-oxidation of alcohols by hexachlorometalate(IV) ions (M = Pt, Pd, or Ir): spin trapping and matrix isolation electron spin resonances studies, 1237–40
Polyhedral organoiridaborane chemistry. The reaction of MeNC with [6-(η^5-C_5Me_5)-*nido*-6-IrB_9H_{13}]. Nuclear magnetic resonance studies and the crystal and molecular structure of [4,4-(η^5-C_5Me_5)(MeNC)-*arachno*-4-IrB_8H_{12}], 1465–70
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 88. Carbaboranetungsteniridium compounds; crystal structure of the complex $[WIr(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_2(PEt_3)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 1845–54
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 90. Synthesis of the complexes $[W_2M_2(\mu\text{-}CO)(\mu\text{-}CMe)(\mu_3\text{-}CMe)(\mu\text{-}PPh_2)_2(CO)_3(\mu\text{-}C_5H_5)_2]$ (M = Rh or Ir) and related tetra- and penta-nuclear metal compounds; interconversion of ketenyl and λ^5-phospha-alkyne ligands bridging tungsten–rhodium bonds, 1865–70
Activation of a vinyl carbon–hydrogen bond in a tris(pyrazolyl)boratoiridium complex. The *X*-ray crystal structure of $[IrH\{HB(pz)_3\}(\sigma\text{-}C_8H_{13})(\eta^2\text{-}C_8H_{14})]$, 2073–6
Photochemical reactivity of $2[Ir^{III}HCl_2(PPr^i_3)_2]\cdot H_2$. Formation of monohydrido isomers of Ir^{III} and evidence of photoinduced oxidative addition of H_2 to Ir^{III}, 2367–70
Cyclometallation of unsaturated carboxylic acids by pentamethylcyclopentadienyl-rhodium and -iridium complexes. Crystal structures of $[(C_5Me_5)Ir(CPh{=}CHCO\text{–}O)(Me_2SO)]$ and $[(C_5Me_5)Ir(CPh{=}CHCO\text{–}OMe)I]^+$, 2415–22
IRON
Metal complexes (Co^{3+}, Fe^{3+}, Mn^{3+}) of the quinquedentate salen analogue, 2-methyl-4-benzylthio-*N*,*N*′-butane-1,2-diylbis(salicylideneimine): crystal structures and sulphur co-ordination effects, 179–84
The binding of trialkyltin(IV) moieties to rat haemoglobin, and the structure of model systems, studied by tin-119 Mössbauer spectroscopy, 519–26
Reaction of elemental sulphur with (5*H*,14*H*-6,8,15,17-tetramethyldibenzo[*b*,*i*][1,4,8,11]tetra-azacyclotetradecinato)iron(II): synthesis and *X*-ray structure of a μ-sulphido iron(III) complex, 551–4
Addition of anilines to the $[Fe(CO)_3(1\text{—}5\text{-}\eta\text{-}C_7H_9)]BF_4$ complex, and the 'Ordered Transition State Mechanism', 561–6
Studies on olefin-co-ordinating transition-metal carbene complexes. Part 14. An unusual reaction of tricarbonyl(η^4-cyclopenta-1,3-diene)iron: a new approach to acyldicarbonyl(η-cyclopentadienyl)iron complexes, and the *X*-ray crystal structure of $[Fe(COC_6H_4CF_3\text{-}p)(\eta\text{-}C_5H_5)(CO)_2]$, 635–8
Formation in solution, synthesis, and electrochemical study of oxalato complexes of *N*,*N*′-ethylenebis(salicylideneiminato)-chromium(III) and -iron(III): crystal structures of piperidinium [*N*,*N*′-ethylenebis(salicylideneiminato)](oxalato-O^1O^2)-chromate(III) and -ferrate(III), 729–38
Solvent influence on trifluoromethylation reactions with $Cd(CF_3)_2$: one-pot synthesis of trifluoromethyl iron complexes, 739–44
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 86. Alkylidyne(carbaborane)-molybdenum–gold, –rhodium and –iron complexes; crystal structure of $[NEt_4][MoFe_2(\mu_3\text{-}CC_6H_4Me\text{-}4)(\mu\text{-}\sigma{:}\sigma'{:}\eta^5\text{-}C_2B_9H_7Me_2)(CO)_8]$, 797–808
Synthesis and characterization of imidazolate-bridged iron(III)–copper(II) and manganese(III)–copper(II) binuclear complexes, 943–6
Electronic spectral study of the aqua ⇌ hydroxo equilibrium of model iron(III) haems encapsulated in aqueous detergent micelles, 1003–6
Crystal structures of di-iron μ-η^2-(C,C)-ketene complexes, $[\{Fe(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu\text{-}CH_2CO)]$ and $[\{Fe(\eta^5\text{-}C_5Me_5)(CO)_2\}_2(\mu\text{-}CH_2CO)]$. Synergistic metal-to-ligand back donation as revealed by comparison with $[\{Fe(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu\text{-}CH_2CH_2CO)]$, 1083–8
Reactivity studies on the hydrolysis of iron(II) complexes of substituted phenanthrolines in dioxane–water solvents, 1105–8
Synthesis and characterization of pentanuclear Fe–Ir carbonyl clusters. Solid-state structures of $[N(PPh_3)_2]_2[FeIr_4(CO)_{15}]$ and $[PPh_4][Fe_2Ir_3(CO)_{14}]$, 1109–16
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–202
Solution structure and dynamic behaviour of two isomers of $[Fe_3(CO)_9\{P(OR_3)\}_3]$ (R = Me, Et, or Ph) derivatives, 1277–82
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 87. Docosahedral carbaborane(alkylidyne)tungsten complexes as reagents for the synthesis of compounds with heteronuclear metal–metal bonds: crystal structures of $[NEt_4][W(\equiv CC_6H_3Me_2\text{-}2,6)(CO)_2(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$ and $[NEt_4][WFe(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_4(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$, 1363–74
Substitution reactions of the zerovalent iron complexes $[Fe(\eta\text{-}C_6H_6)(PMe_3)_2]$ and $[Fe(\eta\text{-}C_6H_6)$(dmpe)] (dmpe = $Me_2PCH_2CH_2PMe_2$), 1385–92
Comparative study on the multielectron reduction of $HOC_2H_4N_3$ catalyzed by $[NBu^n_4]_4[MoFe_3S_4(SPh)_3(o\text{-}O_2C_6Cl_4)]_2$ and $[NBu^n_4]_2[Fe_4S_4(SPh)_4]$-modified glassy carbon electrodes, 1547–54
Molecular structure of heterobimetallic μ-η^2-(C,C)-ketene complexes, 1627–30
On the relationship between crystallographic and spectroscopic evidence of dynamic processes in the solid state: the cases of *cis*- and *trans*-$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_4]$, 1721–6
Structural effects of one-electron oxidation on a cyclobutadieneiron derivative: *X*-ray crystal structures of $[Fe(CO)\{P(OMe)_3\}_2(\eta\text{-}C_4Ph_4)]$ and $[Fe(CO)\{P(OMe)_3\}_2(\eta\text{-}C_4Ph_4)]BF_4$, 1751–8
Neutron diffraction study of the cation distributions in the systems $Fe_{7-x}M_x(PO_4)_6$ (M = Mn or Co), 1765–70
The mechanisms of fluxionality of $[Fe_3(CO)_{12-n}\{P(OR)_3\}_n]$ (R = Me, *n* = 0—3; R = Pr^i, *n* = 2 or 3) and the *X*-ray structure of $[Fe_3(CO)_{10}\{P(OMe)_3\}_2]$, 1831–44

IRON (contd)
Synthesis and properties of the bis(μ-thiosulphato-*S*)-bis(dinitrosylferrate)(2−) anion. Crystal and molecular structure of bis[bis(triphenylphosphoranylidene)ammonium] bis(μ-thiosulphato-*S*)-bis(dinitrosylferrate), 2061–4
Transition metal–cyanocarbon chemistry. Part 8. Cyano-substituted buta-1,3-dienylidene bridged di-iron complexes from unprecedented cyanoalkyne insertion into the carbon–hydrogen bond of a bridging alkenylidene ligand, 2187–92
Iron carbene complexes. Part 3. Aminolysis of di-iron alkoxycarbene complexes with ammonia and dimethylamine. *X*-Ray crystal structure of $[Fe_2(\mu\text{-}SPh)_2(CO)_5\{C(NMe_2)Ph\}]$, 2199–2204
The 4-phenyl-1,2,3,5-dithiadiazole complex $[Fe_2(CO)_6(PhCN_2S_2)]$: its preparation, crystal structure, and an extended-Hückel molecular-orbital study of the bonding, 2229–34
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 94. Synthesis of di- and tri-metal compounds *via* the reagents $[M(\equiv C\text{–}C\equiv CBu^t)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W), 2281–8

ISOCYANATE
Reactivity of metallic copper with acidic organic compounds in the presence of molecular oxygen. Crystal structure of $[\{Cu(NCO)(py)_2\}_2]\cdot H_2O$, 921–6
Ruthenium oxo complexes of macrocyclic tertiary amines. Synthesis, electrochemistry, and reactivities of ruthenium oxo complexes of *meso*-2,3,7,11,12-pentamethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and *X*-ray crystal structure of *trans*-$[Ru^{IV}L^1(O)(NCO)]ClO_4$, 2011–16

ISOCYANIDE
Chemistry of metallacyclobutanones (η^3-oxodimethylenemethane complexes). Part 5. Ligand substitution reactions of metallacyclobutan-3-ones of platinum(II) and palladium(II) with tertiary phosphines and t-butyl isocyanide; crystal structures of $[Pt\{CH(CO_2Me)COCH(CO_2Me)\}(CNBu^t)(AsPh_3)]$ and $[Pt\{CH(CO_2Me)COC(CO_2Me)C(NHBu^t)\}(CNBu^t)_2]$, 345–56
Syntheses and redox properties of mixed isocyanide, carbonyl, or nitrile complexes of rhenium(I) *trans*-$[Re(CNMe)L(Ph_2PCH_2CH_2PPh_2)_2]X$ [L = CNR (R = alkyl or aryl), CO, or NCMe; X = Cl, BF_4, or PF_6], 1209–16
Reactions of co-ordinated ligands. Part 45. Ligand displacement and oxidative reactions of the carbyne complex $[Mo(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$; crystal and molecular structures of $[Mo\{\eta^3\text{-}RN{=}C{\cdots}C(CH_2Bu^t){\cdots}C{=}NR\}(CNR)_2(\eta\text{-}C_5H_5)]$ (R = 2,6-$Me_2C_6H_3$), $[Mo(C{=}CHBu^t)I\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$, and $[Mo\{{=}C(CH_2Bu^t)P(O)(OMe)_2\}\{P(OMe)_3\}(\eta\text{-}C_5H_5)]$, 1321–32
Reactivity of binuclear pyrazolate-bridged rhodium complexes with isocyanides. Molecular structure of $[Rh_2(\mu\text{-}pz)I_2(CNBu^t)_2(\mu\text{-}Ph_2PCH_2PPh_2)_2]BF_4$ (pz = pyrazolate), 1427–34
Synthesis and reactivity of binuclear perhalogenophenyl derivatives of platinum(I). Molecular structure of $[Pt_2(C_6F_5)_2(CO)_2(PPh_3)_2]\cdot 0.4CHCl_3$, 1583–8
Mechanism and energetics of reductive elimination of ethane from some tetramethylplatinum(IV) complexes, 2121–6
Low-valent isocyanide complexes and clusters of palladium and platinum. Crystal structure of $[Pt\{C(=NR)N(R)C(=NR)\}(RNC)_2]$ (R = 2,6-$Me_2C_6H_3$), 2161–6

ISOMERIZATION
Nucleophilic attack of methanol on bis(benzonitrile)dichloroplatinum: formation of mono- and bis-imido ester derivatives, 947–52
Synthesis, structures, and reactions of ethenethiolato complexes of molybdenum and tungsten $[M\{\eta^3\text{-}SC(CF_3){=}C(CF_3)H\}(CF_3C{\equiv}CCF_3)(\eta^5\text{-}C_5H_5)]$ (M = Mo or W). Their relevance to the mechanism of metal-promoted isomerisation of carbon–carbon double bonds, 1027–36
Kinetics of formation, dissociation, and isomerization reactions in complexes of cyanopyridines and benzonitrile with pentacyanoruthenate(II), 1973–8

ISOTHIOCYANATE
Studies in Werner clathrates. Part 9. Structures with bis(isothiocyanato)tetrakis(4-phenylpyridine)nickel(II) as host, 119–26
Stacked planar molecules in antiferromagnetic di-isothiocyanatobis(thiourea)chromium(II), a new structural type for chromium(II), 1631–4

KETENE
Crystal structures of di-iron μ-η^2-(C,C)-ketene complexes, $[\{Fe(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu\text{-}CH_2CO)]$ and $[\{Fe(\eta^5\text{-}C_5Me_5)(CO)_2\}_2(\mu\text{-}CH_2CO)]$. Synergistic metal-to-ligand back donation as revealed by comparison with $[\{Fe(\eta^5\text{-}C_5H_5)(CO)_2\}_2(\mu\text{-}CH_2CH_2CO)]$, 1083–8
Molecular structure of heterobimetallic μ-η^2-(C,C)-ketene complexes, 1627–30

KETONATE
Reactions of chloro(triphenylphosphine)gold(I) and [μ-1,2-bis(diphenylphosphine)ethane]-bis[bromogold(I)] with oxopurine bases. Molecular and crystal structure and bonding of (theophyllinato)(triphenylphosphine)gold(I), 2323–30

KINETICS
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH≡COEt) ligands respectively, 5–12
Kinetics of the oxidation of chloride ions by tris(2,2′-bipyridine)nickel(III) ions in aqueous perchlorate media, 151–4
The copper(II) promoted hydrolysis of benzylpenicillin. Evidence for the participation of a Cu–OH species in the hydrolysis of the β-lactam ring, 197–202
Kinetics and mechanism of the reaction between 4-t-butylphenolate anion and tetrahydroxoargentate(III) in aqueous alkaline media, 217–22
Kinetic studies of the oxidation reaction of arsenic(III) to arsenic(V) by peroxodisulphate ion in aqueous alkaline media, 357–60
The reaction of hydroxo-species of palladium(II) with bidentate nucleophiles, 375–8
A kinetic study of the gas-phase thermolysis of pentaborane(11), 385–90
Influence of added hydrogen on the kinetics and mechanism of thermal decomposition of tetraborane(10) and of pentaborane(11) in the gas phase, 391–8
Mechanistic studies on hydrazido(2−)-complexes. Cleavage of the nitrogen–nitrogen bond in the reaction of $[Mo\{NN(CH_2)_4CH_2\}(Ph_2PCH_2CH_2PPh_2)_2]$ with acid, 425–30
A kinetic and mechanistic study of the solvolysis of aryltellurium trihalides in organic solvents, 457–60
The kinetics and mechanism of the hyponitrous acid–nitrous acid reaction at 0 °C, 533–8
Addition of anilines to the $[Fe(CO)_3(1\text{—}5\text{-}\eta\text{-}C_7H_9)]BF_4$ complex, and the 'Ordered Transition State Mechanism', 561–6
Base-catalysed aquation of αβ-*syn*- and αβ-*anti*-chloro- and bromo-[1,9-bis(2′-pyridyl)-2,5,8-triazanonane]- and -[1,11-bis(2′-pyridyl)-2,6,10-triazaundecane]-cobalt(III) cations. An unusually base-sensitive halogenopentamine cobalt(III) system, 645–54
A kinetic study of the transmission of ligand effects across the quadruple bond in $[Re_2Cl_8]^{2-}$, 767–72
Kinetics of aquation and base hydrolysis of some *trans*-$[Co(tn)_2(B)Cl]^{n+}$ (tn = 1,3-diaminopropane; B = OH, NCS, N_3, NO_2, NH_3, or CN) complexes. The effect of ring size on reactivity, 853–8
Variable-temperature and -pressure proton nuclear magnetic resonance studies of the rates and mechanisms of *N,N*-dimethylformamide and acetonitrile exchange with the square-pyramidal complexes mono(solvento){3,7,11-tribenzyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene}nickel(II), 873–8
Reactivity studies on the hydrolysis of iron(II) complexes of substituted phenanthrolines in dioxane–water solvents, 1105–8
Composition, stability, and lability of copper(II) dipeptide complexes, 1293–8
Kinetics of the uncatalysed and silver(I)-catalysed oxidation of hydrogen peroxide by [ethylenebis(biguanide)]silver(III) ion in acid perchlorate media, 1645–50
Substitution reactions on sterically hindered square-planar *trans*-$[NiBr(R)(PR'_3)_2]$ (R = aryl) complexes. Effects of the substituents of the aryl ligand, 1669–74
Photofragmentation kinetics of some triruthenium carbonyl clusters, 1933–40
Kinetics of formation, dissociation, and isomerization reactions in complexes of cyanopyridines and benzonitrile with pentacyanoruthenate(II), 1973–8
Oxo transfer reactions. Mechanistic studies on the oxidation of triphenylphosphine by *trans*-$[Ru^{VI}L(O)_2]^{2+}$ (L = 1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane), 2065–8

KINETICS (contd)
Mechanism and energetics of reductive elimination of ethane from some tetramethylplatinum(IV) complexes, 2121–6
Kinetics of reactions of hydrogen with $[Os_3(CO)_{11}(NCMe)]$ and $[Os_3(CO)_{10}(NCMe)_2]$, 2235–40
LABELLING
Stoicheiometric and nitrogen-15 labelling studies on the hyponitrous acid–nitrous acid reaction, 527–32
Radiotracers in fluorine chemistry. Part 12. Reactions between caesium fluoride and arsenic pentafluoride, boron trifluoride, sulphur tetrafluoride, carbonyl fluoride, and carbon dioxide under heterogeneous conditions at room temperature. Radiotracer studies using fluorine-18, sulphur-35, and carbon-14, 937–42
LANTHANIDE
Highly polydentate ligands. Part 4. Crystal structures of neodymium(III) and erbium(III) complexes of 3,12-bis(carboxymethyl)-6,9-dioxa-3,12-diazatetradecanedioate(4−), 185–92
Thermodynamic and electrochemical behaviour of lanthanide cryptates in *N,N*-dimethylformamide, 367–70
Preparation of the bis(trimethylsilyl)amido lanthanide chlorides $[\{Ln[N(SiMe_3)_2]_2(\mu\text{-}Cl)(thf)\}_2]$ (thf = tetrahydrofuran), and the crystal and molecular structures of the gadolinium and ytterbium complexes, 623–6
Heteroleptic poly(pyrazolyl)borate derivatives of the lanthanide ions. The synthesis of acetylacetonate complexes and the molecular structures of $[Ln\{HB(C_3N_2H_3)_3\}_2\{MeC(O)CHC(O)Me\}]$ (Ln = Ce or Yb), 1393–400
Synthesis, *X*-ray characterization, and *Q*-band electron spin resonance studies of heterometallic, polymeric compounds formed by yttrium and lanthanide(III) nitrates with HgL_2 (L = C_4H_6NO, the anion of 2-pyrrolidone); crystal structures of $[\{Hg_2EuL_4(NO_3)_3\}_n]$ and $[\{Hg_3Tb_2L_6(NO_3)_6\}_n]$, 1439–48
Lanthanide ion complexes of the calixarenes. Part 4. Double inclusion by *p*-t-butylcalix[4]arene (H_4L). Crystal structures of $[Eu_2(HL)_2(dmf)_4]\cdot 7dmf$ (dmf = dimethylformamide) and $H_4L\cdot dmso$ (dmso = dimethyl sulphoxide), 2217–22
LEAD
Lead(II) and barium(II) complexes of a potentially octadentate macrocyclic ligand (H_4L), capable of providing endogenous alkoxy and phenoxy bridges. The *X*-ray crystal structures of $[Pb(H_4L)][ClO_4]_2$, $[Pb_2(H_2L)][ClO_4]_2$, and $[(H_6L)(H_2O)_2][ClO_4]_2$, 19–24
Lewis-base adducts of lead(II) compounds. Part 4. Novel isomeric dimers of lead(II) thiocyanate–1,10-phenanthroline(1/2). Crystal structure determinations, 595–600
Chemistry of subvalent main group metals with dithiolates. Part 2. *X*-Ray structural, thermal, and theoretical investigations on the novel one-dimensional stacking structure $K_2[Pb\{S_2C{=}C(CN)_2\}_2]\cdot 2H_2O$, 627–30
Complexes of lead(II) bis(*O,O'*-dialkyl dithiophosphates) with nitrogen donor ligands. The crystal structures of $Pb[S_2P(OEt)_2]_2\cdot$en (en = ethylenediamine), $Pb[S_2P(OEt)_2]_2\cdot$bipy (bipy = 2,2'-bipyridine), and $\{Pb[S_2P(OEt)_2]_2\}_2\cdot$en, 2443–8
LIGAND FIELD
Spectral intensity and charge distributions in the tetrahedral chromophores, bis(3-amino-2-methylpropane-2-thiolato)- and diacetatobis(ethylenethiourea)-cobalt(II), 2109–14
LITHIUM
Synthesis of α-, γ-phosphorus functionalized alkyl lithium species; *X*-ray structures of $[\{Li(L)(CH_2PMeR)\}_2]$ [L = *N,N,N',N'*-tetramethylethylenediamine (tmen), R = Me or Ph; L = (−)-sparteine, R = Ph] and $[Li(tmen)\{CH(SiMe_3)C_6H_4PPh_2\text{-}o\}]$, 105–14
Tris(trimethylsilyl)methyl and tris(dimethylphenylsilyl)methyl derivatives of boron. Crystal structures of dihydroxy[tris(trimethylsilyl)methyl]borane and of the lithium–boron complex $[(MeOH)_2Li(\mu\text{-}OMe)_2B(OMe)_2]$, 447–52
MACROCYCLE
Lead(II) and barium(II) complexes of a potentially octadentate macrocyclic ligand (H_4L), capable of providing endogenous alkoxy and phenoxy bridges. The *X*-ray crystal structures of $[Pb(H_4L)][ClO_4]_2$, $[Pb_2(H_2L)][ClO_4]_2$, and $[(H_6L)(H_2O)_2][ClO_4]_2$, 19–24
Tetra-aza macrocyclic complexes containing a pendant amino group. Copper(II), nickel(II), and cobalt(III) complexes of 5-aminomethyl-2,5,10,12-tetramethyl-1,4,8,11-tetra-azacyclotetradecane (L) and *X*-ray structural characterisation of the cobalt(III) complex $[Co(L)Cl][ClO_4]Cl\cdot EtOH$, 85–92
Thermodynamics of the formation of metal complexes of 1,4,10-trioxa-7,13-diazacyclopentadecane-*N,N'*-diacetic acid and of 1,4,10,13-tetraoxa-7,16-diazacyclo-octadecane-*N,N'*-diacetic acid, 133–8
Oxovanadium(IV) and dioxomolybdenum(VI) complexes: synthesis from the corresponding acetylacetonato complexes and *X*-Ray structures, 145–50
Ruthenium phthalocyanine chemistry: synthesis and properties of a mixed-valence nitrido-bridged ruthenium phthalocyanine dimer, 193–6
Stabilisation of trivalent nickel through 1:2 co-ordination by cyclic terdentate ligands $\overline{CH_2CH_2NH(CH_2)_2NH(CH_2)_2X}$ (X = NH, O, or S), 229–32
Thermodynamic and electrochemical behaviour of lanthanide cryptates in *N,N*-dimethylformamide, 367–70
The binding of trialkyltin(IV) moieties to rat haemoglobin, and the structure of model systems, studied by tin-119 Mössbauer spectroscopy, 519–26
Reaction of elemental sulphur with (5*H*,14*H*-6,8,15,17-tetramethyldibenzo[*b,i*][1,4,8,11]tetra-azacyclotetradecinato)iron-(II): synthesis and *X*-ray structure of a μ-sulphido iron(III) complex, 551–4
Variable-temperature and -pressure proton nuclear magnetic resonance studies of the rates and mechanisms of *N,N*-dimethylformamide and acetonitrile exchange with the square-pyramidal complexes mono(solvento){3,7,11-tribenzyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene}nickel(II), 873–8
Crystal structures and solution dynamics of mono- and di-nuclear rhodium complexes of heterodinucleating macrocyclic ligands containing the 2,6-di(thiomethyl)pyridine sub-unit, 915–20
Synthesis and spectroscopic studies of cobalt(III) complexes of the chiral pendant-arm macrocycle *N,N',N''*-tris[(2*S*)-2-hydroxypropyl]-1,4,7-triazacyclononane (H_3L); crystal structure of the hydrogen-bridged dimer $[CoLH_3LCo][PF_6]_3$, 931–6
Electronic spectral study of the aqua $\rightleftharpoons$ hydroxo equilibrium of model iron(III) haems encapsulated in aqueous detergent micelles, 1003–6
6,13-Diamino-6,13-dimethyl-1,4,8,11-tetra-azacyclotetradecane, L^7, a new, potentially sexidentate polyamine ligand. Variable co-ordination to cobalt(III) and crystal structure of the complex $[Co(L^7)]Cl_2[ClO_4]$, 1059–66
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–202
Autoxidation of a dicopper(I) macrocyclic complex: evidence for a mixed-valence intermediate, 1351–60
Effect of axially bound anions on the electroreduction of tin(IV) porphyrins in tetrahydrofuran, 1531–6
Functional metallomacrocycle derivatives and their polymers. Part 23. Biaxially orientated Langmuir–Blodgett films of substituted metallophthalocyanines, 1543–6
Preparation and characterisation of some nickel(II) tetra-aza macrocyclic complexes bearing pendant polymerisable groups as part of the ligand superstructure, 1599–608
Platinum metal thioether macrocyclic complexes: synthesis, electrochemistry, and single-crystal *X*-ray structures of *cis*-$[RhCl_2L^2]PF_6$ and *trans*-$[RhCl_2L^3]PF_6$ (L^2 = 1,4,8,11-tetrathiacyclotetradecane, L^3 = 1,5,9,13-tetrathiacyclohexadecane), 1675–80
Complexes of ligands providing endogenous bridges. Part 7. The concurrent formation of 1 + 1 and 2 + 2 oxa-azamacrocycles; the *X*-ray crystal structure of an exocyclic dinuclear copper(II) complex, 1727–38
Closely related macrocyclic and acyclic tridentate, pyridine derivatives, containing sulphur, and their complexes. Crystal structures of {dichloro-3,10-dithia-16-azabicyclo[10.3.1]hexadeca-1(16),12,14-triene}copper(II) and [2,6-bis(ethylthiomethyl)pyridine]dichlorocopper(II), 1739–44
A barium dithiocyanate complex with an unusual macrocycle containing pendant arms, the amine precursor, and related copper(II) diperchlorate complexes: synthesis and structure, 1993–2002
Ruthenium oxo complexes of macrocyclic tertiary amines.

MACROCYCLE (contd)
Synthesis, electrochemistry, and reactivities of ruthenium oxo complexes of *meso*-2,3,7,11,12-pentamethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and *X*-ray crystal structure of *trans*-$[Ru^{IV}L^1(O)(NCO)]ClO_4$, 2011–16
Oxo transfer reactions. Mechanistic studies on the oxidation of triphenylphosphine by *trans*-$[Ru^{VI}L(O)_2]^{2+}$ (L = 1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane), 2065–8
Crystal structure and magnetic properties of the heterobinuclear complex $[(CH_3CN)LNi(mnt)Cu(mnt)]\cdot CH_3CN$ (L = tetrabenzo[*b,f,j,n*][1,5,9,13]tetra-azacyclohexadecine and mnt = maleonitriledithiolate), 2095–8
Stereochemical role of lone pairs in main-group elements. Part 4. The crystal structure at 120 K of bis(1,4,7,10,13-pentaoxacyclopentadecane)tin(II) bis[trichlorostannate(II)], confirming the sterically inactive tin lone pair, 2155–60
Characterisation of tridentate macrocyclic complexes of molybdenum(0) with tetra-aza macrocycles. Crystal structure of $[Mo(CO)_3L^1]$ (L^1 = C-*meso*-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane), 2183–6
Functionalized amino acid complexation to a cobalt(III) complex of (2*R*,5*R*,8*R*,11*R*)-2,5,8,11-tetraethyl-1,4,7,10-tetra-azacyclododecane. Crystal structures of complexes containing (*R*)- or (*S*)-serine and (*R*)-α-methylserine, and release of amino acid from the complexes, 2359–66
Optical absorption and magnetic circular dichroism studies of hydrogen, copper(II), zinc(II), nickel(II), and cobalt(II) crown ether-substituted monomeric and dimeric phthalocyanines, 2397–406

MAGNESIUM
An investigation of halide abstraction by arsenic(III): reactions of $AsCl_3$ with MCl_2 (M = Mg or Zn) and $TiCl_4$ in donor solvents (MeCN or $POCl_3$). Formation and crystal structure of the dimeric titanium(IV) compound $[Ti_2Cl_6(POCl_3)_2(PO_2Cl_2)_2]$, 57–60
Preparation of the ordered perovskite $(SrLa)(MgMo)O_6$ and its physicochemical characterization, 2335–8

MAGNETISM
Crystal structure, spectroscopic and magnetic properties of the complex [Cu(paphy)(NCS)(SCN)] (paphy = pyridine-2-carbaldehyde 2′-pyridylhydrazone). An unusual di-μ-thiocyanato-*N* bridged copper(II) dimer, 53–6
Crystal structure and magnetic properties of 1-aqua-μ-hydroxo-1,2,2-tris(perchlorato)-1,2-bis(2,2′;6′,2″-terpyridine)dicopper(II), 237–42
Bimetallic compounds of *trans*-cyclohexane-1,2-diamine-*NNN′N′*-tetra-acetate (cdta). Part 3. Structural and magnetic characterization of the dinuclear $[M(OH_2)_5][M'(cdta)]\cdot H_2O$ (M,M′ = Ni,Ni; Mn,Ni; Mn,Cu; Co,Ni; or Co,Cu) and the tetranuclear $[M(OH_2)_3][M'(cdta)(OH_2)]\cdot 4H_2O$ (M,M′ = Zn,Zn; Zn,Co; Co,Co; or Mn,Co) complexes, 863–72
Synthesis and characterization of imidazolate-bridged iron(III)–copper(II) and manganese(III)–copper(II) binuclear complexes, 943–6
Magnetic properties of mono-, bi-, and tri-nuclear copper(II) complexes of novel oxamato and oxamido ligands. Crystal structure of a mononuclear precursor, 1017–26
Low-lying electronic states in μ-phenolato copper(II) binuclear compounds with hydroxo, ethanolato, azido, and cyanato exogenous bridges: crystal structures, magnetic properties, and interpretations, 1117–26
Preparation and characterisation of linear mixed-metal trinuclear carboxylate complexes of general formula $[M_2M'(O_2CR)_6(C_9H_7N)_2]$; crystal structure of $[Zn_2Ba(O_2CCMe_3)_6(C_9H_7N)_2]$, 1127–32
Synthesis, spectroscopic, and magnetic studies of copper(II) with *N*-protected amino acids: crystal and molecular structure of diaquatetrakis(μ-*N*-benzoyl-α-alaninato)-dicopper(II), 1341–4
Dimeric mixed-ligand copper(II) complexes with di-imines and salicylaldehydate, 1435–8
Stacked planar molecules in antiferromagnetic di-isothiocyanatobis(thiourea)chromium(II), a new structural type for chromium(II), 1631–4
Binuclear copper(II) complexes of new dinucleating ligands with a pyrazolate group as an endogenous bridge. Effects of exogenous azide and acetate bridges on magnetic properties, 2077–82
Crystal structures and magnetic properties of bi- and tetra-nuclear copper(II) complexes of 2,6-diformyl-4-methylphenol di(benzoylhydrazone), 2083–8
Crystal structure and magnetic properties of the heterobinuclear complex $[(CH_3CN)LNi(mnt)Cu(mnt)]\cdot CH_3CN$ (L = tetrabenzo[*b,f,j,n*][1,5,9,13]tetra-azacyclohexadecine and mnt = maleonitriledithiolate), 2095–8
Synthesis, spectroscopic, electrochemical, and magnetic properties of dimolybdenum(II,II), diruthenium-(II,III) and -(II,II) complexes containing bridging aspirinate (2-acetoxybenzoate) ligands, 2435–42

MANGANESE
Metal complexes (Co^{3+}, Fe^{3+}, Mn^{3+}) of the quinquedentate salen analogue, 2-methyl-4-benzylthio-*N,N′*-butane-1,2-diylbis(salicylideneimine): crystal structures and sulphur co-ordination effects, 179–84
Synthesis of diphenylphosphido-bridged manganese-gold complexes. Crystal structures of $[N(PPh_3)_2][Au_2Mn(\mu\text{-}PPh_2)_2(CO)_4(C_6F_5)_2]$ and $[Au_2Mn_2(\mu\text{-}PPh_2)_4(CO)_8]$, 639–44
Synthesis and characterization of imidazolate-bridged iron(III)–copper(II) and manganese(III)–copper(II) binuclear complexes, 943–6
Reactions of heteropolyanions in non-polar solvents. Part 3. Activation of dioxygen by manganese(II) centres in polytungstates. Oxidation of hindered phenols, 1483–90
Molecular structure of heterobimetallic μ-η^2-(C,C)-ketene complexes, 1627–30
Neutron diffraction study of the cation distributions in the systems $Fe_{7-x}M_x(PO_4)_6$ (M = Mn or Co), 1765–70
Reductive nitrosylation of tetraoxometalates. Part 15. Generation of $Mn(NO)^{3+}$, $Mn(NO)_2^{2+}$ and $Mn(NO)_2^{2+}$ moieties directly from MnO_4^-. Synthesis, characterization, and electrochemistry of cyanonitrosyl derivatives of manganese, 1963–72
Reductive nitrosylation of tetraoxometalates. Part 15. Generation of $Mn(NO)^{3+}$, $Mn(NO)^{2+}$, and $Mn(NO)_2^{2+}$ moieties directly from MnO_4^-. Synthesis, characterization, and electrochemistry of cyanonitrosyl derivatives of manganese (1989, 1963), 2461

MASS SPECTROMETRY
A kinetic study of the gas-phase thermolysis of pentaborane(11), 385–90
Influence of added hydrogen on the kinetics and mechanism of thermal decomposition of tetraborane(10) and of pentaborane(11) in the gas phase, 391–8
Crystal structure and mass spectrometry of dibromodimethyl[1-methyl-2(3*H*)-imidazolinethione-*S*′]tin(IV), 927–30

MATRIX ISOLATION
Spectroscopic studies in matrix isolated tungsten chlorides and bromides, 313–16
Photo-oxidation of alcohols by hexachlorometalate(IV) ions (M = Pt, Pd, or Ir): spin trapping and matrix isolation electron spin resonances studies, 1237–40

MECHANISM
Kinetics and mechanism of the reaction between 4-t-butylphenolate anion and tetrahydroxoargentate(III) in aqueous alkaline media, 217–22
Mechanistic studies on hydrazido(2−)-complexes. Cleavage of the nitrogen–nitrogen bond in the reaction of $[Mo\{NN(CH_2)_4CH_2\}(Ph_2PCH_2CH_2PPh_2)_2]$ with acid, 425–30
The kinetics and mechanism of the hyponitrous acid–nitrous acid reaction at 0 °C, 533–8
The mechanisms of fluxionality of $[Ir_4(CO)_{11}(PEt_3)]$; a reappraisal of the mechanism of carbonyl fluxionality on clusters, 889–94
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–1202

MERCURY
Preparation of (chloromethyl)palladium(II) derivatives from complexes of palladium dichloride by reaction with diazomethane or bis(chloromethyl)mercury, 761–6
Preparation and crystal structure of a binuclear compound of methylmercury(II) containing bismuthiol I as a bridging ligand, 1409–12
Synthesis, *X*-ray characterization, and *Q*-band electron spin resonance studies of heterometallic, polymeric compounds formed by yttrium and lanthanide(III) nitrates with HgL_2 (L = C_4H_6NO, the anion of 2-pyrrolidone); crystal structures of $[\{Hg_2EuL_4(NO_3)_3\}_n]$ and $[\{Hg_3Tb_2L_6(NO_3)_6\}_n]$, 1439–48
Synthesis of the cluster dianion $[Os_{11}C(CO)_{27}]^{2-}$ by pyrolysis and its reactions with electrophiles; *X*-ray structure analysis of the mixed-metal derivative $[PMePh_3][Os_{11}C(CO)_{27}\{Cu(NCMe)\}]\cdot$

MERCURY (contd)
CH_2Cl_2 and the hydrido derivative $[PMePh_3][Os_{11}C(CO)_{27}H]$, 1455–64
Synthetic, spectroscopic, and *X*-ray studies on methylmercury(II) and dimethylthallium(III) complexes with cyclopentanone thiosemicarbazone, 1787–92
Synthesis of arylthallium complexes using organomercury compounds. Crystal and molecular structures of $[NMe_4][Tl(C_6H_4N{=}NPh\text{-}2)Cl_3]$ and $[Tl(C_6H_4CH_2NMe_2\text{-}2)Cl_2]$, 2241–6
Crystal and molecular structure of a lattice adduct, $HgPh_2{\cdot}2[Hg(SCN)_2(PPh_3)_2]$: an unusual case of two- and four-co-ordinate mercury in the same unit cell, 2339–42
MESITYL
Mesitylgold(I) complexes. Crystal structures of $NEt_4[Au(mes)Cl]$ and $[N(PPh_3)_2][(mes)Au(CN)Au(mes)]$, 2127–32
METALLABORANE
Metallaheteroborane chemistry. Part 3. Synthesis of $[2,2\text{-}(PR_3)_2\text{-}1,2\text{-}TePtB_{10}H_{10}]$ (R_3 = Et_3, Bu^n_3, or Me_2Ph), their characterisation by nuclear magnetic resonance spectroscopy, and the crystal and molecular structure of $[2,2\text{-}(PEt_3)_2\text{-}1,2\text{-}TePtB_{10}H_{10}]$ (1988, 2555), 383
Polyhedral organoiridaborane chemistry. The reaction of MeNC with $[6\text{-}(\eta^5\text{-}C_5Me_5)\text{-}nido\text{-}6\text{-}IrB_9H_{13}]$. Nuclear magnetic resonance studies and the crystal and molecular structure of $[4,4\text{-}(\eta^5\text{-}C_5Me_5)(MeNC)\text{-}arachno\text{-}4\text{-}IrB_8H_{12}]$, 1465–70
Metallaheteroborane chemistry. Part 5. Synthesis of *closo*-$[2,2\text{-}(PR_3)_2\text{-}1,2\text{-}SePtB_{10}H_{10}]$ (R_3 = Et_3, Bu^n_3, or Me_2Ph) and *arachno*-$[9,9\text{-}(PMe_2Ph)_2\text{-}6,9\text{-}SePtB_8H_{10}]$ and their characterisation by nuclear magnetic resonance techniques: the crystal and molecular structures of *closo*-$[2,2\text{-}(PEt_3)_2\text{-}1,2\text{-}SePtB_{10}H_{10}]$ and *arachno*-$[9,9\text{-}(PMe_2Ph)_2\text{-}6,9\text{-}SePtB_8H_{10}]$, 1657–68
METALLACYCLE
Metallacyclic complexes. Part 2. Synthesis of metallathietane-3,3-dioxide complexes of platinum(II) and palladium(II); the crystal structures of $[\overbrace{Pt\{CH(COPh)S(O)_2\overset{1}{C}H(COPh)\}}(PPh_3)_2]{\cdot}2CH_2Cl_2$ and $[\overbrace{Pd\{CH(COPh)S(O)_2\overset{1}{C}H(COPh)\}}(PMePh_2)_2]{\cdot}CH_2Cl_2{\cdot}H_2O$, 259–66
Chemistry of metallacyclobutanones (η^3-oxodimethylenemethane complexes). Part 5. Ligand substitution reactions of metallacyclobutan-3-ones of platinum(II) and palladium(II) with tertiary phosphines and t-butyl isocyanide; crystal structures of $[\overbrace{Pt\{CH(CO_2Me)CO\overset{1}{C}H(CO_2Me)\}}(CNBu^t)(AsPh_3)]$ and $[\overbrace{Pt\{CH(CO_2Me)CO\overset{1}{C}(CO_2Me)\overset{+}{C}(NHBu^t)\}}(CNBu^t)_2]$, 345–56
METHANIDE
(Diphenylphosphinomethyl)diphenylphosphine sulphide ($Ph_2PCH_2PPh_2S$) and its methanide anion $Ph_2PCHPPh_2S^-$ as ligands in organogold chemistry. *X*-Ray crystal structure of *cis*-$[\overbrace{Au(C_6F_5)_2(PPh_2CHPPh_2S)}]$, 73–8
Bi-, tetra-, and poly-nuclear complexes of gold(I) and silver(I) with bis(diphenylphosphino)-methanide or -amide acting as six-electron donors, 1883–6
METHANOL
Nucleophilic attack of methanol on bis(benzonitrile)dichloroplatinum: formation of mono- and bis-imido ester derivatives, 947–52
METHOXIDE
Reactivity of cationic molybdenum(II) complexes. Part 3. Synthesis of methoxide and carbomethoxide derivatives of η-pentamethylcyclopentadienyl–molybdenum(II) and the crystal structure determination of the oxidation product *trans*-$[\{Mo(\eta\text{-}C_5Me_5)(O)_2\}_2(\mu\text{-}O)]$, 155–60
Tris(trimethylsilyl)methyl and tris(dimethylphenylsilyl)methyl derivatives of boron. Crystal structures of dihydroxy[tris(trimethylsilyl)methyl]borane and of the lithium–boron complex $[(MeOH)_2Li(\mu\text{-}OMe)_2B(OMe)_2]$, 447–52
METHYL
Halogeno, hydride, and alkyl carbonyl–monocyclopentadienyl niobium derivatives. Crystal and molecular structure of $[Nb(\eta\text{-}C_5H_5)Cl(H)(CO)(PMe_3)_2]$, 79–84
Syntheses and dynamic stereochemistry of methyl– and phenyl–carbonyl heterobinuclear metal–metal bonded complexes, 379–82
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 1. Low-temperature solution properties, and *X*-ray crystal structure of $[PtIMe_3\{(MeS)_2CHCH(SMe)_2\}]$, 701–10
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 2. High-temperature fluxionality, 711–18
Crystal structure and mass spectrometry of dibromodimethyl[1-methyl-2(3*H*)-imidazolinethione-*S*]tin(IV), 927–30
Preparation and crystal structure of a binuclear compound of methylmercury(II) containing bismuthiol I as a bridging ligand, 1409–12
Synthesis, characterization, and thermolytic behaviour of η^3-allyl(methyl)(tertiary phosphine)palladium(II), and *X*-ray structure of the cluster $[Pd_4(\mu\text{-}C_3H_5)_2(\mu\text{-}Cl)_2(\mu\text{-}dppm)_2]{\cdot}4C_4H_8O$ (dppm = $Ph_2PCH_2PPh_2$), 1519–26
Synthetic, spectroscopic, and *X*-ray studies on methylmercury(II) and dimethylthallium(III) complexes with cyclopentanone thiosemicarbazone, 1787–92
Synthesis and properties of trimethyl(trifluorosilyl)stannane, 1879–82
Mechanism and energetics of reductive elimination of ethane from some tetramethylplatinum(IV) complexes, 2121–6
METHYLALLYL
Crystallographic and nuclear magnetic resonance studies of carbonyl(η^3-methylallyl)(trichlorostannyl) complexes of platinum(II) and palladium(II), 615–22
MICELLE
Electronic spectral study of the aqua $\rightleftharpoons$ hydroxo equilibrium of model iron(III) haems encapsulated in aqueous detergent micelles, 1003–6
MIXED VALENCE
Ruthenium phthalocyanine chemistry: synthesis and properties of a mixed-valence nitrido-bridged ruthenium phthalocyanine dimer, 193–6
Trinuclear mixed-valence complexes with the linear $[Rh_3]^{4+}$ core, 689–92
Autoxidation of a dicopper(I) macrocyclic complex: evidence for a mixed-valence intermediate, 1351–60
Syntheses, crystal structures, and Raman and resonance Raman spectroscopy of platinum(II), platinum(IV), and halogen-bridged chain platinum(II,IV) complexes involving the terdentate ligand 3-methyl-3-azapentane-1,5-diamine (4Me-dien), 1689–96
MOLECULAR ORBITAL
A theoretical study on the co-ordination of dinitrogen and related molecules to nickel(0): '*ab initio*' calculations on the model compounds $[Ni(PH_3)_2(N_2)]$, $[Ni(PH_3)_2(N_2CH_2)]$, and $[Ni(PH_3)_2(N_2H_2)]$, 33–8
Photochemical studies of alkylammonium molybdates. Part 8. Location of protons interacting with the paramagnetic electron in a single crystal of photoirradiated $[NH_3Pr^i]_6[Mo_8O_{26}(OH)_2]{\cdot}2H_2O$, 661–70
An investigation of the bonding in $[Ru_2(O_2CCF_3)_4]$ and $[Ru_2(O_2CCF_3)_4(NO)_2]$, 1037–44
An *ab initio* self-consistent field molecular-orbital study of novel stereoelectronic effects in linear $R_2S_3N_2$ and cyclic XS_3N_2 systems, 1609–12
Electron spin resonance study of copper(II) complexes of X-glycine and glycyl-X type dipeptides, and related tripeptides. Variation of co-ordination modes with ligand excess and pH in fluid and frozen aqueous solutions, 1925–32
Studies of the oxidative addition of some substrates containing carbon–heteroatom bonds to some tungsten and platinum complexes, 2099–108
The 4-phenyl-1,2,3,5-dithiadiazole complex $[Fe_2(CO)_6(PhCN_2S_2)]$: its preparation, crystal structure, and an extended-Hückel molecular-orbital study of the bonding, 2229–34
MOLECULAR SIEVE
Thermal and hydrothermal stability of SAPO-5 and SAPO-37 molecular sieves, 1361–2
MOLYBDENUM
Synthesis, electrochemistry, and electron spin resonance spectra of some seventeen-electron complexes containing the $\{Mo(NO)\}^{2+}$ core and the molecular structure of $[Mo(NO)\{HB(Me_2pz)_3\}(pyr)_2]$, 127–32
Oxovanadium(IV) and dioxomolybdenum(VI) complexes: synthesis from the corresponding acetylacetonato complexes and *X*-Ray structures, 145–50
Reactivity of cationic molybdenum(II) complexes. Part 3. Synthesis of methoxide and carbomethoxide derivatives of η-

MOLYBDENUM (contd)
pentamethylcyclopentadienyl–molybdenum(II) and the crystal structure determination of the oxidation product *trans*-[{Mo(η-C_5Me_5)$(O)_2$}$_2$(μ-O)], 155–60
A comparison of the rates of intramolecular hydrogen migration in the molecules $[Mo(\eta\text{-}C_7H_8)_2]^{n+}$ to give $[Mo(\eta\text{-}C_7H_7)(\eta\text{-}C_7H_9)]^{n+}$, n = 0 or 1: crystal structures of $[Mo(\eta\text{-}C_7H_8)_2]$, $[Mo(\eta\text{-}C_7H_7)(\eta\text{-}C_7H_9)]$, and $[Mo(\eta\text{-}C_7H_8)_2][BF_4]$, 331–44
Synthesis and spectroscopic characterisation of $[MoO(SR)_4]^-$ (R = C_6H_5, $C_{10}H_7$, 4-$CH_3C_6H_4$, 4-ClC_6H_4, 3-ClC_6H_4, 4-FC_6H_4, 2,6-$Cl_2C_6H_3$, or C_6F_5) complexes and $[MoO(SC_6F_5)_4]^{2-}$, 413–8
Mechanistic studies on hydrazido(2−)-complexes. Cleavage of the nitrogen–nitrogen bond in the reaction of $[Mo\{NN(CH_2)_4CH_2\}(Ph_2PCH_2CH_2PPh_2)_2]$ with acid, 425–30
Reactions of co-ordinated ligands. Part 44. The reactivity of the carbyne complex $[Mo(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$ towards protonic acids, diphenylphosphine, and the π-acid tetracyanoethylene; formation and crystal structures of $[MoH(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)][BF_4]$, $[Mo\{\sigma\text{-}OC(O)CF_3\}\{\eta^2\text{-}HOC(O)CF_3\}\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$, and $[Mo(\equiv CCH_2Bu^t)\{\eta^2\text{-}C_2(CN)_4\}\{P(OMe)_3\}(\eta\text{-}C_5H_5)]$, 511–8
Photochemical studies of alkylammonium molybdates. Part 8. Location of protons interacting with the paramagnetic electron in a single crystal of photoirradiated $[NH_3Pr^i]_6[Mo_8O_{26}(OH)_2]\cdot 2H_2O$, 661–70
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 85. Synthesis of chain and ring compounds containing molybdenum, 785–96
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 86. Alkylidyne(carbaborane)molybdenum–gold, –rhodium and –iron complexes; crystal structure of $[NEt_4][MoFe_2(\mu_3\text{-}CC_6H_4Me\text{-}4)(\mu\text{-}\sigma\text{:}\sigma\text{:}\eta^5\text{-}C_2B_9H_7Me_2)(CO)_8]$, 797–808
Reactivity of cationic molybdenum(II) complexes. Part 4. Isolation and crystal structure determination of *cis*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(N_3)]$ and *cis*-$[Mo(CO)_2(\eta\text{-}C_5Me_5)(PPh_3)(NCO)]$, 959–64
Monocyclopentadienyl pentafluorothiophenolate complexes of molybdenum and their interactions with thallium(I) ions; dynamic nuclear magnetic resonance studies and crystal and molecular structures of $[TlMo(SC_6F_5)_2L_2(cp)]$ (L = CO or SC_6F_5; cp = η^5-C_5H_5), 991–1002
Synthesis, structures, and reactions of ethenethiolato complexes of molybdenum and tungsten $[M\{\eta^3\text{-}SC(CF_3)\text{=}C(CF_3)H\}(CF_3C{\equiv}CCF_3)(\eta^5\text{-}C_5H_5)]$ (M = Mo or W). Their relevance to the mechanism of metal-promoted isomerisation of carbon–carbon double bonds, 1027–36
Studies on transition metal peroxo complexes. Part 8. The nature of peroxomolybdates and peroxotungstates in aqueous solution, 1203–8
Reactions of co-ordinated ligands. Part 45. Ligand displacement and oxidative reactions of the carbyne complex $[Mo(\equiv CCH_2Bu^t)\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$; crystal and molecular structures of $[Mo\{\eta^3\text{-}RN{=}C{\cdots}C(CH_2Bu^t){\cdots}C{=}NR\}(CNR)_2(\eta\text{-}C_5H_5)]$ (R = 2,6-$Me_2C_6H_3$), $[Mo(C{=}CHBu^t)I\{P(OMe)_3\}_2(\eta\text{-}C_5H_5)]$, and $[Mo\{=C(CH_2Bu^t)P(O)(OMe)_2\}\{P(OMe)_3\}(\eta\text{-}C_5H_5)]$, 1321–32
Crystal and molecular structure of [1,2-bis(diethylphosphino)ethane mono-oxide-*P*,*O*]trichloro-oxomolybdenum(V), 1417–20
The structure of 18-molybdodisulphate(VI)(4−) ion in $(NEt_4)_4S_2Mo_{18}O_{62}\cdot CH_3CN$, 1491–8
Comparative study on the multielectron reduction of $HOC_2H_4N_3$ catalyzed by $[NBu^n_4]_4[MoFe_3S_4(SPh)_3(o\text{-}O_2C_6Cl_4)]_2$ and $[NBu^n_4]_2[Fe_4S_4(SPh)_4]$-modified glassy carbon electrodes, 1547–54
Chemistry of phosphido-bridged dimolybdenum complexes. Part 3. Reinvestigation of the reaction between $[Mo_2(\eta\text{-}C_5H_5)_2(CO)_6]$ and P_2Ph_4; *X*-ray structures of $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(CO)_2]$, $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(\mu\text{-}CO)]$ and *trans*-$[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2O(CO)]$, 1555–64
Charge density in the $[Mo(NCS)_6]^{3-}$ ion in $Cs_3Mo(NCS)_6$, 1779–86
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 91. Steric implications in the reactions of the complexes $[M(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W, R = C_6H_4Me-4, C_6H_4OMe-2, or $C_6H_3Me_2$-2,6) with the compounds $[Mo(CO)_3(NCMe)_3]$ and $[Cu(thf)(\eta\text{-}C_5Me_5)]$ (thf = tetrahydrofuran); crystal structure of $[Mo_3(\mu\text{-}CC_6H_3Me_2\text{-}2,6)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 1871–8
Synthetic and structural studies on organomolybdenum and organotungsten complexes containing bismuth. *X*-Ray crystal structures of $[BiCl\{Mo(CO)_3(\eta\text{-}C_5H_5)\}_2]$ and $[BiCl\{Mo(CO)_2(CNBu^t)(\eta\text{-}C_5H_5)\}_2]$ (1988, 2941), 1887
Monomolybdononavanadate and *cis*- and *trans*-dimolybdo-octavanadate, 1915–24
Synthesis and characterization of bis(xanthate) complexes of Mo^{II} and W^{II}. Crystal structure of $[W(S_2COPr^i\text{-}S)(S_2COPr^i\text{-}SS')(CO)_2(PMe_3)_2]$, 2003–10
Synthesis and *X*-ray crystal structure of tetra(2-methylphenyl)molybdenum(IV), Mo(2-$MeC_6H_4)_4$. Redox chemistry of M(2-$MeC_6H_4)_4$ compounds of molybdenum, rhenium, ruthenium, and osmium, 2149–54
Characterisation of tridentate macrocyclic complexes of molybdenum(0) with tetra-aza macrocycles. Crystal structure of $[Mo(CO)_3L^1]$ (L^1 = C-*meso*-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetra-azacyclotetradecane), 2183–6
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 92. Synthesis of alkynylmethylidyne-molybdenum and -tungsten complexes and their reactions with $[Co_2(CO)_8]$ and $[Mo_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 2261–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 93. Synthesis of heteropolynuclear metal compounds with chains of seven to eleven metal atoms; crystal structure of $[Mo_2W_3Pt_6(\mu_3\text{-}CMe)_3(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(CO)_{10}(PMe_2Ph)_4(\eta\text{-}C_5H_5)_2]$, 2269–80
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 94. Synthesis of di- and tri-metal compounds *via* the reagents $[M(\equiv C\text{–}C\equiv CBu^t)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W), 2281–8
Preparation of the ordered perovskite (SrLa)(MgMo)O_6 and its physicochemical characterization, 2335–8
Synthesis, spectroscopic, electrochemical, and magnetic properties of dimolybdenum(II,II), diruthenium-(II,III) and -(II,II) complexes containing bridging aspirinate (2-acetoxybenzoate) ligands, 2435–42

MOLYBDENUM-95
Monomolybdononavanadate and *cis*- and *trans*-dimolybdo-octavanadate, 1915–24

MÖSSBAUER
A reinvestigation of the structures of organotin sulphates and chromates, including the crystal and molecular structure of bis(trimethyltin) sulphate dihydrate, 267–74
Synthesis, infrared, and tin-119 Mössbauer spectroscopic characterization of seven-co-ordinate diorganotin(IV) adducts with 2,6-diacetylpyridine acylhydrazones, including the *X*-ray crystal structure of $SnEt_2$(dapt) [H_2dapt = 2,6-diacetylpyridine bis(2-thenoylhydrazone)], 289–94
The binding of trialkyltin(IV) moieties to rat haemoglobin, and the structure of model systems, studied by tin-119 Mössbauer spectroscopy, 519–26
Gold-197 Mössbauer spectra and the bonding of some gold–gold and gold–platinum clusters, 539–44

NAPHTHALENE
The chemical and electrochemical one-electron oxidation of diamidonaphthalene-bridged complexes: paramagnetic $[Rh_2]^{3+}$-containing A-frames, 683–8
Reaction of $[Rh_2\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]$ with $[M(PPh_3)]^+$ (M = Au, Ag, or Cu): formation of unusual 44-electron Rh_2M clusters. Crystal structure of $[Rh_2\{\mu\text{-}Au(PPh_3)\}\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]ClO_4\cdot 2CH_2Cl_2$, 1249–52

NAPHTHYRIDONATE
Trinuclear mixed-valence complexes with the linear $[Rh_3]^{4+}$ core, 689–92

NEUTRON DIFFRACTION
Neutron diffraction study of the cation distributions in the systems $Fe_{7-x}M_x(PO_4)_6$ (M = Mn or Co), 1765–70
Tables of bond lengths determined by *X*-ray and neutron diffraction. Part 2. Organometallic compounds and co-ordination complexes of the *d*- and *f*-block metals, S1—S84

NICKEL
A theoretical study on the co-ordination of dinitrogen and related molecules to nickel(0): '*ab initio*' calculations on the model compounds $[Ni(PH_3)_2(N_2)]$, $[Ni(PH_3)_2(N_2CH_2)]$, and $[Ni(PH_3)_2(N_2H_2)]$, 33–8

NICKEL (contd)
Tetra-aza macrocyclic complexes containing a pendant amino group. Copper(II), nickel(II), and cobalt(III) complexes of 5-aminomethyl-2,5,10,12-tetramethyl-1,4,8,11-tetra-azacyclotetradecane (L) and *X*-ray structural characterisation of the cobalt(III) complex $[Co(L)Cl][ClO_4]Cl{\cdot}EtOH$, 85–92
Studies in Werner clathrates. Part 9. Structures with bis(isothiocyanato)tetrakis(4-phenylpyridine)nickel(II) as host, 119–26
Kinetics of the oxidation of chloride ions by tris(2,2′-bipyridine)nickel(III) ions in aqueous perchlorate media, 151–4
The unusual co-ordination ability of vasopressin-like peptides; potentiometric and spectroscopic studies of some copper(II) and nickel(II) complexes, 173–8
Stabilisation of trivalent nickel through 1:2 co-ordination by cyclic terdentate ligands $\overline{CH_2CH_2NH(CH_2)_2NH(CH_2)_2X}$ (X = NH, O, or S), 229–32
The nickel(II)–bromide system in dimethyl sulphoxide: a detailed study of the influences of temperature and mole ratio, 325–30
Possible biological activity in proton, metal, and aminohydroxamic acid equilibria. Protonation and complex formation reactions between *N*-hydroxy-D-asparagine and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solution (1988, 953), 383
Spectrophotometric and calorimetric studies on the formation of binary (2,2′-bipyridine)nickel(II) and ternary (2,2′-bipyridine)chloronickel(II) complexes in *N*,*N*-dimethylformamide, 655–60
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 85. Synthesis of chain and ring compounds containing molybdenum, 785–96
Variable-temperature and -pressure proton nuclear magnetic resonance studies of the rates and mechanisms of *N*,*N*-dimethylformamide and acetonitrile exchange with the square-pyramidal complexes mono(solvento){3,7,11-tribenzyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene}nickel(II), 873–8
Precursor catenand complexes: synthesis, structure, and electrochemistry of bis(2,6-di-iminopyridyl) complexes of nickel(II). The single-crystal *X*-ray structure of $[NiL^4_2][BF_4]_2$, 965–70
Synthesis of a new P_2N_2 ligand *N*,*N*′-bis[2-(diphenylphosphino)phenyl]propane-1,3-diamine, H_2L^2, and some of its complexes with elements of the nickel triad and rhodium: *X*-ray structure analyses of the neutral complex $[NiL^2]$ and the *trans*-spanned $[Rh(CO)Cl(H_2L^2)]$, 1067–74
Structure of μ-fluoro-bis[bis(2,2′-bipyridyl)fluoronickel(II)] fluoride–ethanol (1/2) trihydrate, revealing several unique features including strong hydrogen bonds between fluoride ions and ethanol molecules, 1273–6
Thermodynamic and spectrophotometric investigation of complex formation between hydrogen, cobalt(II), nickel(II), and copper(II) ions and 2-amino-*N*-hydroxypropanamide in aqueous solution, 1299–310
Co-ordination of nickel(II) ions by angiotensin II and its peptide fragments. A potentiometric, proton nuclear magnetic resonance and circular dichroism spectroscopic study, 1471–6
Synthesis and crystal structure of $[NiOs_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2\{\mu\text{-}Cu(PPh_3)\}(CO)_9]$. Hydrogenation–dehydrogenation reactions of dienes and alcohols with heterogeneous catalysts derived from $[NiM_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2(\mu\text{-}X)(CO)_9]$ [M = Ru, X = H; M = Os, X = $Cu(PPh_3)$], 1477–82
Functional metallomacrocycle derivatives and their polymers. Part 23. Biaxially orientated Langmuir–Blodgett films of substituted metallophthalocyanines, 1543–6
Preparation and characterisation of some nickel(II) tetra-aza macrocyclic complexes bearing pendant polymerisable groups as part of the ligand superstructure, 1599–608
Molecular structure of heterobimetallic μ-η^2-(C,C)-ketene complexes, 1627–30
Substitution reactions on sterically hindered square-planar *trans*-$[NiBr(R)(PR'_3)_2]$ (R = aryl) complexes. Effects of the substituents of the aryl ligand, 1669–74
Mixed-metal complexes in solution. A potentiometric and spectrophotometric study of copper(II)–nickel(II)–δ-hydroxylysine complexes in aqueous solution, 1745–50
Solid-state high-resolution carbon-13 magnetic resonance spectra of dithioacetate complexes of platinum, palladium, and nickel, 2457–60

NIOBIUM
Halogeno, hydride, and alkyl carbonyl–monocyclopentadienyl niobium derivatives. Crystal and molecular structure of $[Nb(\eta\text{-}C_5H_5)Cl(H)(CO)(PMe_3)_2]$, 79–84

NITRATE
Preparation and interconversion of dimeric di-μ-hydroxo and tri-μ-hydroxo complexes of platinum(II) and palladium(II) with 2,2′-bipyridine and 1,10-phenanthroline, 403–12
Synthesis, *X*-ray characterization, and *Q*-band electron spin resonance studies of heterometallic, polymeric compounds formed by yttrium and lanthanide(III) nitrates with HgL_2 (L = C_4H_6NO, the anion of 2-pyrrolidone); crystal structures of $[\{Hg_2EuL_4(NO_3)_3\}_n]$ and $[\{Hg_3Tb_2L_6(NO_3)_6\}_n]$, 1439–48

NITRIDE
Ruthenium phthalocyanine chemistry: synthesis and properties of a mixed-valence nitrido-bridged ruthenium phthalocyanine dimer, 193–6

NITRILE
Tri-aza analogue of an acetylacetonato-complex formed by nucleophilic attack of a co-ordinated nitrile by amidines. *X*-Ray crystal structure of $[Pt\{HNC(Ph)NC(Ph)NH\}_2]{\cdot}\frac{2}{3}PhMe$, 837–42

NITRILOTRIACETATE
Crystal and molecular structures of diaqua(nitrilotriacetato)aluminium(III) and di-μ-hydroxo-bis(nitrilotriacetato)-dialuminate(III) dianion, 1513–8

NITRITE
Synthesis of ammonium ions and nitrosylation reactions using nitrosyl chloride and alkyl nitrites, 1139–42

NITROGEN
A theoretical study on the co-ordination of dinitrogen and related molecules to nickel(0): '*ab initio*' calculations on the model compounds $[Ni(PH_3)_2(N_2)]$, $[Ni(PH_3)_2(N_2CH_2)]$, and $[Ni(PH_3)_2(N_2H_2)]$, 33–8
Stoicheiometric and nitrogen-15 labelling studies on the hyponitrous acid–nitrous acid reaction, 527–32
The kinetics and mechanism of the hyponitrous acid–nitrous acid reaction at 0 °C, 533–8
Solid-state structure and solution conformation of 2,2,4,4,6,6-hexa(*p*-chlorophenoxo)cyclotri-λ^5-phosphazatriene. *X*-Ray and dipole moment studies, 757–60
Isopropyldisilylamine and disilyl-t-butylamine: preparation, spectroscopic properties, and molecular structure in the gas phase, determined by electron diffraction, 779–84
Reactions of amine hydrochlorides with phosphorus trichloride oxide; preparation and *X*-ray crystal structure of 2,4,6-trichloro-1,3,5-triphenyl-1,3,5,2λ^5,4λ^5,6λ^5-triazatriphosphorinane 2,4,6-trioxide $(PhNPOCl)_3$, 821–8
Gas-phase molecular structure of *NN*′-bis(trimethylsilyl)sulphur diimide, determined by electron diffraction, 859–62
New metal–sulphur–nitrogen compounds from reactions in liquid ammonia. The *X*-ray structures of *trans*-bis(acetophenone dimethylhydrazone-N^α)dichloropalladium(II) and [di(azathien)-1-yl-S^1N^4][2-(hydrazonoethyl)phenyl]palladium(II), 1179–86
Contributions to the chemistry of boron. Part 194. Synthesis and characterization of mono, bi-, and tri-cyclic boron–nitrogen–sulphur ring systems. Crystal structure of 2,7,9,14-tetrakis(diethylamino)-3,5,6,10,12,13-hexathia-1,8-diaza-2,4,7,9,11,14-hexaboratricyclo[9.3.0.0^{4,8}]tetradecane, 1311–20
An *ab initio* self-consistent field molecular-orbital study of novel stereoelectronic effects in linear $R_2S_3N_2$ and cyclic XS_3N_2 systems, 1609–12
Direct insertion of a nitrogen atom into the S–S bond of a 1,2,3,5-dithiadiazole ring in a direct current nitrogen glow discharge, and *X*-ray crystal structure of 4-methyl-1,2,3,5-dithiadiazole, 1705–14
Preparation and properties of $[M(S_2N_2H)Cl(L)]$ (M = Pt, L = PMe_2Ph or C_2H_4; M = Pd, L = PMe_2Ph), $[Pt(S_3N)Cl(PMe_2Ph)]$, and corresponding ^{15}N-enriched complexes, 2179–82

NITROGEN-15
Stoicheiometric and nitrogen-15 labelling studies on the hyponitrous acid–nitrous acid reaction, 527–32
Preparation and properties of $[M(S_2N_2H)Cl(L)]$ (M = Pt, L = PMe_2Ph or C_2H_4; M = Pd, L = PMe_2Ph), $[Pt(S_3N)Cl(PMe_2Ph)]$, and corresponding ^{15}N-enriched complexes, 2179–82

NITROSYL
Synthesis, electrochemistry, and electron spin resonance spectra of some seventeen-electron complexes containing the $\{Mo(NO)\}^{2+}$

NITROSYL (contd)
core and the molecular structure of $[Mo(NO)\{HB(Me_2pz)_3\}(pyr)_2]$, 127–32
Synthesis and *X*-ray crystal structure of $[Rh(NO)(PPh_3)_2(p\text{-}MeC_6H_4NNNC_6H_4Me\text{-}p)][BF_4]\cdot CH_2Cl_2$, 745–8
An investigation of the bonding in $[Ru_2(O_2CCF_3)_4]$ and $[Ru_2(O_2CCF_3)_4(NO)_2]$, 1037–44
Synthesis of ammonium ions and nitrosylation reactions using nitrosyl chloride and alkyl nitrites, 1139–42
Reactivity of the iridium nitrosyl complex $[Ir(NO)(paa)(PPh_3)_2][PF_6]_2$ (paa = 2-pyridinecarbaldehyde azine) with nucleophiles: insertion of NO into a methinic C–H bond; crystal structure of $[Ir\{(2\text{-}C_5H_4N)CH{=}N{-}N{=}C(NOH)(2\text{-}C_5H_4N)\}\{Me(EtO)C{=}NH\}(PPh_3)_2][PF_6]_2$, 1217–26
Reductive nitrosylation of tetraoxometalates. Part 15. Generation of $Mn(NO)^{3+}$, $Mn(NO)^{2+}$, and $Mn(NO)_2^{2+}$ moieties directly from MnO_4^-. Synthesis, characterization, and electrochemistry of cyanonitrosyl derivatives of manganese, 1963–72
Synthesis and properties of the bis(μ-thiosulphato-*S*')-bis(dinitrosylferrate)(2−) anion. Crystal and molecular structure of bis[bis(triphenylphosphoranylidene)ammonium] bis(μ-thiosulphato-*S*')-bis(dinitrosylferrate), 2061–4
Synthesis, spectroscopic, electrochemical, and magnetic properties of dimolybdenum(II,II), diruthenium-(II,III) and -(II,II) complexes containing bridging aspirinate (2-acetoxybenzoate) ligands, 2435–42
Reductive nitrosylation of tetraoxometalates. Part 15. Generation of $Mn(NO)^{3+}$, $Mn(NO)^{2+}$, and $Mn(NO)_2^{2+}$ moieties directly from MnO_4^-. Synthesis, characterization, and electrochemistry of cyanonitrosyl derivatives of manganese (1989, 1963), 2461

NITROUS ACID
Stoicheiometric and nitrogen-15 labelling studies on the hyponitrous acid–nitrous acid reaction, 527–32
The kinetics and mechanism of the hyponitrous acid–nitrous acid reaction at 0 °C, 533–8

N.M.R.
Synthesis and stereochemical studies of η^3-allyl palladium(II) complexes containing a chiral chelating ligand, 161–8
The nature of a sodium–crown interaction studied by sodium-23 nuclear magnetic resonance and by crystal structure determination of a complex with co-ordinated solvent, 203–10
Correlations between nuclear magnetic resonance spectra and crystal structures. A carbon-13 nuclear magnetic resonance study in the solid state of the Group 15 xanthates $[A(S_2COR)_3]$ (A = As^{III}, Sb^{III}, or Bi^{III}; R = Me, Et, or Pr^i), 233–6
A reinvestigation of the structures of organotin sulphates and chromates, including the crystal and molecular structure of bis(trimethyltin) sulphate dihydrate, 267–74
Oxygen-17 nuclear magnetic resonance spectroscopic studies of aqueous alkaline silicate solutions, 275–82
Metallaheteroborane chemistry. Part 3. Synthesis of $[2,2\text{-}(PR_3)_2\text{-}1,2\text{-}TePtB_{10}H_{10}]$ (R_3 = Et_3, Bu^n_3, or Me_2Ph), their characterisation by nuclear magnetic resonance spectroscopy, and the crystal and molecular structure of $[2,2\text{-}(PEt_3)_2\text{-}1,2\text{-}TePtB_{10}H_{10}]$ (1988, 2555), 383
Co-ordination chemistry of higher oxidation states. Part 29. Cobalt(III) complexes of bi- and tetra-thioethers: synthesis, properties, and cobalt-59 nuclear magnetic resonance data, 453–6
Crystallographic and nuclear magnetic resonance studies of carbonyl(η^3-methylallyl)(trichlorostannyl) complexes of platinum(II) and palladium(II), 615–22
Base-catalysed aquation of αβ-*syn*- and αβ-*anti*-chloro- and bromo-[1,9-bis(2'-pyridyl)-2,5,8-triazanonane]- and -[1,11-bis(2'-pyridyl)-2,6,10-triazaundecane]-cobalt(III) cations. An unusually base-sensitive halogenopentamine cobalt(III) system, 645–54
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 1. Low-temperature solution properties, and *X*-ray crystal structure of $[PtIMe_3\{(MeS)_2CHCH(SMe)_2\}]$, 701–10
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 2. High-temperature fluxionality, 711–8
Solid-state phosphorus-31 nuclear magnetic resonance spectroscopy of phosphorus sulphides, 809–14
High-resolution solid-state tin-119 nuclear magnetic resonance spectroscopy of ternary tin oxides, 843–8
Variable-temperature and -pressure proton nuclear magnetic resonance studies of the rates and mechanisms of *N,N*- dimethylformamide and acetonitrile exchange with the square-pyramidal complexes mono(solvento){3,7,11-tribenzyl-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene}nickel(II), 873–8
Phosphorus-31 and selenium-77 nuclear magnetic resonance spectra of sulphur- or arsenic-substituted derivatives of tetraphosphorus triselenide; fitting of chemical shifts and coupling constants to molecular parameters for cage compounds containing a phosphorus–selenium–phosphorus linkage, 977–84
Platinum metal complexes of potentially chelating alkene–thioether and alkene–selenoether ligands: synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{MeE(CH_2)_nCH{=}CH_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; *n* = 2 or 3) and the *X*-ray structure of *cis*-dibromo(2-thia-6-heptene)platinum(II), $[PtBr_2\{MeS(CH_2)_3CH{=}CH_2\}]$ 985–90
Monocyclopentadienyl pentafluorothiophenolate complexes of molybdenum and their interactions with thallium(I) ions; dynamic nuclear magnetic resonance studies and crystal and molecular structures of $[TlMo(SC_6F_5)_2L_2(cp)]$ (L = CO or SC_6F_5; cp = $\eta^5\text{-}C_5H_5$), 991–1002
Synthesis, structures, and reactions of ethenethiolato complexes of molybdenum and tungsten $[M\{\eta^3\text{-}SC(CF_3){=}C(CF_3)H\}(CF_3C{\equiv}CCF_3)(\eta^5\text{-}C_5H_5)]$ (M = Mo or W). Their relevance to the mechanism of metal-promoted isomerisation of carbon–carbon double bonds, 1027–36
Zinc(II) complexes of 4,7-diazadecane-1,10-diamine, 4,8-diazaundecane-1,11-diamine, and tetraethylenepentamine: a carbon-13 nuclear magnetic resonance study, 1171–8
Isotopic multiplets in the carbon-13 nuclear magnetic resonance spectra due to partial deuteriation of co-ordinated NH_2 and NH groups of cobalt(III) complexes containing an N-glycoside. Importance of sugar ring oxygen atoms in the long-range isotope shifts, 1241–8
Solution structure and dynamic behaviour of two isomers of $[Fe_3(CO)_9\{P(OR_3)\}_3]$ (R = Me, Et, or Ph) derivatives, 1277–82
Sulphonamide nitrogen-containing, nitrogen protected amino acids interacting with the Cd^{2+} ion. A cadmium-113 nuclear magnetic resonance and potentiometric study. *X*-Ray diffraction of $[Cd(ts\text{-}\beta\text{-}alaO)_2(H_2O)_4]$, 1345–50
Polyhedral organoiridaborane chemistry. The reaction of MeNC with $[6\text{-}(\eta^5\text{-}C_5Me_5)\text{-}nido\text{-}6\text{-}IrB_9H_{13}]$. Nuclear magnetic resonance studies and the crystal and molecular structure of $[4,4\text{-}(\eta^5\text{-}C_5Me_5)(MeNC)\text{-}arachno\text{-}4\text{-}IrB_8H_{12}]$, 1465–70
Co-ordination of nickel(II) ions by angiotensin II and its peptide fragments. A potentiometric, proton nuclear magnetic resonance and circular dichroism spectroscopic study, 1471–6
Binuclear copper(I) complexes containing two or three 2-(diphenylphosphine)pyridine (dppy) bridging ligands: *X*-ray crystal structure of $[Cu_2(\mu\text{-}dppy)_3(MeCN)][BF_4]_2$ and variable-temperature ^1H and $^{31}P\text{-}\{^1H\}$ nuclear magnetic resonance studies, 1499–506
Preparation and characterisation of some nickel(II) tetra-aza macrocyclic complexes bearing pendant polymerisable groups as part of the ligand superstructure, 1599–608
Nature of peroxoborate species in aqueous solution: a study by boron-11 nuclear magnetic resonance and Raman spectroscopy, 1651–6
Metallaheteroborane chemistry. Part 5. Synthesis of *closo*-$[2,2\text{-}(PR_3)_2\text{-}1,2\text{-}SePtB_{10}H_{10}]$ (R_3 = Et_3, Bu^n_3, or Me_2Ph) and *arachno*-$[9,9\text{-}(PMe_2Ph)_2\text{-}6,9\text{-}SePtB_8H_{10}]$ and their characterisation by nuclear magnetic resonance techniques: the crystal and molecular structures of *closo*-$[2,2\text{-}(PEt_3)_2\text{-}1,2\text{-}SePtB_{10}H_{10}]$ and *arachno*-$[9,9\text{-}(PMe_2Ph)_2\text{-}6,9\text{-}SePtB_8H_{10}]$, 1657–68
The mechanisms of fluxionality of $[Fe_3(CO)_{12-n}\{P(OR)_3\}_n]$ (R = Me, *n* = 0—3; R = Pr^i, *n* = 2 or 3) and the *X*-ray structure of $[Fe_3(CO)_{10}\{P(OMe)_3\}_2]$, 1831–44
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 9. Prolonged hydrolysis with aluminium metal monitored at very high magnetic field, 1889–96
Multinuclear magnetic resonance studies of the hydrolysis of aluminium(III). Part 10. Proton, carbon-13, and aluminium-27 spectra of aluminium acetate at very high magnetic field, 1897–902
Monomolybdononavanadate and *cis*- and *trans*-dimolybdo-octavanadate, 1915–24
Relation between the torsion angles of acetate chelate rings and the deuteron nuclear magnetic resonance chemical shifts for polyamine-N-carboxylatochromate(III) complexes, 1947–50
Hydrogen scrambling processes in $[Ta(\eta\text{-}C_5Me_5)(\eta\text{-}C_5H_5)\{(\mu\text{-}H)_2BH_2\}]$: a surprising observation, 2133–8

N.M.R. (contd)
Investigations of tin(II) halide aqueous solutions and solvent extracts by ^{119}Sn nuclear magnetic resonance spectroscopy: characterisation of the trihalogenostannate(II) anions $[SnX_3]^-$, $[SnX_2Y]^-$, and $[SnX(Y)Z]^-$ (X, Y, or Z = Cl, Br, or I), 2223–8
Platinum metal complexes of potentially chelating alkene thioether and selenoether ligands: the synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{E[(CH_2)_nCR{=}CR_2]_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; n = 2 or 3; R = H or Me) and the *X*-ray crystal structure of *cis*-di-iodo(5-thianona-1,8-diene)platinum(II), $[PtI_2\{S[(CH_2)_2CH{=}CH_2]_2\}]$, 2315–22
Substituted cyclopentadienyl complexes. Part 4. The catalysed synthesis and proton nuclear magnetic resonance spectra of $[Ru(\eta^5\text{-}C_5H_4Me)(CO)(L)I]$ and $[Ru(\eta^5\text{-}C_9H_7)(CO)(L)I]$ (L = phosphine or isocyanide) and the crystal structure determination of $[Ru(\eta^5\text{-}C_9H_7)(CO)\{P(CH_2Ph)_3\}I]$, 2407–14
Solid-state high-resolution carbon-13 magnetic resonance spectra of dithioacetate complexes of platinum, palladium, and nickel, 2457–60

NON-TRANSITION METAL
Vibrational study of ionic association in aprotic solvents. Part 12. Isothiocyanate M(NCS) complexes of non-transition-metal ions, 2193–8

N.Q.R.
Structural and motional study of pyridinium tetrahalogenoantimonates(III) by means of nuclear quadrupole resonance spectroscopy, 631–4

NUCLEOTIDE
Potentiometric and electron spin resonance investigation on the interactions between adenosine 5′-triphosphate (atp) and triphosphate ligands with vanadyl ion. Synthesis and characterization of solid vanadyl-atp compounds from acidic aqueous solution, 575–80
X-Ray structure of a ternary complex, copper(II)–inosine 5′-monophosphate–benzimidazole. The first example for the absence of direct metal–nucleotide interaction, 1507–12

OSMIUM
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH≡COEt) ligands respectively, 5–12
Thiolate complexes of osmium(III) with tertiary phosphines and their dicarbonyl derivatives of osmium(II): *X*-ray crystal structure of *trans,trans,trans*-$[Os(SC_6F_5)_2(CO)_2(PEt_2Ph)_2]$, 419–24
Metal cluster-induced electrophilicity of arenes, 481–8
Polyhedral rearrangements in undeca- and dodeca-nuclear Group 1B metal osmium clusters, 505–10
Studies on transition-metal oxo and nitrido complexes. Part 10. New oxo–ruthenium and oxo–osmium pyridine complexes, and use of the former as catalysts for oxidation of alcohols, 901–6
Reactions of co-ordinated ligands. Part 46. Formation of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)(\mu\text{-}CCH{=}CMe_2)(CO)_{10}]$ by carbon–carbon σ-bond and carbon–hydrogen activation of 3,3-dimethylcyclopropene; crystal and molecular structure of $[Os_3(\mu\text{-}H)(\mu\text{-}CCH_2CHMe_2)(CO)_{10}]$ and evidence for its facile rearrangement to $[Os_3(\mu\text{-}H)(\mu\text{-}CH{=}CHCHMe_2)(CO)_{10}]$, 1333–40
Synthesis, structure, and reactivity of the heteronuclear clusters $[Os_3H(CO)_{15}\{M(PR_3)\}]$ and $[Os_3(CO)_{15}\{M(PR_3)\}_2]$ (M = Cu, Ag, or Au; R = Ph or Me); the *X*-ray crystal structure of $[Os_3H(CO)_{15}\{Au(PPh_3)\}]$, 1421–6
Synthesis of the cluster dianion $[Os_{11}C(CO)_{27}]^{2-}$ by pyrolysis and its reactions with electrophiles; *X*-ray structure analysis of the mixed-metal derivative $[PMePh_3][Os_{11}C(CO)_{27}\{Cu(NCMe)\}]\cdot CH_2Cl_2$ and the hydrido derivative $[PMePh_3][Os_{11}C(CO)_{27}H]$, 1455–64
Synthesis and crystal structure of $[NiOs_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2\{\mu\text{-}Cu(PPh_3)\}(CO)_9]$. Hydrogenation–dehydrogenation reactions of dienes and alcohols with heterogeneous catalysts derived from $[NiM_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2(\mu\text{-}X)(CO)_9]$ [M = Ru, X = H; M = Os, X = Cu(PPh$_3$)], 1477–82
Cluster activation *via* cyclometallation. Formation of the cyclometallated triosmium carbonyl cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and its reactions with phosphorus donor ligands. The *X*-ray crystal structures of $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and $[Os_3H(CO)_9\{P(OMe)_3\}(PPh_2)]$, 2023–32
Reactions of the cyclometallated triosmium cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ with Brønsted acids and dihydrogen: synthesis and *X*-ray crystal structure of $[Os_3H_2(CF_3CO_2)(CO)_9(\mu\text{-}PPh_2)]$, 2033–8
Synthesis and *X*-ray crystal structure of tetra(2-methylphenyl)molybdenum(IV), $Mo(2\text{-}MeC_6H_4)_4$. Redox chemistry of $M(2\text{-}MeC_6H_4)_4$ compounds of molybdenum, rhenium, ruthenium, and osmium, 2149–54
Stepwise conversion of $[Os(CF_3CO_2)_2(CO)_4]$ into $[Os(pyS)_2(CO)_2]$: *X*-ray crystal structures of the complexes $[Os(pyS)_2(CO)_x]$ where x = 2 or 3 and pyS is the pyridine-2-thionato ligand, 2211–6
Kinetics of reactions of hydrogen with $[Os_3(CO)_{11}(NCMe)]$ and $[Os_3(CO)_{10}(NCMe)_2]$, 2235–40
A convenient route to binuclear osmium(I) complexes containing diphosphine and arsinophosphine ligands. *X*-Ray crystal structure of $[Os_2(MeCO_2)_2(CO)_4(dppm)_2]$, 2303–8
Reactivity of new osmium dihydrides with arenediazonium cations: preparation and properties of bis(aryldiazene) and mono(aryldiazenido) complexes. A comparison with analogous iron and ruthenium derivatives, 2353–8

OXALATE
Formation in solution, synthesis, and electrochemical study of oxalato complexes of *N,N′*-ethylenebis(salicylideneiminato)-chromium(III) and -iron(III): crystal structures of piperidinium [*N,N′*-ethylenebis(salicylideneiminato)](oxalato-O^1O^2)-chromate(III) and -ferrate(III), 729–38

OXAMATE
Magnetic properties of mono-, bi-, and tri-nuclear copper(II) complexes of novel oxamato and oxamido ligands. Crystal structure of a mononuclear precursor, 1017–26

OXAMIDE
Magnetic properties of mono-, bi-, and tri-nuclear copper(II) complexes of novel oxamato and oxamido ligands. Crystal structure of a mononuclear precursor, 1017–26

OXIDATIVE ADDITION
Redox activation of the hexanuclear ruthenium cluster $[Ru_6C(CO)_{16}]^{2-}$ using oxidative addition, 243–6
Studies of the oxidative addition of some substrates containing carbon–heteroatom bonds to some tungsten and platinum complexes, 2099–108
Oxidative addition of dibenzoyl peroxide on metallic copper. The crystal structure of $[\{Cu(C_6H_5CO_2)_2(py)\}_2]$, 2331–4

OXIDE
A further investigation of the polarized single-crystal electronic absorption spectrum of $[AsPh_4][CrOCl_4]$, 1–4
Oxovanadium(IV) and dioxomolybdenum(VI) complexes: synthesis from the corresponding acetylacetonato complexes and *X*-Ray structures, 145–50
Reactivity of cationic molybdenum(II) complexes. Part 3. Synthesis of methoxide and carbomethoxide derivatives of η-pentamethylcyclopentadienyl–molybdenum(II) and the crystal structure determination of the oxidation product *trans*-$[\{Mo(\eta\text{-}C_5Me_5)(O)_2\}_2(\mu\text{-}O)]$, 155–60
Synthesis and spectroscopic characterisation of $[MoO(SR)_4]^-$ (R = C_6H_5, $C_{10}H_7$, 4-$CH_3C_6H_4$, 4-ClC_6H_4, 3-ClC_6H_4, 4-FC_6H_4, 2,6-$Cl_2C_6H_3$, or C_6F_5) complexes and $[MoO(SC_6F_5)_4]^{2-}$, 413–8
Actinide structural studies. Part 17. The crystal and molecular structures of four uranyl(VI) complexes with *N,N*-dialkyldithiocarbamate ligands, 471–80
High-resolution solid-state tin-119 nuclear magnetic resonance spectroscopy of ternary tin oxides, 843–8
Catalytic oxidation of water mediated by rhenium oxides, 849–52
Studies on transition-metal oxo and nitrido complexes. Part 10. New oxo–ruthenium and oxo–osmium pyridine complexes, and use of the former as catalysts for oxidation of alcohols, 901–6
Synthesis and *X*-ray crystal structure of $[ReO(Cl)\{(2\text{-}OC_6H_4CH{=}NCH_2CH_2OCH_2)_2\}]$, an example of four-co-ordination by a potentially sexidentate ligand, 1405–8
Crystal and molecular structure of [1,2-bis(diethylphosphino)ethane mono-oxide-*P,O*]trichloro-oxomolybdenum(V), 1417–20
Chemistry of phosphido-bridged dimolybdenum complexes. Part 3. Reinvestigation of the reaction between $[Mo_2(\eta\text{-}C_5H_5)_2(CO)_6]$ and P_2Ph_4; *X*-ray structures of $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(CO)_2]$, $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(\mu\text{-}CO)]$ and *trans*-$[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2O(CO)]$, 1555–64
Phenyltin trichloroacetate complexes: preparations and structures, 1589–98
Ruthenium oxo complexes of macrocyclic tertiary amines. Synthesis, electrochemistry, and reactivities of ruthenium oxo complexes of *meso*-2,3,7,11,12-pentamethyl-3,7,11,17-tetra-

OXIDE (contd)
azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and *X*-ray crystal structure of *trans*-$[Ru^{IV}L^1(O)(NCO)]ClO_4$, 2011–6
Oxo transfer reactions. Mechanistic studies on the oxidation of triphenylphosphine by *trans*-$[Ru^{VI}L(O)_2]^{2+}$ (L = 1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane), 2065–8
Electrochemistry of the quasi-reversible bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate-(v) and -(iv) and bis[2-hydroxy-2-methylbutanoato(2−)]oxochromate-(v) and -(iv) redox couples and the crystal and molecular structure of sodium bis[2-ethyl-2-hydroxybutanoato(2−)]oxochromate(v) sesquihydrate, 2205–10
Preparation of the ordered perovskite (SrLa)(MgMo)O_6 and its physicochemical characterization, 2335–8
Aqueous chemistry and thermodynamic modelling of $CaO–SiO_2–H_2O$ gels, 2371–80
OXIME
Rearrangements of >C=N– functionalities promoted by cobalt(i): reactivity of cyclopentadienylbis(ethylene)cobalt(i) with dibenzophenone azine, benzophenone oxime, benzylidene(phenyl)amine and crystal structure determinations of the products, 1957–62
OXYGEN-17
Oxygen-17 nuclear magnetic resonance spectroscopic studies of aqueous alkaline silicate solutions, 275–82
Monomolybdononavanadate and *cis*- and *trans*-dimolybdo-octavanadate, 1915–24
PALLADATION
Reactions of cyclopalladated compounds. Part 21. Various examples of sulphur-assisted intramolecular palladation of aryl and alkyl groups, 1715–20
PALLADIUM
The crystal structures of $K[Pd\{S_2C_2(CN)_2\}_2]\cdot H_2O$ and $[NH_4][Pd\{S_2C_2(CN)_2\}_2]\cdot H_2O$, 67–72
Synthesis and stereochemical studies of η^3-allyl palladium(ii) complexes containing a chiral chelating ligand, 161–8
Synthesis and reactivity of binuclear homo- or hetero-metallic complexes $[NBu_4]_2[MM'(\mu\text{-}C_6F_5)_2(C_6F_5)_4]$ (M = M′ = Pd or Pt; M = Pt, M′ = Pd) with bridging pentafluorophenyl groups, 169–72
Palladium complexes with the tripodal phosphine tris(2-diphenylphosphinoethyl)amine. Synthesis and structure of trigonal, tetrahedral, trigonal bipyramidal, and square planar complexes, 211–6
Metallacyclic complexes. Part 2. Synthesis of metallathietane-3,3-dioxide complexes of platinum(ii) and palladium(ii); the crystal structures of $[Pt\{CH(COPh)S(O)_2CH(COPh)\}(PPh_3)_2]\cdot 2CH_2Cl_2$ and $[Pd\{CH(COPh)S(O)_2CH(COPh)\}(PMePh_2)_2]\cdot CH_2Cl_2\cdot H_2O$, 259–66
The reaction of hydroxo-species of palladium(ii) with bidentate nucleophiles, 375–8
Preparation and interconversion of dimeric di-μ-hydroxo and tri-μ-hydroxo complexes of platinum(ii) and palladium(ii) with 2,2′-bipyridine and 1,10-phenanthroline, 403–12
Synthesis of sulphimide complexes of palladium and platinum. Crystal and molecular structure of *cis*-dichloro[*S*,*S*-dimethyl-*N*-(2-pyrimidinyl)sulphimide](triphenylphosphine)palladium(ii), 497–504
Crystallographic and nuclear magnetic resonance studies of carbonyl(η^3-methylallyl)(trichlorostannyl) complexes of platinum(ii) and palladium(ii), 615–22
Tetrathiafulvalenium salts of planar Pt^{II}, Pd^{II}, and Cu^{III} 1,2-dithio-oxalato-*S*,*S*′ anions. Synthesis, chemistry, and molecular structures of bis(tetrathiafulvalenium) bis(1,2-dithio-oxalato-*S*,*S*′)palladate(ii), $[ttf]_2[Pd(S_2C_2O_2)_2]$, and of bis(tetrathiafulvalenium)tetrathiafulvalene bis(1,2-dithio-oxalato-*S*,*S*′)platinate(ii), $[ttf]_3[Pt(S_2C_2O_2)_2]$, 719–28
Preparation of (chloromethyl)palladium(ii) derivatives from complexes of palladium dichloride by reaction with diazomethane or bis(chloromethyl)mercury, 761–6
Tri-aza analogue of an acetylacetonato-complex formed by nucleophilic attack of a co-ordinated nitrile by amidines. *X*-Ray crystal structure of $[Pt\{HNC(Ph)NC(Ph)NH\}_2]\cdot\frac{1}{2}PhMe$, 837–42
Platinum metal complexes of potentially chelating alkene–thioether and alkene–selenoether ligands: synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{MeE(CH_2)_nCH=CH_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; *n* = 2 or 3) and the *X*-ray structure of *cis*-dibromo(2-thia-6-heptene)platinum(ii), $[PtBr_2\{MeS(CH_2)_3CH=CH_2\}]$ 985–90
Iridium(iii) hydrido complexes with 2-pyridinaldazines. Crystal structure of $[IrH_2(mpaa)(PPh_3)_2]SbF_6$. Synthesis and characterization of homo- and hetero-nuclear complexes, 1075–82
Crystal structure of the new low-dimensional metal $Cs_{0.82}[Pd\{S_2C_2(CN)_2\}_2]\cdot 0.5H_2O$, 1101–4
Trinuclear pyrazolate complexes. Crystal structure of $[(OC)_2Rh(\mu\text{-}pz)_2Pd(\mu\text{-}pz)_2Rh(CO)_2]$, 1133–8
New metal–sulphur–nitrogen compounds from reactions in liquid ammonia. The *X*-ray structures of *trans*-bis(acetophenone dimethylhydrazone-N^a)dichloropalladium(ii) and [di(azathien)-1-yl-S^1N^4][2-(hydrazonoethyl)phenyl]palladium(ii), 1179–86
Chelate-stabilised alcohol- and alkoxo-palladium(ii) complexes derived from the ligands $Ph_2PCH_2CR_2OH$ (R = Me or H), 1193–6
Photo-oxidation of alcohols by hexachlorometalate(iv) ions (M = Pt, Pd, or Ir): spin trapping and matrix isolation electron spin resonances studies, 1237–40
Mode of binding of dimethyl sulphoxide in platinum(ii) and palladium(ii) cationic complexes containing a chelated diamine. *X*-Ray crystal structures of (2,2′-bipyridyl)chloro(dimethyl sulphoxide-*O*)palladium(ii) tetrafluoroborate and chloro(dimethyl sulphoxide-*S*)(ethylenediamine)palladium(ii) perchlorate, 1265–72
Synthesis, characterization, and thermolytic behaviour of η^3-allyl(methyl)(tertiary phosphine)palladium(ii), and *X*-ray structure of the cluster $[Pd_4(\mu\text{-}C_3H_5)_2(\mu\text{-}Cl)_2(\mu\text{-}dppm)_2]\cdot 4C_4H_8O$ (dppm = $Ph_2PCH_2PPh_2$), 1519–26
Reactions of cyclopalladated compounds. Part 21. Various examples of sulphur-assisted intramolecular palladation of aryl and alkyl groups, 1715–20
Closely related macrocyclic and acyclic tridentate, pyridine derivatives, containing sulphur, and their complexes. Crystal structures of {dichloro-3,10-dithia-16-azabicyclo[10.3.1]hexadeca-1(16),12,14-triene}copper(ii) and [2,6-bis(ethylthiomethyl)pyridine]dichlorocopper(ii), 1739–44
Low-valent isocyanide complexes and clusters of palladium and platinum crystal structure of $[Pt\{C(=NR)N(R)C(=NR)\}(RNC)_2]$ (R = 2,6-$Me_2C_6H_3$), 2161–6
Preparation and properties of $[M(S_2N_2H)Cl(L)]$ (M = Pt, L = PMe_2Ph or C_2H_4; M = Pd, L = PMe_2Ph), $[Pt(S_3N)Cl(PMe_2Ph)]$, and corresponding ^{15}N-enriched complexes, 2179–82
Platinum metal complexes of potentially chelating alkene thioether and selenoether ligands: the synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{E[(CH_2)_nCR=CR_2]_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; *n* = 2 or 3; R = H or Me) and the *X*-ray crystal structure of *cis*-di-iodo(5-thianona-1,8-diene)platinum(ii), $[PtI_2\{S[(CH_2)_2CH=CH_2]_2\}]$, 2315–22
Solid-state high-resolution carbon-13 magnetic resonance spectra of dithioacetate complexes of platinum, palladium, and nickel, 2457–60
PENICILLIN
The copper(ii) promoted hydrolysis of benzylpenicillin. Evidence for the participation of a Cu–OH species in the hydrolysis of the β-lactam ring, 197–202
PENTACHLOROPHENYL
Synthesis and reactivity of binuclear perhalogenophenyl derivatives of platinum(i). Molecular structure of $[Pt_2(C_6F_5)_2(CO)_2(PPh_3)_2]\cdot 0.4CHCl_3$, 1583–8
PENTAFLUOROPHENYL
(Diphenylphosphinomethyl)diphenylphosphine sulphide ($Ph_2PCH_2PPh_2S$) and its methanide anion $Ph_2PCHPPh_2S^-$ as ligands in organogold chemistry. *X*-Ray crystal structure of *cis*-$[Au(C_6F_5)_2(PPh_2CHPPh_2S)]$, 73–8
Synthesis and reactivity of binuclear homo- or hetero-metallic complexes $[NBu_4]_2[MM'(\mu\text{-}C_6F_5)_2(C_6F_5)_4]$ (M = M′ = Pd or Pt; M = Pt, M′ = Pd) with bridging pentafluorophenyl groups, 169–72
Synthesis and reactivity of trinuclear complexes of platinum containing the single bridging ligand SC_4H_8. Molecular structure of $[NBu_4]_2[trans\text{-}PtCl_2\{(\mu\text{-}SC_4H_8)Pt(C_6F_5)_3\}_2]$, 1011–6
Synthesis and reactivity of binuclear perhalogenophenyl derivatives of platinum(i). Molecular structure of $[Pt_2(C_6F_5)_2(CO)_2(PPh_3)_2]\cdot 0.4CHCl_3$, 1583–8
PENTAFLUOROTHIOPHENOLATE
Monocyclopentadienyl pentafluorothiophenolate complexes of molybdenum and their interactions with thallium(i) ions;

PENTAFLUOROTHIOPHENOLATE (contd)
dynamic nuclear magnetic resonance studies and crystal and molecular structures of $[TlMo(SC_6F_5)_2L_2(cp)]$ (L = CO or SC_6F_5; cp = η^5-C_5H_5), 991–1002
PENTAMETHYLCYCLOPENTADIENYL
Reactivity of cationic molybdenum(II) complexes. Part 3. Synthesis of methoxide and carbomethoxide derivatives of η-pentamethylcyclopentadienyl–molybdenum(II) and the crystal structure determination of the oxidation product *trans*-$[\{Mo(\eta\text{-}C_5Me_5)(O)_2\}_2(\mu\text{-}O)]$, 155–60
Preparation and structural studies of diphenylthiophosphinito rhodium(III) complexes. *X*-Ray structure analysis of $[\{(C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2(\mu\text{-}Ph_2PS)][BPh_4]$, 1987–92
PENTAOXACYCLOPENTADECANE
Stereochemical role of lone pairs in main-group elements. Part 4. The crystal structure at 120 K of bis(1,4,7,10,13-pentaoxacyclopentadecane)tin(II) bis[trichlorostannate(II)], confirming the sterically inactive tin lone pair, 2155–60
PENTAPHENYLCYCLOPENTADIENYL
Reduction–oxidation properties of organotransition-metal complexes. Part 29. Pentaphenylcyclopentadienyl complexes of ruthenium, 283–8
PEPTIDE
The unusual co-ordination ability of vasopressin-like peptides; potentiometric and spectroscopic studies of some copper(II) and nickel(II) complexes, 173–8
Complexes of aminophosphonates. Part 3. Copper(II) complexes of several monophosphono and diphosphono dipeptides, 1053–8
Composition, stability, and lability of copper(II) dipeptide complexes, 1293–8
Electron spin resonance study of copper(II) complexes of X-glycine and glycyl-X type dipeptides, and related tripeptides. Variation of co-ordination modes with ligand excess and pH in fluid and frozen aqueous solutions, 1925–32
PEROVSKITE
Preparation of the ordered perovskite $(SrLa)(MgMo)O_6$ and its physicochemical characterization, 2335–8
PEROXIDE
Studies on transition metal peroxo complexes. Part 8. The nature of peroxomolybdates and peroxotungstates in aqueous solution, 1203–8
Oxidative addition of dibenzoyl peroxide on metallic copper. The crystal structure of $[\{Cu(C_6H_5CO_2)_2(py)\}_2]$, 2331–4
PEROXOBORATE
Nature of peroxoborate species in aqueous solution: a study by boron-11 nuclear magnetic resonance and Raman spectroscopy, 1651–6
PEROXODISULPHATE
Kinetic studies of the oxidation reaction of arsenic(III) to arsenic(V) by peroxodisulphate ion in aqueous alkaline media, 357–60
PHENANTHROLINE
Preparation and interconversion of dimeric di-μ-hydroxo and tri-μ-hydroxo complexes of platinum(II) and palladium(II) with 2,2′-bipyridine and 1,10-phenanthroline, 403–12
Reactivity studies on the hydrolysis of iron(II) complexes of substituted phenanthrolines in dioxane–water solvents, 1105–8
Mode of binding of dimethyl sulphoxide in platinum(II) and palladium(II) cationic complexes containing a chelated diamine. *X*-Ray crystal structures of (2,2′-bipyridyl)chloro(dimethyl sulphoxide-*O*)palladium(II) tetrafluoroborate and chloro(dimethyl sulphoxide-*S*)(ethylenediamine)palladium(II) perchlorate, 1265–72
PHENOL
Reactions of heteropolyanions in non-polar solvents. Part 3. Activation of dioxygen by manganese(II) centres in polytungstates. Oxidation of hindered phenols, 1483–90
Crystal structures and magnetic properties of bi- and tetra-nuclear copper(II) complexes of 2,6-diformyl-4-methylphenol di(benzoylhydrazone), 2083–8
PHENOLATE
Kinetics and mechanism of the reaction between 4-t-butylphenolate anion and tetrahydroxoargentate(III) in aqueous alkaline media, 217–22
Low-lying electronic states in μ-phenolato copper(II) binuclear compounds with hydroxo, ethanolato, azido, and cyanato exogenous bridges: crystal structures, magnetic properties, and interpretations, 1117–26
Proton electron nuclear double resonance study of oxovanadium(IV) complexes of *o*-diphenolic ligands, 1289–92
PHENOXIDE
Phenoxo and diphenoxo complexes of titanium(III) and vanadium(III): synthesis and *X*-ray structure, 1793–8
PHENYL
Syntheses and dynamic stereochemistry of methyl– and phenyl–carbonyl heterobinuclear metal–metal bonded complexes, 379–82
Phenyltin trichloroacetate complexes: preparations and structures, 1589–98
Crystal and molecular structure of a lattice adduct, $HgPh_2 \cdot 2[Hg(SCN)_2(PPh_3)_2]$: an unusual case of two- and four-co-ordinate mercury in the same unit cell, 2339–42
PHOSPHANE
Chemistry of $[\{Cr(cp)(CO)_3\}_2]$ (cp = η^5-C_5H_5). Reaction with elemental P_4. A high yield synthesis and crystal structures of $[\{Cr(cp)(CO)_2\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ and $[Cr(cp)(CO)_2(\eta^3\text{-}P_3)]$, 1951–6
PHOSPHANYLIUM
Synthesis, structure, and chemical reactivity of a stable C_5Me_5-substituted phosphanylium ion: (pentamethylcyclopentadienyl)(t-butylamino)phosphanylium tetrachloroaluminate, 693–700
PHOSPHATE
An investigation of halide abstraction by arsenic(III): reactions of $AsCl_3$ with MCl_2 (M = Mg or Zn) and $TiCl_4$ in donor solvents (MeCN or $POCl_3$). Formation and crystal structure of the dimeric titanium(IV) compound $[Ti_2Cl_6(POCl_3)_2(PO_2Cl_2)_2]$, 57–60
Potentiometric and electron spin resonance investigation on the interactions between adenosine 5′-triphosphate (atp) and triphosphate ligands with vanadyl ion. Synthesis and characterization of solid vanadyl-atp compounds from acidic aqueous solution, 575–80
Lamellar inorganic ion exchangers. Hydrogen–lithium ion exchange in γ-titanium phosphate, 829–36
Formation of chromium interlayers in α-zirconium phosphate, 895–900
Zirconium phosphate ester interchange reactions, 1617–24
Neutron diffraction study of the cation distributions in the systems $Fe_{7-x}M_x(PO_4)_6$ (M = Mn or Co), 1765–70
Lamellar inorganic ion exchangers. H^+/Cs^+ ion exchange in γ-titanium phosphate, 1825–30
PHOSPHIDE
Synthesis of diphenylphosphido-bridged manganese-gold complexes. Crystal structures of $[N(PPh_3)_2][Au_2Mn(\mu\text{-}PPh_2)_2(CO)_4(C_6F_5)_2]$ and $[Au_2Mn_2(\mu\text{-}PPh_2)_4(CO)_8]$, 639–44
Gold(I) complexes derived from secondary phosphines: $[\{Au(\mu\text{-}PR_2)\}_n]$, $[(AuBr)_2(\mu\text{-}PPh_2)]^-$, $[AuX(PHR_2)]$, and $[\{Au(PHR_2)_n\}]^+$. Crystal structure of $[AuBr(PHPh_2)]$, 907–14
Chemistry of phosphido-bridged dimolybdenum complexes. Part 3. Reinvestigation of the reaction between $[Mo_2(\eta\text{-}C_5H_5)_2(CO)_6]$ and P_2Ph_4; *X*-ray structures of $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(CO)_2]$, $[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2(\mu\text{-}CO)]$ and *trans*-$[Mo_2(\eta\text{-}C_5H_5)_2(\mu\text{-}PPh_2)_2O(CO)]$, 1555–64
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 89. Tetra- and penta-nuclear tungsten–rhodium complexes: crystal structures of $[W_3Rh_2(\mu\text{-}CO)_2(\mu\text{-}CMe)\{\mu\text{-}C(Me)C(O)\}(\mu\text{-}PPh_2)_2(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$ and $[W_3Rh_2(\mu\text{-}CO)_3(\mu\text{-}CMe)\{\mu\text{-}C(Me)PPh_2\}(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$, 1855–64
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 90. Synthesis of the complexes $[W_2M_2(\mu\text{-}CO)(\mu\text{-}CMe)(\mu_3\text{-}CMe)(\mu\text{-}PPh_2)_2(CO)_3(\mu\text{-}C_5H_5)_2]$ (M = Rh or Ir) and related tetra- and penta-nuclear metal compounds; interconversion of ketenyl and λ^5-phospha-alkyne ligands bridging tungsten–rhodium bonds, 1865–70
Cluster activation *via* cyclometallation. Formation of the cyclometallated triosmium carbonyl cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and its reactions with phosphorus donor ligands. The *X*-ray crystal structures of $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ and $[Os_3H(CO)_9\{P(OMe)_3\}(PPh_2)]$, 2023–32
Reactions of the cyclometallated triosmium cluster $[Os_3H_2(CO)_9\{P(C_6H_4)Ph\}]$ with Brønsted acids and dihydrogen: synthesis and *X*-ray crystal structure of $[Os_3H_2(CF_3CO_2)(CO)_9(\mu\text{-}PPh_2)]$, 2033–8
PHOSPHINE
(Diphenylphosphinomethyl)diphenylphosphine sulphide ($Ph_2PCH_2PPh_2S$) and its methanide anion $Ph_2PCHPPh_2S^-$ as

PHOSPHINE (contd)
ligands in organogold chemistry. *X*-Ray crystal structure of *cis*-[Au(C_6F_5)$_2$(PPh$_2$CHPPh$_2$S)], 73–8
Palladium complexes with the tripodal phosphine tris(2-diphenylphosphinoethyl)amine. Synthesis and structure of trigonal, tetrahedral, trigonal bipyramidal, and square planar complexes, 211–6
Metallacyclic complexes. Part 2. Synthesis of metallathietane-3,3-dioxide complexes of platinum(II) and palladium(II); the crystal structures of [Pt{CH(COPh)S(O)$_2$CH(COPh)}(PPh$_3$)$_2$]·2CH$_2$Cl$_2$ and [Pd{CH(COPh)S(O)$_2$CH(COPh)}(PMePh$_2$)$_2$]·CH$_2$Cl$_2$·H$_2$O, 259–66
Reactions of the bis(alkyne) complexes [WI$_2$(CO)(NCMe)(η^2-RC$_2$R)$_2$] (R = Me or Ph) with mono- and bi-dentate phosphine-donor ligands and the *X*-ray crystal structure of [WI$_2$(CO){Ph$_2$P(CH$_2$)PPh$_2$}(η^2-MeC$_2$Me)], 295–302
Chemistry of metallacyclobutanones (η^3-oxodimethylenemethane complexes). Part 5. Ligand substitution reactions of metallacyclobutan-3-ones of platinum(II) and palladium(II) with tertiary phosphines and t-butyl isocyanide; crystal structures of [Pt{CH(CO$_2$Me)COCH(CO$_2$Me)}(CNBu^t)(AsPh$_3$)] and [Pt{CH(CO$_2$Me)COC(CO$_2$Me)C(NHBu^t)}(CNBu^t)$_2$], 345–56
Thiolate complexes of osmium(III) with tertiary phosphines and their dicarbonyl derivatives of osmium(II): *X*-ray crystal structure of *trans,trans,trans*-[Os(SC$_6$F$_5$)$_2$(CO)$_2$(PEt$_2$Ph)$_2$], 419–24
Gold-197 Mössbauer spectra and the bonding of some gold–gold and gold–platinum clusters, 539–44
Reactions of hydride complexes of ruthenium(II) with alkynes, 589–94
A kinetic study of the transmission of ligand effects across the quadruple bond in [Re$_2$Cl$_8$]$^{2-}$, 767–72
Gold(I) complexes derived from secondary phosphines: [{Au(μ-PR$_2$)}$_n$], [(AuBr)$_2$(μ-PPh$_2$)]$^-$, [AuX(PHR$_2$)], and [{Au(PHR$_2$)$_n$}]$^+$. Crystal structure of [AuBr(PHPh$_2$)], 907–14
Synthesis of a new P_2N_2 ligand *N,N'*-bis[2-(diphenylphosphino)phenyl]propane-1,3-diamine, H_2L^2, and some of its complexes with elements of the nickel triad and rhodium: *X*-ray structure analyses of the neutral complex [NiL^2] and the *trans*-spanned [Rh(CO)Cl(H_2L^2)], 1067–74
Synthesis of hydridotrifluoromethyl complexes of platinum(II). A spectroscopic investigation of the *trans* and *cis* influence of ligands in hydridoplatinum(II) compounds, 1149–60
Binuclear copper(I) complexes containing two or three 2-(diphenylphosphine)pyridine (dppy) bridging ligands: *X*-ray crystal structure of [Cu$_2$(μ-dppy)$_3$(MeCN)][BF$_4$]$_2$ and variable-temperature ^{1}H and ^{31}P-{^{1}H} nuclear magnetic resonance studies, 1499–506
Synthesis, characterization, and thermolytic behaviour of η^3-allyl(methyl)(tertiary phosphine)palladium(II), and *X*-ray structure of the cluster [Pd$_4$(μ-C$_3$H$_5$)$_2$(μ-Cl)$_2$(μ-dppm)$_2$]·4C$_4$H$_8$O (dppm = Ph$_2$PCH$_2$PPh$_2$), 1519–26
Tertiary phosphine complexes of triply bonded ditungsten bis(t-butylamide) tetrachloride. The *X*-ray crystal structures of [W$_2$Cl$_4$(NHBu^t)$_2$(PMe$_3$)$_2$], [W$_2$Cl$_4$(NHBu^t)$_2$(PEt$_3$)$_2$], and *cis*-[W$_2$Cl$_4$(NHBu^t)$_2$(PMe$_2$Ph)$_2$], 1537–42
Substitution reactions on sterically hindered square-planar *trans*-[NiBr(R)(PR'$_3$)$_2$] (R = aryl) complexes. Effects of the substituents of the aryl ligand, 1669–74
Bi-, tetra-, and poly-nuclear complexes of gold(I) and silver(I) with bis(diphenylphosphino)-methanide or -amide acting as six-electron donors, 1883–6
Preparation, characterisation, and reactions with phosphite donor ligands of the new cationic monoalkyne complexes [WI(CO)(NCMe){Ph$_2$P(CH$_2$)$_n$PPh$_2$}(η^2-RC$_2$R)][BF$_4$] (*n* = 1—6; R = Me or Ph). *X*-Ray crystal structure of [WI(CO)-{P(OPr^i)$_3$}{Ph$_2$P(CH$_2$)PPh$_2$}(η^2-MeC$_2$Me)][BF$_4$]$_{0.5}$[OH]$_{0.5}$·0.5H$_2$O, 1903–10
Oxo transfer reactions. Mechanistic studies on the oxidation of triphenylphosphine by *trans*-[Ru^{VI}L(O)$_2$]$^{2+}$ (L = 1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane), 2065–8
Studies of the oxidative addition of some substrates containing carbon–heteroatom bonds to some tungsten and platinum complexes, 2099–108
Mesitylgold(I) complexes. Crystal structures of NEt$_4$[Au(mes)Cl] and [N(PPh$_3$)$_2$][(mes)Au(CN)Au(mes)], 2127–32
Reactions of chloro(triphenylphosphine)gold(I) and [μ-1,2-bis(diphenylphosphine)ethane]-bis[bromogold(I)] with oxopurine bases. Molecular and crystal structure and bonding of (theophyllinato)(triphenylphosphine)gold(I), 2323–30

PHOSPHINE OXIDE
The structure of PO(OPF$_2$)$_3$ in the gaseous and crystalline phases, 223–8
Formation of mixed-ligand complexes of cadmium(II) halide with tri-n-octylphosphine oxide and pyridine or substituted pyridines in 1,2-dichloroethane, 1259–64

PHOSPHINOALCOHOL
Chelate-stabilised primary, secondary, and tertiary alcohol and alkoxo platinum(II) complexes. *X*-Ray crystal structure of [Pt(Ph$_2$PCH$_2$CH$_2$O)$_2$]·H$_2$O, 139–44

PHOSPHINOALKOXIDE
Chelate-stabilised primary, secondary, and tertiary alcohol and alkoxo platinum(II) complexes. *X*-Ray crystal structure of [Pt(Ph$_2$PCH$_2$CH$_2$O)$_2$]·H$_2$O, 139–44

PHOSPHINOALKYL
Synthesis of α-, γ-phosphorus functionalized alkyl lithium species; *X*-ray structures of [{Li(L)(CH$_2$PMeR)}$_2$] [L = *N,N,N',N'*-tetramethylethylenediamine (tmen), R = Me or Ph; L = (−)sparteine, R = Ph] and [Li(tmen){CH(SiMe$_3$)C$_6$H$_4$PPh$_2$-*o*}], 105–14

PHOSPHINOMETHYL
Chelate-stabilised tetrahydrofuran complexes of platinum(II). Crystal structure of [PtCl(Ph$_2$PCH$_2$C$_4$H$_7$O)(Ph$_2$PCH$_2$C$_4$H$_7$O)][PF$_6$], 2069–72

PHOSPHITE
Reactions of co-ordinated ligands. Part 44. The reactivity of the carbyne complex [Mo(≡CCH$_2$Bu^t){P(OMe)$_3$}$_2$(η-C$_5$H$_5$)] towards protonic acids, diphenylphosphine, and the π-acid tetracyanoethylene; formation and crystal structures of [MoH(≡CCH$_2$Bu^t){P(OMe)$_3$}$_2$(η-C$_5$H$_5$)][BF$_4$], [Mo{σ-OC(O)CF$_3$}{η^2-HOC(O)CF$_3$}{P(OMe)$_3$}$_2$(η-C$_5$H$_5$)], and [Mo(≡CCH$_2$Bu^t){η^2-C$_2$(CN)$_4$}{P(OMe)$_3$}(η-C$_5$H$_5$)], 511–8
Solution structure and dynamic behaviour of two isomers of [Fe$_3$(CO)$_9$(P(OR$_3$)}$_3$] (R = Me, Et, or Ph) derivatives, 1277–82
Reactions of co-ordinated ligands. Part 45. Ligand displacement and oxidative reactions of the carbyne complex [Mo(≡CCH$_2$Bu^t){P(OMe)$_3$}$_2$(η-C$_5$H$_5$)]; crystal and molecular structures of [Mo{η^3-RN=C···C(CH$_2$Bu^t)···C=NR}(CNR)$_2$(η-C$_5$H$_5$)] (R = 2,6-Me$_2$C$_6$H$_3$), [Mo(C=CHBu^t)I{P(OMe)$_3$}$_2$(η-C$_5$H$_5$)], and [Mo{=C(CH$_2$Bu^t)P(O)(OMe)$_2$}{P(OMe)$_3$}(η-C$_5$H$_5$)], 1321–32
The mechanisms of fluxionality of [Fe$_3$(CO)$_{12-n}${P(OR)$_3$}$_n$] (R = Me, *n* = 0—3; R = Pr^i, *n* = 2 or 3) and the *X*-ray structure of [Fe$_3$(CO)$_{10}${P(OMe)$_3$}$_2$], 1831–44
Preparation, characterisation, and reactions with phosphite donor ligands of the new cationic monoalkyne complexes [WI(CO)(NCMe){Ph$_2$P(CH$_2$)$_n$PPh$_2$}(η^2-RC$_2$R)][BF$_4$] (*n* = 1—6; R = Me or Ph). *X*-Ray crystal structure of [WI(CO)-{P(OPr^i)$_3$}{Ph$_2$P(CH$_2$)PPh$_2$}(η^2-MeC$_2$Me)][BF$_4$]$_{0.5}$[OH]$_{0.5}$·0.5H$_2$O, 1903–10

PHOSPHONATE
Complexes of aminophosphonates. Part 3. Copper(II) complexes of several monophosphono and diphosphono dipeptides, 1053–8
Metal complexes of α-hydroxyiminophosphonic acid derivatives. Preparation and crystal structures of calcium and cadmium complexes of methyl (*E*)-α-hydroxyiminobenzylphosphonate, 1911–4

PHOSPHONIC ACID
Organosulphur phosphorus acid compounds. Part 1. *m*-Sulphophenylphosphonic acid, 1819–24

PHOSPHORANE
The molecular structures of gaseous tetrafluorohydridophosphorane, HPF$_4$, and trifluorodihydridophosphorane, H$_2$PF$_3$, as determined by electron diffraction, 545–50

PHOSPHORUS
The structure of PO(OPF$_2$)$_3$ in the gaseous and crystalline phases, 223–8
The molecular structures of gaseous tetrafluorohydridophosphorane, HPF$_4$, and trifluorodihydridophosphorane, H$_2$PF$_3$, as determined by electron diffraction, 545–50
Synthesis, structure, and chemical reactivity of a stable C$_5$Me$_5$-substituted phosphanylium ion: (pentamethylcyclo- pentadienyl)-(t-butylamino)phosphanylium tetrachloroaluminate, 693–700

PHOSPHORUS (contd)
Solid-state structure and solution conformation of 2,2,4,4,6,6-hexa(*p*-chlorophenoxo)cyclotri-λ^5-phosphazatriene. *X*-Ray and dipole moment studies, 757–60
Solid-state phosphorus-31 nuclear magnetic resonance spectroscopy of phosphorus sulphides, 809–14
Reactions of amine hydrochlorides with phosphorus trichloride oxide; preparation and *X*-ray crystal structure of 2,4,6-trichloro-1,3,5-triphenyl-1,3,5,2λ^5,4λ^5,6λ^5-triazatriphosphorinane 2,4,6-trioxide $(PhNPOCl)_3$, 821–8
Phosphorus-31 and selenium-77 nuclear magnetic resonance spectra of sulphur- or arsenic-substituted derivatives of tetraphosphorus triselenide; fitting of chemical shifts and coupling constants to molecular parameters for cage compounds containing a phosphorus–selenium–phosphorus linkage, 977–84
Organosulphur phosphorus acid compounds. Part 1. *m*-Sulphophenylphosphonic acid, 1819–24
Metal complexes of α-hydroxyiminophosphonic acid derivatives. Preparation and crystal structures of calcium and cadmium complexes of methyl (*E*)-α-hydroxyiminobenzylphosphonate, 1911–4
Chemistry of $[\{Cr(cp)(CO)_3\}_2]$ (cp = η^5-C_5H_5). Reaction with elemental P_4. A high yield synthesis and crystal structures of $[\{Cr(cp)(CO)_2\}_2(\mu\text{-}\eta^2\text{-}P_2)]$ and $[Cr(cp)(CO)_2(\eta^3\text{-}P_3)]$, 1951–6
PHOSPHORUS-31
Phosphorus-31 and selenium-77 nuclear magnetic resonance spectra of sulphur- or arsenic-substituted derivatives of tetraphosphorus triselenide; fitting of chemical shifts and coupling constants to molecular parameters for cage compounds containing a phosphorus–selenium–phosphorus linkage, 977–84
PHOTOCHEMISTRY
Photochemical studies of alkylammonium molybdates. Part 8. Location of protons interacting with the paramagnetic electron in a single crystal of photoirradiated $[NH_3Pr^i]_6[Mo_8O_{26}(OH)_2]\cdot 2H_2O$, 661–70
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–202
Photofragmentation kinetics of some triruthenium carbonyl clusters, 1933–40
Photochemical reactivity of $2[Ir^{III}HCl_2(PPr^i_3)_2]\cdot H_2$. Formation of monohydrido isomers of Ir^{III} and evidence of photoinduced oxidative addition of H_2 to Ir^{III}, 2367–70
PHOTOELECTRON
An investigation of the bonding in $[Ru_2(O_2CCF_3)_4]$ and $[Ru_2(O_2CCF_3)_4(NO)_2]$, 1037–44
Electronic structure of transition-metal indenyl compounds: a He I and He II photoelectron spectroscopic study of $[Mn(\eta^5\text{-}C_9H_7)(CO)_3]$, $[Fe(\eta^5\text{-}C_9H_7)_2]$, $[Ru(\eta^5\text{-}C_9H_7)_2]$, and $[Ru(\eta^5\text{-}C_9H_7)(\eta\text{-}C_5Me_5)]$, 2139–48
PHTHALOCYANINATE
Ruthenium phthalocyanine chemistry: synthesis and properties of a mixed-valence nitrido-bridged ruthenium phthalocyanine dimer, 193–6
Functional metallomacrocycle derivatives and their polymers. Part 23. Biaxially orientated Langmuir–Blodgett films of substituted metallophthalocyanines, 1543–6
PHTHALOCYANINE
Optical absorption and magnetic circular dichroism studies of hydrogen, copper(II), zinc(II), nickel(II), and cobalt(II) crown ether-substituted monomeric and dimeric phthalocyanines, 2397–406
PIPERIDINE
Cationic dinuclear rhodium complexes as catalyst precursors for the hydroformylation of alkenes, 1579–82
PLATINUM
Comparison of the structures and properties of $[N(C_2H_5)_4][Pt\{S_2C_2(CN)_2\}_2]$ and $[H_3O]_x[NH_4]_{1-x}[Pt\{S_2C_2(CN)_2\}_2]\cdot 2 - xH_2O$, 61–6
Chelate-stabilised primary, secondary, and tertiary alcohol and alkoxo platinum(II) complexes. *X*-Ray crystal structure of $[Pt(Ph_2PCH_2CH_2O)_2]\cdot H_2O$, 139–44
Synthesis and reactivity of binuclear homo- or hetero-metallic complexes $[NBu_4]_2[MM'(\mu\text{-}C_6F_5)_2(C_6F_5)_4]$ (M = M′ = Pd or Pt; M = Pt, M′ = Pd) with bridging pentafluorophenyl groups, 169–72
Metallacyclic complexes. Part 2. Synthesis of metallathietane-3,3-dioxide complexes of platinum(II) and palladium(II); the crystal structures of $[Pt\{CH(COPh)S(O)_2CH(COPh)\}(PPh_3)_2]\cdot 2CH_2Cl_2$ and $[Pd\{CH(COPh)S(O)_2CH(COPh)\}(PMePh_2)_2]\cdot CH_2Cl_2\cdot H_2O$, 259–66
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 84. Carbaborane tungsten–platinum complexes having a μ-$CC_6H_3Me_2$-2,6 ligand; crystal structures of $[WPt(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_n(PEt_3)(\mu\text{-}\sigma\text{:}\eta^5\text{-}C_2B_9H_8Me_2)]$ (*n* = 2 or 3), 303–12
Chemistry of metallacyclobutanones (η^3-oxodimethylenemethane complexes). Part 5. Ligand substitution reactions of metallacyclobutan-3-ones of platinum(II) and palladium(II) with tertiary phosphines and t-butyl isocyanide; crystal structures of $[Pt\{CH(CO_2Me)COCH(CO_2Me)\}(CNBu^t)(AsPh_3)]$ and $[Pt\{CH(CO_2Me)COC(CO_2Me)C(NHBu^t)\}(CNBu^t)_2]$, 345–56
Syntheses and dynamic stereochemistry of methyl- and phenyl-carbonyl heterobinuclear metal–metal bonded complexes, 379–82
Metallaheteroborane chemistry. Part 3. Synthesis of $[2,2\text{-}(PR_3)_2\text{-}1,2\text{-}TePtB_{10}H_{10}]$ (R_3 = Et_3, Bu^n_3, or Me_2Ph), their characterisation by nuclear magnetic resonance spectroscopy, and the crystal and molecular structure of $[2,2\text{-}(PEt_3)_2\text{-}1,2\text{-}TePtB_{10}H_{10}]$ (1988, 2555), 383–4
Preparation and interconversion of dimeric di-μ-hydroxo and tri-μ-hydroxo complexes of platinum(II) and palladium(II) with 2,2′-bipyridine and 1,10-phenanthroline, 403–12
Synthesis of sulphimide complexes of palladium and platinum. Crystal and molecular structure of *cis*-dichloro[*S*,*S*-dimethyl-*N*-(2-pyrimidinyl)sulphimide](triphenylphosphine)palladium(II), 497–504
Gold-197 Mössbauer spectra and the bonding of some gold–gold and gold–platinum clusters, 539–44
Oxidation of a $Pt_2(\mu\text{-}SO_2)$ moiety to $\mu\text{-}SO_3$ and the crystal structure of $[Pt_2(\mu\text{-}SO_3)(\mu\text{-}SO_2)(C_8H_{12})_2]$, 557–60
Crystallographic and nuclear magnetic resonance studies of carbonyl(η^3-methylallyl)(trichlorostannyl) complexes of platinum(II) and palladium(II), 615–22
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 1. Low-temperature solution properties, and *X*-ray crystal structure of $[PtIMe_3\{(MeS)_2CHCH(SMe)_2\}]$, 701–10
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 2. High-temperature fluxionality, 711–8
Tetrathiafulvalenium salts of planar Pt^{II}, Pd^{II}, and Cu^{III} 1,2-dithiooxalato-*S*,*S*′ anions. Synthesis, chemistry and molecular structures of bis(tetrathiafulvalenium) bis(1,2-dithio-oxalato-*S*,*S*′)palladate(II), $[ttf]_2[Pd(S_2C_2O_2)_2]$, and of bis(tetrathiafulvalenium)tetrathiafulvalene bis(1,2-dithio-oxalato-*S*,*S*′)platinate(II), $[ttf]_3[Pt(S_2C_2O_2)_2]$, 719–28
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 85. Synthesis of chain and ring compounds containing molybdenum, 785–96
Binuclear platinum(II) complexes bridged by pyridine-2-thiolate and related ligands. Synthesis and crystal structure, 815–20
Tri-aza analogue of an acetylacetonato-complex formed by nucleophilic attack of a co-ordinated nitrile by amidines. *X*-Ray crystal structure of $[Pt\{HNC(Ph)NC(Ph)NH\}_2]\cdot\frac{2}{3}PhMe$, 837–42
Nucleophilic attack of methanol on bis(benzonitrile)dichloroplatinum: formation of mono- and bis-imido ester derivatives, 947–52
Platinum metal complexes of potentially chelating alkene–thioether and alkene–selenoether ligands: synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{MeE(CH_2)_nCH{=}CH_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; *n* = 2 or 3) and the *X*-ray structure of *cis*-dibromo(2-thia-6-heptene)platinum(II), $[PtBr_2\{MeS(CH_2)_3CH{=}CH_2\}]$ 985–90
Synthesis and reactivity of trinuclear complexes of platinum containing the single bridging ligand SC_4H_8. Molecular structure of $[NBu_4]_2[trans\text{-}PtCl_2\{(\mu\text{-}SC_4H_8)Pt(C_6F_5)_3\}_2]$, 1011–6
Iridium(III) hydrido complexes with 2-pyridinaldazines. Crystal structure of $[IrH_2(mpaa)(PPh_3)_2]SbF_6$. Synthesis and characterization of homo- and hetero-nuclear complexes, 1075–82
Monohydrido-bridged platinum(II)–gold(I) complexes. *X*-Ray crystal structure of $[(Ph_3P)_2(C_6Cl_5)Pt(\mu\text{-}H)Au(PPh_3)]ClO_4\cdot 2Et_2O$, 1089–92

PLATINUM (contd)
Synthesis of hydridotrifluoromethyl complexes of platinum(II). A spectroscopic investigation of the *trans* and *cis* influence of ligands in hydridoplatinum(II) compounds, 1149–60
New metal–sulphur–nitrogen compounds from reactions in liquid ammonia. The *X*-ray structures of *trans*-bis(acetophenone dimethylhydrazone-N^{α})dichloropalladium(II) and [di(azathien)-1-yl-S^1N^4][2-(hydrazonoethyl)phenyl]palladium(II), 1179–86
Photo-oxidation of alcohols by hexachlorometalate(IV) ions (M = Pt, Pd, or Ir): spin trapping and matrix isolation electron spin resonances studies, 1237–40
Mode of binding of dimethylsulphoxide in platinum(II) and palladium(II) cationic complexes containing a chelated diamine. *X*-Ray crystal structures of (2,2′-bipyridyl)chloro(dimethyl sulphoxide-*O*)palladium(II) tetrafluoroborate and chloro(dimethyl sulphoxide-*S*)(ethylenediamine)palladium(II) perchlorate, 1265–72
Nucleophilic (Michael) additions to $(Ph_2P)_2C{=}CH_2$ when chelated to platinum(II) dichloride or di-iodide, 1527–30
Synthesis and reactivity of binuclear perhalogenophenyl derivatives of platinum(I). Molecular structure of $[Pt_2(C_6F_5)_2(CO)_2(PPh_3)_2]{\cdot}0.4CHCl_3$, 1583–8
Metallaheteroborane chemistry. Part 5. Synthesis of *closo*-[2,2-$(PR_3)_2$-1,2-$SePtB_{10}H_{10}$] (R_3 = Et_3, Bu^n_3, or Me_2Ph) and *arachno*-[9,9-$(PMe_2Ph)_2$-6,9-$SePtB_8H_{10}$] and their characterisation by nuclear magnetic resonance techniques: the crystal and molecular structures of *closo*-[2,2-$(PEt_3)_2$-1,2-$SePtB_{10}H_{10}$] and *arachno*-[9,9-$(PMe_2Ph)_2$-6,9-$SePtB_8H_{10}$], 1657–68
Syntheses, crystal structures, and Raman and resonance Raman spectroscopy of platinum(II), platinum(IV), and halogen-bridged chain platinum(II,IV) complexes involving the terdentate ligand 3-methyl-3-azapentane-1,5-diamine (4Me-dien), 1689–96
Base-promoted cleavage of a P–C bond in $[PtCl_2(Ph_2PCh_2PPh_2$-*PP*′)] under mild conditions, 2017–22
Chelate-stabilised tetrahydrofuran complexes of platinum(II). Crystal structure of $[PtCl(Ph_2PCH_2\overbrace{C_4H_7O}^{})$-$(Ph_2PCH_2\overbrace{C_4H_7O}^{})][PF_6]$, 2069–72
Studies of the oxidative addition of some substrates containing carbon–heteroatom bonds to some tungsten and platinum complexes, 2099–108
Mechanism and energetics of reductive elimination of ethane from some tetramethylplatinum(IV) complexes, 2121–6
Low-valent isocyanide complexes and clusters of palladium and platinum. Crystal structure of $_L\overbrace{Pt\{C(=NR)N(R)C}^{}$-$(=NR)\}(RNC)_2]$ (R = 2,6-$Me_2C_6H_3$), 2161–6
Preparation and properties of $[M(S_2N_2H)Cl(L)]$ (M = Pt, L = PMe_2Ph or C_2H_4; M = Pd, L = PMe_2Ph), $[Pt(S_3N)Cl(PMe_2Ph)]$, and corresponding ^{15}N-enriched complexes, 2179–82
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 93. Synthesis of heteropolynuclear metal compounds with chains of seven to eleven metal atoms; crystal structure of $[Mo_2W_3Pt_6(\mu_3\text{-}CMe)_3(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(CO)_{10}(PMe_2Ph)_4(\eta\text{-}C_5H_5)_5]$, 2269–80
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 95. Synthesis and crystal structures of $[W_2RuPt(\mu\text{-}CC_6H_4Me\text{-}4)(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(PMe_2Ph)(\eta\text{-}C_5H_5)_2]$ and $[W_2Ru_2Pt_2(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(\mu\text{-}CO)_2(CO)_9(\eta\text{-}C_5H_5)_2]$, 2289–96
Platinum metal complexes of potentially chelating alkene thioether and selenoether ligands: the synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{E[(CH_2)_nCR{=}CR_2]_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; *n* = 2 or 3; R = H or Me) and the *X*-ray crystal structure of *cis*-di-iodo(5-thianona-1,8-diene)platinum(II), $[PtI_2\{S[(CH_2)_2CH{=}CH_2]_2\}]$, 2315–22
Solid-state high-resolution carbon-13 magnetic resonance spectra of dithioacetate complexes of platinum, palladium, and nickel, 2457–60

POLYMER
Synthesis, *X*-ray characterization, and *Q*-band electron spin resonance studies of heterometallic, polymeric compounds formed by yttrium and lanthanide(III) nitrates with HgL_2 (L = C_4H_6NO, the anion of 2-pyrrolidone); crystal structures of $[\{Hg_2EuL_4(NO_3)_3\}_n]$ and $[\{Hg_3Tb_2L_6(NO_3)_6\}_n]$, 1439–48

POLYMERIZATION
Preparation and characterisation of some nickel(II) tetra-aza macrocyclic complexes bearing pendant polymerisable groups as part of the ligand superstructure, 1599–608

PORPHYRIN
Photocatalytic reactions in the 2,3,7,8,12,13,17,18-octaethylporphyrinatoiron(III)–ethanol–carbon tetrachloride system, 1197–202
Effect of axially bound anions on the electroreduction of tin(IV) porphyrins in tetrahydrofuran, 1531–6

PORPHYRINATE
Electronic spectral study of the aqua $\rightleftharpoons$ hydroxo equilibrium of model iron(III) haems encapsulated in aqueous detergent micelles, 1003–6

POTENTIAL ENERGY
On the relationship between crystallographic and spectroscopic evidence of dynamic processes in the solid state: the cases of *cis*- and *trans*-$[Fe_2(\eta\text{-}C_5H_5)_2(CO)_4]$, 1721–6

PURINE
Reactions of chloro(triphenylphosphine)gold(I) and [μ-1,2-bis(diphenylphosphine)ethane]-bis[bromogold(I)] with oxopurine bases. Molecular and crystal structure and bonding of (theophyllinato)(triphenylphosphine)gold(I), 2323–30

PYRAZOLATE
Synthesis and reactivity of binuclear pyrazolate-bridged ruthenium(I) complexes. Crystal structures of bis[μ-(3,5-dimethylpyrazolato-*NN*′)tricarbonylruthenium(I)] (*Ru–Ru*) and bis[μ-(3,5-dimethylpyrazolato-*NN*′)]-μ-iodo-bis[tricarbonylruthenium(II)] tri-iodide, 1093–100
Trinuclear pyrazolate complexes. Crystal structure of $[(OC)_2Rh(\mu\text{-}pz)_2Pd(\mu\text{-}pz)_2Rh(CO)_2]$, 1133–8
A planar, binucleating, pyrazole derivative ligand. Crystal structure of bis[μ-3,5-bis(2′-pyridyl)pyrazolato-N^1N^2:$N^2N^{\prime\prime}$]-bis[dimethanolnickel(II)] dichloride dihydrate, 1401–4
Reactivity of binuclear pyrazolate-bridged rhodium complexes with isocyanides. Molecular structure of $[Rh_2(\mu\text{-}pz)I_2(CNBu^t)_2(\mu\text{-}Ph_2PCH_2PPh_2)_2]BF_4$ (pz = pyrazolate), 1427–34
Preparation and structural studies of diphenylthiophosphinito rhodium(III) complexes. *X*-Ray structure analysis of $[\{(C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2(\mu\text{-}Ph_2PS)][BPh_4]$, 1987–92
Binuclear copper(II) complexes of new dinucleating ligands with a pyrazolate group as an endogenous bridge. Effects of exogenous azide and acetate bridges on magnetic properties, 2077–82

PYRAZOLYL
Heteroleptic poly(pyrazolyl)borate derivatives of the lanthanide ions. The synthesis of acetylacetonate complexes and the molecular structures of $[Ln\{HB(C_3N_2H_3)_3\}_2\{MeC(O)CHC(O)Me\}]$ (Ln = Ce or Yb), 1393–400
Unusual chelating properties of the ligand 1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane (bddo). Crystal structures of Ni(bddo)$(NCS)_2$, Zn(bddo)$(NCS)_2$ and Cd_2(bddo)$(NCS)_4$, 2309–14

PYRAZOLYLBORATE
Activation of a vinyl carbon–hydrogen bond in a tris(pyrazolyl)boratoiridium complex. The *X*-ray crystal structure of $[IrH\{HB(pz)_3\}(\sigma\text{-}C_8H_{13})(\eta^2\text{-}C_8H_{14})]$, 2073–6

PYRIDINALDAZINE
Iridium(III) hydrido complexes with 2-pyridinaldazines. Crystal structure of $[IrH_2(mpaa)(PPh_3)_2]SbF_6$. Synthesis and characterization of homo- and hetero-nuclear complexes, 1075–82
Reactivity of the iridium nitrosyl complex $[Ir(NO)(paa)(PPh_3)_2][PF_6]_2$ (paa = 2-pyridinecarbaldehyde azine) with nucleophiles: insertion of NO into a methinic C–H bond; crystal structure of $[Ir\{(2\text{-}C_5H_4N)CH{=}N\text{–}N{=}C(NOH)(2\text{-}C_5H_4N)\}\{Me(EtO)C{=}NH\}(PPh_3)_2][PF_6]_2$, 1217–26

PYRIDINE
Studies in Werner clathrates. Part 9. Structures with bis(isothiocyanato)tetrakis(4-phenylpyridine)nickel(II) as host, 119–26
Synthesis, infrared, and tin-119 Mössbauer spectroscopic characterization of seven-co-ordinate diorganotin(IV) adducts with 2,6-diacetylpyridine acylhydrazones, including the *X*-ray crystal structure of $SnEt_2$(dapt) [H_2dapt = 2,6-diacetylpyridine bis(2-thenoylhydrazone)], 289–94
Ligand additivity in the oxidation potentials of bidentate mixed-ligand ruthenium(II) complexes, 371–4
Synthesis, characterization, and crystal structures of bismuth complexes with 2,6-diacetylpyridine bis(2-thenoylhydrazone) (H_2dapt): [Bi(Hdapt)Cl_2]-dmso-H_2O and [Bi(dapt)Cl]-dmso, containing a quinquedentate ligand, 671–6

PYRIDINE (contd)
Studies on transition–metal oxo and nitrido complexes. Part 10. New oxo–ruthenium and oxo–osmium pyridine complexes, and use of the former as catalysts for oxidation of alcohols, 901–6
Reactivity of metallic copper with acidic organic compounds in the presence of molecular oxygen. Crystal structure of $[\{Cu(NCO)(py)_2\}_2]\cdot H_2O$, 921–6
Precursor catenand complexes: synthesis, structure, and electrochemistry of bis(2,6-di-iminopyridyl) complexes of nickel(II). The single-crystal *X*-ray structure of $[NiL^4{}_2][BF_4]_2$, 965–70
Blue copper models. Spectroscopic and electrochemical studies of copper(II) complexes with new ligand systems containing sulphur and nitrogen donor atoms, 1161–70
Formation of mixed-ligand complexes of cadmium(II) halide with tri-n-octylphosphine oxide and pyridine or substituted pyridines in 1,2-dichloroethane, 1259–64
Complexes of the pyridine-based, tridentate, sulphur-containing ligands 2,6-bis(ethylthiomethyl)pyridine, 2,6-bis(methoxycarbonylethylthiomethyl)pyridine, and 2,6-bis(benzylthiomethyl)pyridine. Crystal structure of [2,6-bis(ethylthiomethyl)pyridine]dichlorocadmium(II) hydrate, 1381–4
Binuclear copper(I) complexes containing two or three 2-(diphenylphosphine)pyridine (dppy) bridging ligands: *X*-ray crystal structure of $[Cu_2(\mu\text{-dppy})_3(MeCN)][BF_4]_2$ and variable-temperature ^1H and $^{31}P\text{-}\{^1H\}$ nuclear magnetic resonance studies, 1499–506
Copper(II)-assisted hydrolysis of 2,4,6-tris(2-pyridyl)-1,3,5-triazine. Part 2. Crystal structures of [bis(2-pyridylcarbonyl)amido](pyridine-2-carboxamide)copper(II) trifluoromethanesulphonate and [bis(2-pyridylcarbonyl)amido][2,4,6-tris(2-pyridyl)-1,3,5-triazine]copper(II) trifluoromethanesulphonate, 1681–8
Closely related macrocyclic and acyclic tridentate, pyridine derivatives, containing sulphur, and their complexes. Crystal structures of {dichloro-3,10-dithia-16-azabicyclo[10.3.1]hexadeca-1(16),12,14-triene}copper(II) and [2,6-bis(ethylthiomethyl)pyridine]dichlorocopper(II), 1739–44
Oxidative addition of dibenzoyl peroxide on metallic copper. The crystal structure of $[\{Cu(C_6H_5CO_2)_2(py)\}_2]$, 2331–4
PYRIDINECARBALDEHYDE
Crystal structure, spectroscopic and magnetic properties of the complex [Cu(paphy)(NCS)(SCN)] (paphy = pyridine-2-carbaldehyde 2′-pyridylhydrazone). An unusual di-μ-thiocyanato-*N* bridged copper(II) dimer, 53–6
PYRIDINEDICARBOXYLATE
The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 13. Characterization and stability constants of copper(II) species isolated from mixed-ligand solutions; crystal structure of the complex (pyridine-2,6-dicarboxylato)(*N,N,N′,N′*-tetramethyl-1,3-diaminopropane)copper(II), 253–8
PYRIDINE THIOLATE
Binuclear platinum(II) complexes bridged by pyridine-2-thiolate and related ligands. Synthesis and crystal structure, 815–20
PYRIDINETHIONATE
Stepwise conversion of $[Os(CF_3CO_2)_2(CO)_4]$ into $[Os(pyS)_2(CO)_2]$: *X*-ray crystal structures of the complexes $[Os(pyS)_2(CO)_x]$ where $x = 2$ or 3 and pyS is the pyridine-2-thionato ligand, 2211–6
PYRIDINETHIONE
Synthesis and *X*-ray crystal structure of chloro[2(1*H*)-pyridinethione-*S*]-bis(triphenylphosphine)copper(I), 749–52
Spectroscopic and electrochemical study of copper and zinc complexes with a N_2S_2 ligand donor set. Crystal structure of the copper(II) complex derived from 1,3-propylenediamine and 3-formyl-1-phenyl-2(1*H*)-pyridinethione, 1979–86
PYRIDYL
A planar, binucleating, pyrazole derivative ligand. Crystal structure of bis[μ-3,5-bis(2′-pyridyl)pyrazolato-$N^1N′$:$N^2N″$]-bis[dimethanolnickel(II)] dichloride dihydrate, 1401–4
PYRIMIDINE
Reactions of chloro(triphenylphosphine)gold(I) and [μ-1,2-bis(diphenylphosphine)ethane]-bis[bromogold(I)] with oxopurine bases. Molecular and crystal structure and bonding of (theophyllinato)(triphenylphosphine)gold(I), 2323–30
PYRROLIDINE
Synthesis and stereochemical studies of η^3-allyl palladium(II) complexes containing a chiral chelating ligand, 161–8
PYRROLIDINONATE
Structural, spectroscopic, and electrochemical characterization of tetrakis-μ-(2-pyrrolidinonato)-dirhodium(II) and tetrakis-μ-(δ-valerolactamato)-dirhodium(II), 93–100
PYRROLIDONATE
Synthesis, *X*-ray characterization, and *Q*-band electron spin resonance studies of heterometallic, polymeric compounds formed by yttrium and lanthanide(III) nitrates with HgL_2 (L = C_4H_6NO, the anion of 2-pyrrolidone); crystal structures of $[\{Hg_2EuL_4(NO_3)_3\}_n]$ and $[\{Hg_3Tb_2L_6(NO_3)_6\}_n]$, 1439–48
PYRROLYL
Synthesis, electrochemistry, and electron spin resonance spectra of some seventeen-electron complexes containing the $\{Mo(NO)\}^{2+}$ core and the molecular structure of $[Mo(NO)\{HB(Me_2pz)_3\}(pyr)_2]$, 127–32
PYRUVIC ACID
Thiosemicarbazones as co-ordinating agents. Part 3. Synthesis, spectroscopic characterization, and *X*-ray structure of methyl pyruvate thiosemicarbazone hemihydrate, chloro(ethyl pyruvate thiosemicarbazonato)copper(II) (green form), and chloro(pyruvic acid thiosemicarbazonato)copper(II) dihydrate (blue form), 361–6
QUINOLINE
Preparation and characterisation of linear mixed-metal trinuclear carboxylate complexes of general formula $[M_2M'(O_2CR)_6(C_9H_7N)_2]$; crystal structure of $[Zn_2Ba(O_2CCMe_3)_6(C_9H_7N)_2]$, 1127–32
QUINONE
One-electron transfer processes in the reaction of tin(II) halides with substituted *o*-quinones; crystal structure of bis(3,5-di-t-butylcatecholato)tin–1,10-phenanthroline-dimethylformamide (1/1/2), 439–46
RADIOTRACER
Radiotracers in fluorine chemistry. Part 12. Reactions between caesium fluoride and arsenic pentafluoride, boron trifluoride, sulphur tetrafluoride, carbonyl fluoride, and carbon dioxide under heterogeneous conditions at room temperature. Radiotracer studies using fluorine-18, sulphur-35, and carbon-14, 937–42
RAMAN
Syntheses, electrochemistry, and spectroscopy of dirhodium(II) tetra-acetamidate and tetrakis(trifluoroacetamide) complexes with axial Group 15 substituents. The *X*-ray crystal structures of $[Rh_2(CH_3CONH)_4(AsPh_3)_2]$ and $[Rh_2(CH_3CONH)_{4-n}(CH_3CO_2)_n(MPh_3)_2]$, M = As or Sb, $n \approx 1$, 581–8
Nature of peroxoborate species in aqueous solution: a study by boron-11 nuclear magnetic resonance and Raman spectroscopy, 1651–6
Syntheses, crystal structures, and Raman and resonance Raman spectroscopy of platinum(II), platinum(IV), and halogen-bridged chain platinum(II,IV) complexes involving the terdentate ligand 3-methyl-3-azapentane-1,5-diamine (4Me-dien), 1689–96
Vibrational spectroscopic studies of tervalent hexa-aqua cations: oriented single-crystal Raman spectra between 275 and 1 200 cm^{-1} of the caesium rhodium alums, $CsRh(SO_4)_2\cdot 12H_2O$, $CsRh(SeO_4)_2\cdot 12H_2O$, and $CsRh(SO_4)_2\cdot 12D_2O$, 1771–8
Vibrational study of ionic association in aprotic solvents. Part 12. Isothiocyanate M(NCS) complexes of non-transition-metal ions, 2193–8
Bonding in clusters. Part 10. The nature of the BH groups in *closo*-borane anions. A study by vibrational spectroscopy, electronic spectroscopy for chemical analysis, and *ab initio* computation, 2253–60
RHENIUM
A kinetic study of the transmission of ligand effects across the quadruple bond in $[Re_2Cl_8]^{2-}$, 767–72
Catalytic oxidation of water mediated by rhenium oxides, 849–52
Synthesis and characterization of a family of nitrile-substituted triangular hydridocarbonyl rhenium clusters, $[Re_3(\mu\text{-}H)_3(CO)_{12-n}(NCMe)_n]$ (n = 1—3). *X*-Ray crystal structures of $[Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)]$ and $[Re_3(\mu\text{-}H)_3(CO)_9(NCMe)_3]$, 1143–8
Syntheses and redox properties of mixed isocyanide, carbonyl, or nitrile complexes of rhenium(I) *trans*-$[Re(CNMe)L(Ph_2PCH_2CH_2PPh_2)_2]X$ [L = CNR (R = alkyl or aryl), CO, or NCMe; X = Cl, BF_4, or PF_6], 1209–16
Synthesis and *X*-ray crystal structure of $[ReO(Cl)\{(2\text{-}OC_6H_4CH{=}NCH_2CH_2OCH_2)_2\}]$, an example of four-co-ordination by a potentially sexidentate ligand, 1405–8

RHENIUM (contd)
Crystal and molecular structures of μ-hydrido-bis[*fac*-(2,2′-bipyridine)tricarbonylrhenium(I)] chloride, *fac*-(2,2′-bipyridine)tricarbonylformatorhenium(I), and *fac*-(2,2′-bipyridine)tricarbonyl(cyanotrihydroborato)rhenium(I), 1449–54
Complexes of technetium, rhenium, and rhodium with sexidentate Schiff-base ligands, 2115–20
Synthesis and *X*-ray crystal structure of tetra(2-methylphenyl)molybdenum(IV), $Mo(2\text{-}MeC_6H_4)_4$. Redox chemistry of $M(2\text{-}MeC_6H_4)_4$ compounds of molybdenum, rhenium, ruthenium, and osmium, 2149–54
Reactions of 1-alkynes with *trans*-$[ReCl(N_2)(Ph_2PCH_2CH_2PPh_2)_2]$: preparation of the vinylidene compounds *trans*-$[ReCl(=C=CHR)(Ph_2PCH_2CH_2PPh_2)_2]$ (R = alkyl or aryl) and *X*-ray structure of *trans*-$[ReCl(=C=CHPh)(Ph_2PCH_2CH_2PPh_2)_2]$, 2381–8

RHODIUM
Rhodium complexes of the binucleating ligands pyridine-2-thiolate and benzothiazole-2-thiolate. Crystal structures of $[\{Rh(\mu\text{-}SC_5H_4N)(CO)_2\}_2]$ and $[\{Rh(\mu\text{-}SC_5H_4N)(tfbb)\}_2]\cdot Me_2CO$ (tfbb = tetrafluorobenzobarrelene), 25–32
Structural, spectroscopic, and electrochemical characterization of tetrakis-μ-(2-pyrrolidinonato)-dirhodium(II) and tetrakis-μ-(δ-valerolactamato)-dirhodium(II), 93–100
Novel five-co-ordinate diorganorhodium compounds. *X*-Ray structure of bis-*ortho*-chelated $[Rh^{III}(Me)I\{C_6H_3(CH_2NMe_2)_2\text{-}2,6\}]$, 317–24
Syntheses, electrochemistry, and spectroscopy of dirhodium(II) tetra-acetamidate and tetrakis(trifluoroacetamide) complexes with axial Group 15 substituents. The *X*-ray crystal structures of $[Rh_2(CH_3CONH)_4(AsPh_3)_2]$ and $[Rh_2(CH_3CONH)_{4-n}(CH_3CO_2)_n(MPh_3)_2]$, M = As or Sb, $n \approx 1$, 581–8
The chemical and electrochemical one-electron oxidation of diamidonaphthalene-bridged complexes: paramagnetic $[Rh_2]^{3+}$-containing A-frames, 683–8
Trinuclear mixed-valence complexes with the linear $[Rh_3]^{4+}$ core, 689–92
Synthesis and *X*-ray crystal structure of $[Rh(NO)(PPh_3)_2(p\text{-}MeC_6H_4NNNC_6H_4Me\text{-}p)][BF_4]\cdot CH_2Cl_2$, 745–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 86. Alkylidyne(carbaborane)molybdenum–gold, –rhodium and –iron complexes; crystal structure of $[NEt_4][MoFe_2(\mu_3\text{-}CC_6H_4Me\text{-}4)(\mu\text{-}\sigma\text{:}\sigma'\text{:}\eta^5\text{-}C_2B_9H_7Me_2)(CO)_8]$, 797–808
New carbide clusters in the cobalt subgroup. Part 17. Preparation and structural characterization of the mixed-metal octahedral dianion $[Co_2Rh_4C(CO)_{13}]^{2-}$ as its $[PPh_4]^+$ salt, 879–84
Crystal structures and solution dynamics of mono- and di-nuclear rhodium complexes of heterodinucleating macrocyclic ligands containing the 2,6-di(thiomethyl)pyridine sub-unit, 915–20
Synthesis of a new P_2N_2 ligand *N*,*N*′-bis[2-(diphenylphosphino)phenyl]propane-1,3-diamine, H_2L^2, and some of its complexes with elements of the nickel triad and rhodium: *X*-ray structure analyses of the neutral complex $[NiL^2]$ and the *trans*-spanned $[Rh(CO)Cl(H_2L^2)]$, 1067–74
Trinuclear pyrazolate complexes. Crystal structure of $[(OC)_2Rh(\mu\text{-}pz)_2Pd(\mu\text{-}pz)_2Rh(CO)_2]$, 1133–8
Synthesis of ammonium ions and nitrosylation reactions using nitrosyl chloride and alkyl nitrites, 1139–42
Reaction of $[Rh_2\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]$ with $[M(PPh_3)]^+$ (M = Au, Ag, or Cu): formation of unusual 44-electron Rh_2M clusters. Crystal structure of $[Rh_2\{\mu\text{-}Au(PPh_3)\}\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]ClO_4\cdot 2CH_2Cl_2$, 1249–52
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 87. Docosahedral carbaborane(alkylidyne)tungsten complexes as reagents for the synthesis of compounds with heteronuclear metal–metal bonds: crystal structures of $[NEt_4][W(\equiv CC_6H_3Me_2\text{-}2,6)(CO)_2(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$ and $[NEt_4][WFe(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_4(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$, 1363–74
Reactivity of binuclear pyrazolate-bridged rhodium complexes with isocyanides. Molecular structure of $[Rh_2(\mu\text{-}pz)I_2(CNBu^t)_2(\mu\text{-}Ph_2PCH_2PPh_2)_2]BF_4$ (pz = pyrazolate), 1427–34
Cationic dinuclear rhodium complexes as catalyst precursors for the hydroformylation of alkenes, 1579–82
Synthesis, structure, and electrochemical reduction of 2-(arylazo)pyridine complexes of rhodium(III), 1635–8
Platinum metal thioether macrocyclic complexes: synthesis, electrochemistry, and single-crystal *X*-ray structures of *cis*-$[RhCl_2L^2]PF_6$ and *trans*-$[RhCl_2L^3]PF_6$ (L^2 = 1,4,8,11-tetrathiacyclotetradecane, L^3 = 1,5,9,13-tetrathiacyclohexadecane), 1675–80
Vibrational spectroscopic studies of tervalent hexa-aqua cations: oriented single-crystal Raman spectra between 275 and 1 200 cm^{-1} of the caesium rhodium alums, $CsRh(SO_4)_2\cdot 12H_2O$, $CsRh(SeO_4)_2\cdot 12H_2O$, and $CsRh(SO_4)_2\cdot 12D_2O$, 1771–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 89. Tetra- and penta-nuclear tungsten–rhodium complexes: crystal structures of $[W_3Rh_2(\mu\text{-}CO)_2(\mu\text{-}CMe)\{\mu\text{-}C(Me)C(O)\}(\mu\text{-}PPh_2)_2(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$ and $[W_3Rh_2(\mu\text{-}CO)_3(\mu\text{-}CMe)\{\mu\text{-}C(Me)PPh_2\}(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$, 1855–64
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 90. Synthesis of the complexes $[W_2M_2(\mu\text{-}CO)(\mu\text{-}CMe)(\mu_3\text{-}CMe)(\mu\text{-}PPh_2)_2(CO)_3(\mu\text{-}C_5H_5)_2]$ (M = Rh or Ir) and related tetra- and penta-nuclear metal compounds; interconversion of ketenyl and λ^5-phospha-alkyne ligands bridging tungsten–rhodium bonds, 1865–70
Preparation and structural studies of diphenylthiophosphinito rhodium(III) complexes. *X*-Ray structure analysis of $[\{(C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2(\mu\text{-}Ph_2PS)][BPh_4]$, 1987–92
Reduction–oxidation properties of organotransition-metal complexes. Part 30. Triazenido-bridged carbonylrhodium bipyridyl complexes with $[Rh_2]^{2+}$, $[Rh_2]^{3+}$, and $[Rh_2]^{4+}$ cores, and the *X*-ray structures of $[Rh_2(CO)_2(bipy)(\mu\text{-}RNNNR)_2][BF_4]\cdot CH_2Cl_2$ and $[\{Rh_2I(CO)(bipy)(\mu\text{-}RNNNR)_2\}_2][PF_6]_2\cdot 2.5CH_2Cl_2$ (R = *p*-tolyl), 2049–60
Complexes of technetium, rhenium, and rhodium with sexidentate Schiff-base ligands, 2115–20
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 94. Synthesis of di- and tri-metal compounds *via* the reagents $[M(\equiv C\text{–}C\equiv CBu^t)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W), 2281–8
Mixed-metal carbido carbonyl clusters. Part 4. Synthesis and structural characterization of $[Rh_6C(CO)_{13}\{Au_2(PPh_3)_2\}]$, 2343–6
Cyclometallation of unsaturated carboxylic acids by pentamethylcyclopentadienyl-rhodium and -iridium complexes. Crystal structures of $[(C_5Me_5)Ir(CPh{=}CHCO\text{–}O)(Me_2SO)]$ and $[(C_5Me_5)Ir(CPh{=}CHCO\text{–}OMe)I]^+$, 2415–22
Preparation and *X*-ray crystal structure of $[Ru_3RhH_3(CO)_{12}]$, 2449–52

RUTHENIUM
Ruthenium phthalocyanine chemistry: synthesis and properties of a mixed-valence nitrido-bridged ruthenium phthalocyanine dimer, 193–6
Redox activation of the hexanuclear ruthenium cluster $[Ru_6C(CO)_{16}]^{2-}$ using oxidative addition, 243–6
Reduction–oxidation properties of organotransition-metal complexes. Part 29. Pentaphenylcyclopentadienyl complexes of ruthenium, 283–8
Ligand additivity in the oxidation potentials of bidentate mixed-ligand ruthenium(II) complexes, 371–4
Alkyne insertion into ruthenium–carbon bonds: formation and ring-closing reactions of vinyl complexes, 465–70
Reactions of hydride complexes of ruthenium(II) with alkynes, 589–94
Chemistry of multi-site bound unsaturated ligands on metal carbonyl clusters. Intramolecular reductive coupling in the conversion of $[Ru_3(\mu\text{-}H)(CO)_9(\mu_3,\eta^2\text{-}C\equiv CBu^t)]$ to the butadienyl cluster $[Ru_3(CO)_8\{\mu_3,\eta^4\text{-}C(Bu^t)CC(H)\text{-}C(Ph)(PPh_2)\}]$, and its crystal structure. An example of ligand isomerism on metal clusters, 601–6
Studies on transition–metal oxo and nitrido complexes. Part 10. New oxo–ruthenium and oxo–osmium pyridine complexes, and use of the former as catalysts for oxidation of alcohols, 901–6
An investigation of the bonding in $[Ru_2(O_2CCF_3)_4]$ and $[Ru_2(O_2CCF_3)_4(NO)_2]$, 1037–44
Six- and five-co-ordinate ruthenium(II) complexes with 1,2-bis(dicyclohexylphosphino)ethane. *X*-Ray crystal structure of the d^6 five-co-ordinate $[RuCl\{(C_6H_{11})_2PCH_2CH_2P(C_6H_{11})_2\}_2]PF_6$, 1045–52
Synthesis and reactivity of binuclear pyrazolate-bridged ruthenium(I) complexes. Crystal structures of bis[μ-(3,5-dimethylpyrazolato-*NN*′)tricarbonylruthenium(I)] (*Ru–Ru*) and

RUTHENIUM (contd)
bis[μ-(3,5-dimethylpyrazolato-*NN'*)]-μ-iodo-bis[tricarbonylruthenium(II)] tri-iodide, 1093–100
Synthesis of ammonium ions and nitrosylation reactions using nitrosyl chloride and alkyl nitrites, 1139–42
The heteronuclear cluster chemistry of the Group 1B metals. Part 11. Effect of the nature of the bidentate diphosphine ligand on the metal framework structures of the gold heteronuclear cluster compounds $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1—6). *X*-Ray crystal structures of $[Au_2Ru_4(\mu_3\text{-}H)(\mu\text{-}H)\{\mu\text{-}Ph_2P(CH_2)_nPPh_2\}(CO)_{12}]$ (n = 1 or 2), 1227–36
Synthesis and crystal structure of $[NiOs_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2\{\mu\text{-}Cu(PPh_3)\}(CO)_9]$. Hydrogenation–dehydrogenation reactions of dienes and alcohols with heterogeneous catalysts derived from $[NiM_3(\eta\text{-}C_5H_5)(\mu\text{-}H)_2(\mu\text{-}X)(CO)_9]$ [M = Ru, X = H; M = Os, X = $Cu(PPh_3)$], 1477–82
Organic chemistry of dinuclear metal centres. Part 12. Synthesis, *X*-ray crystal structure, and reactivity of the di-μ-alkylidene complex $[Ru_2(CO)_2(\mu\text{-}CHMe)(\mu\text{-}CMe_2)(\eta\text{-}C_5H_5)_2]$: alkylidene linking, 1799–806
Organic chemistry of dinuclear metal centres. Part 13. Synthesis, structure, and reactivity of $[Ru_2(CO)_4(\eta^5\text{:}\eta^{5\prime}\text{-}C_5H_4CH_2C_5H_4)]$, 1807–14
Photofragmentation kinetics of some triruthenium carbonyl clusters, 1933–40
Kinetics of formation, dissociation, and isomerization reactions in complexes of cyanopyridines and benzonitrile with pentacyanoruthenate(II), 1973–8
Ruthenium oxo complexes of macrocyclic tertiary amines. Synthesis, electrochemistry, and reactivities of ruthenium oxo complexes of *meso*-2,3,7,11,12-pentamethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and *X*-ray crystal structure of *trans*-$[Ru^{IV}L^1(O)(NCO)]ClO_4$, 2011–6
The heteronuclear cluster chemistry of the Group 1B metals. Part 12. Variable temperature nuclear magnetic resonance spectroscopic studies of the dynamic behaviour of the mixed-metal cluster compounds $[M_2Ru_4(\mu_3\text{-}H)_2(\mu\text{-}L)(CO)_{12}]$ [M = Cu or Ag, L = $Ph_2P(CH_2)_nPPh_2$ (n = 1—6) or *cis*-$Ph_2PCH{=}CHPPh_2$; M = Cu, L = $Ph_2As(CH_2)_nPPh_2$ (n = 1 or 2)] in solution, 2039–48
Oxo transfer reactions. Mechanistic studies on the oxidation of triphenylphosphine by *trans*-$[Ru^{VI}L(O)_2]^{2+}$ (L = 1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane), 2065–8
Synthesis and *X*-ray crystal structure of tetra(2-methylphenyl)molybdenum(IV), $Mo(2\text{-}MeC_6H_4)_4$. Redox chemistry of $M(2\text{-}MeC_6H_4)_4$ compounds of molybdenum, rhenium, ruthenium, and osmium, 2149–54
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 95. Synthesis and crystal structures of $[W_2RuPt(\mu\text{-}CC_6H_4Me\text{-}4)(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(PMe_2Ph)(\eta\text{-}C_5H_5)_2]$ and $[W_2Ru_2Pt_2(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(\mu\text{-}CO)_2(CO)_9(\eta\text{-}C_5H_5)_2]$, 2289–96
Substituted cyclopentadienyl complexes. Part 4. The catalysed synthesis and proton nuclear magnetic resonance spectra of $[Ru(\eta^5\text{-}C_5H_4Me)(CO)(L)I]$ and $[Ru(\eta^5\text{-}C_9H_7)(CO)(L)I]$ (L = phosphine or isocyanide) and the crystal structure determination of $[Ru(\eta^5\text{-}C_9H_7)(CO)\{P(CH_2Ph)_3\}I]$, 2407–14
Synthesis, spectroscopic, electrochemical, and magnetic properties of dimolybdenum(II,II), diruthenium-(II,III) and -(II,II) complexes containing bridging aspirinate (2-acetoxybenzoate) ligands, 2435–42
Preparation and *X*-ray crystal structure of $[Ru_3RhH_3(CO)_{12}]$, 2449–52
SALICYLALDEHYDATE
Dimeric mixed-ligand copper(II) complexes with di-imines and salicylaldehydate, 1435–8
SALICYLAMIDE
Synthesis, structure, and redox properties of dicopper(II,II) complexes of *N*-(hydroxyphenyl)salicylamide and homologues. Facile oxidation to dicopper-(II,III) and -(III,III) species; crystal structure of bis(tetrabutylphosphonium) bis{[(2-oxidobenzoyl)(2′-oxidophenyl)amido(3−)-*NO*^{2},μ-*O*$^{2\prime}$]cuprate(II)}, 2089–94
SCHIFF BASE
Metal complexes (Co^{3+}, Fe^{3+}, Mn^{3+}) of the quinquedentate salen analogue, 2-methyl-4-benzylthio-*N*,*N'*-butane-1,2-diylbis(salicylideneimine): crystal structures and sulphur co-ordination effects, 179–84
Formation in solution, synthesis, and electrochemical study of oxalato complexes of *N*,*N'*-ethylenebis(salicylideneiminato)-chromium(III) and -iron(III): crystal structures of piperidinium [*N*,*N'*-ethylenebis(salicylideneiminato)](oxalato-*O*^{1}*O*^{2})-chromate(III) and ferrate(III), 729–38
N,*N'*-Ethylenebis(acetylacetoneiminato)titanium complexes: synthesis, crystal structures, and properties of titanium(III) and titanium(IV) derivatives, 953–8
Synthesis and *X*-ray crystal structure of $[ReO(Cl)\{(2\text{-}OC_6H_4CH{=}NCH_2CH_2OCH_2)_2\}]$, an example of four-co-ordination by a potentially sexidentate ligand, 1405–8
Synthesis and characterization of cobalt(III) and cobalt(IV) complexes of *N*-(2-hydroxyphenyl)salicylamide and homologues, 1613–6
Complexes of technetium, rhenium, and rhodium with sexidentate Schiff-base ligands, 2115–20
SELENIDE
Chromium chalcogen complexes. Insertion of elemental sulphur into $[\{Cr(cp)(CO)_2\}_2Se]$ and $[Cr(cp)_2(CO)_4Se_2]$ (cp = $\eta\text{-}C_5H_5$), 431–8
Phosphorus-31 and selenium-77 nuclear magnetic resonance spectra of sulphur- or arsenic-substituted derivatives of tetraphosphorus triselenide; fitting of chemical shifts and coupling constants to molecular parameters for cage compounds containing a phosphorus–selenium–phosphorus linkage, 977–84
SELENIUM
Phosphorus-31 and selenium-77 nuclear magnetic resonance spectra of sulphur- or arsenic-substituted derivatives of tetraphosphorus triselenide; fitting of chemical shifts and coupling constants to molecular parameters for cage compounds containing a phosphorus–selenium–phosphorus linkage, 977–84
Metallaheteroborane chemistry. Part 5. Synthesis of *closo*-[2,2-$(PR_3)_2$-1,2-$SePtB_{10}H_{10}$] (R_3 = Et_3, Bu^n_3, or Me_2Ph) and *arachno*-[9,9-$(PMe_2Ph)_2$-6,9-$SePtB_8H_{10}$] and their characterisation by nuclear magnetic resonance techniques: the crystal and molecular structures of *closo*-[2,2-$(PEt_3)_2$-1,2-$SePtB_{10}H_{10}$] and *arachno*-[9,9-$(PMe_2Ph)_2$-6,9-$SePtB_8H_{10}$], 1657–68
SELENIUM-77
Phosphorus-31 and selenium-77 nuclear magnetic resonance spectra of sulphur- or arsenic-substituted derivatives of tetraphosphorus triselenide; fitting of chemical shifts and coupling constants to molecular parameters for cage compounds containing a phosphorus–selenium–phosphorus linkage, 977–84
SELENOACYL
Insertion of phenylethyne-thiolate or -selenolate into metal–carbene bonds: synthons for co-ordinated thioacyl or selenoacyl anions and for anionic thiocarbene or selenocarbene complexes, 1565–78
SELENOETHER
Platinum metal complexes of potentially chelating alkene–thioether and alkene–selenoether ligands: synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{MeE(CH_2)_nCH{=}CH_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; n = 2 or 3) and the *X*-ray structure of *cis*-dibromo(2-thia-6-heptene)platinum(II), $[PtBr_2\{MeS(CH_2)_3CH{=}CH_2\}]$ 985–90
Platinum metal complexes of potentially chelating alkene thioether and selenoether ligands: the synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{E[(CH_2)_nCR{=}CR_2]_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; n = 2 or 3; R = H or Me) and the *X*-ray crystal structure of *cis*-di-iodo(5-thianona-1,8-diene)platinum(II), $[PtI_2\{S[(CH_2)_2CH{=}CH_2]_2\}]$, 2315–22
SELENOLATE
Insertion of phenylethyne-thiolate or -selenolate into metal–carbene bonds: synthons for co-ordinated thioacyl or selenoacyl anions and for anionic thiocarbene or selenocarbene complexes, 1565–78
SILANE
Five-co-ordinated silicon compounds: geometry of formation by intramolecular co-ordination. Crystal structure of 2-(dimethylaminomethyl)phenyl-1-naphthylsilane, 43–52
SILICATE
Oxygen-17 nuclear magnetic resonance spectroscopic studies of aqueous alkaline silicate solutions, 275–82
Thermal and hydrothermal stability of SAPO-5 and SAPO-37 molecular sieves, 1361–2
SILICON
Five-co-ordinated silicon compounds: geometry of formation by intramolecular co-ordination. Crystal structure of 2-(dimethylaminomethyl)phenyl-1-naphthylsilane, 43–52
Oxygen-17 nuclear magnetic resonance spectroscopic studies of aqueous alkaline silicate solutions, 275–82

SILICON (contd)
Isopropyldisilylamine and disilyl-t-butylamine: preparation, spectroscopic properties, and molecular structure in the gas phase, determined by electron diffraction, 779–84
Thermal and hydrothermal stability of SAPO-5 and SAPO-37 molecular sieves, 1361–2
Synthesis and properties of trimethyl(trifluorosilyl)stannane, 1879–82
Aqueous chemistry and thermodynamic modelling of $CaO–SiO_2–H_2O$ gels, 2371–80
SILOXANE
Cyclic metallasiloxane compounds of Ti^{IV} and Zr^{IV}. *X*-Ray crystal structures of a *cis*-bis(pyridine) bis(cyclosiloxy)titanate and a pyridinelithiated tris(cyclosiloxy)zirconate, 2347–52
SILOXIDE
Tri(η-cyclopentadienyl)uranium(IV) silyl and siloxide compounds. Crystal structure of $[U(\eta^5\text{-}C_5H_5)_3(OSiPh_3)]$. Insertion of isocyanide into a uranium–silicon bond, 677–82
SILVER
Kinetics and mechanism of the reaction between 4-t-butylphenolate anion and tetrahydroxoargentate(III) in aqueous alkaline media, 217–22
Synthesis and structural studies on silver–tin complex salts with bis(diphenylarsino)methane and bis(diphenylphosphino)methane, 247–52
Oxidation of silver metal and silver(I) cations by molybdenum, tungsten, and uranium hexafluorides and by the nitrosonium cation in acetonitrile. Preparation and properties of silver(III) hexafluorometalates(V), 461–4
Polyhedral rearrangements in undeca- and dodeca-nuclear Group 1B metal osmium clusters, 505–10
Reaction of $[Rh_2\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]$ with $[M(PPh_3)]^+$ (M = Au, Ag, or Cu): formation of unusual 44-electron Rh_2M clusters. Crystal structure of $[Rh_2\{\mu\text{-}Au(PPh_3)\}\{\mu\text{-}1,8\text{-}(NH)_2C_{10}H_6\}(CO)_2(PPh_3)_2]ClO_4\cdot 2CH_2Cl_2$, 1249–52
Synthesis, structure, and reactivity of the heteronuclear clusters $[Os_5H(CO)_{15}\{M(PR_3)\}]$ and $[Os_5(CO)_{15}\{M(PR_3)\}_2]$ (M = Cu, Ag, or Au; R = Ph or Me); the *X*-ray crystal structure of $[Os_5H(CO)_{15}\{Au(PPh_3)\}]$, 1421–6
Kinetics of the uncatalysed and silver(I)-catalysed oxidation of hydrogen peroxide by [ethylenebis(biguanide)]silver(III) ion in acid perchlorate media, 1645–50
Bi-, tetra-, and poly-nuclear complexes of gold(I) and silver(I) with bis(diphenylphosphino)-methanide or -amide acting as six-electron donors, 1883–6
The heteronuclear cluster chemistry of the Group 1B metals. Part 12. Variable temperature nuclear magnetic resonance spectroscopic studies of the dynamic behaviour of the mixed-metal cluster compounds $[M_2Ru_4(\mu_3\text{-}H)_2(\mu\text{-}L)(CO)_{12}]$ [M = Cu or Ag, L = $Ph_2P(CH_2)_nPPh_2$ (*n* = 1—6) or *cis*-$Ph_2PCH{=}CHPPh_2$; M = Cu, L = $Ph_2As(CH_2)_nPPh_2$ (*n* = 1 or 2)] in solution, 2039–48
Insertion of CS_2 into Ag–S bonds. Preparations and crystal structures of $[\{[Ag(SC_6H_2Pr^i_3\text{-}2,4,6)]_4\cdot CHCl_3\}_n]$ and its insertion product with CS_2, $[\{Ag(S_2CSC_6H_2Pr^i_3\text{-}2,4,6)\}_2\{Ag(SC_6H_2Pr^i_3\text{-}2,4,6)\}_6]\cdot 8CHCl_3$, 2297–302
SILYL
Tri(η-cyclopentadienyl)uranium(IV) silyl and siloxide compounds. Crystal structure of $[U(\eta^5\text{-}C_5H_5)_3(OSiPh_3)]$. Insertion of isocyanide into a uranium–silicon bond, 677–82
Isopropyldisilylamine and disilyl-t-butylamine: preparation, spectroscopic properties, and molecular structure in the gas phase, determined by electron diffraction, 779–84
SILYLMETHYL
Tris(trimethylsilyl)methyl and tris(dimethylphenylsilyl)methyl derivatives of boron. Crystal structures of dihydroxy[tris(trimethylsilyl)methyl]borane and of the lithium–boron complex $[(MeOH)_2Li(\mu\text{-}OMe)_2B(OMe)_2]$, 447–52
SODIUM
The equilibrium of strontium ion exchange of sodium titanate, $Na_4Ti_9O_{20}\cdot xH_2O$, 101–4
The nature of a sodium–crown interaction studied by sodium-23 nuclear magnetic resonance and by crystal structure determination of a complex with co-ordinated solvent, 203–10
SODIUM-23
The nature of a sodium–crown interaction studied by sodium-23 nuclear magnetic resonance and by crystal structure determination of a complex with co-ordinated solvent, 203–10
SOLVENT EFFECT
A kinetic and mechanistic study of the solvolysis of aryltellurium trihalides in organic solvents, 457–60
Solvent influence on trifluoromethylation reactions with $Cd(CF_3)_2$: one-pot synthesis of trifluoromethyl iron complexes, 739–44
Reactivity studies on the hydrolysis of iron(II) complexes of substituted phenanthrolines in dioxane–water solvents, 1105–8
Vibrational study of ionic association in aprotic solvents. Part 12. Isothiocyanate M(NCS) complexes of non-transition-metal ions, 2193–8
SOLVENT EXTRACTION
Investigations of tin(II) halide aqueous solutions and solvent extracts by ^{119}Sn nuclear magnetic resonance spectroscopy: characterisation of the trihalogenostannate(II) anions $[SnX_3]^-$, $[SnX_2Y]^-$, and $[SnX(Y)Z]^-$ (X, Y, or Z = Cl, Br, or I), 2223–8
SOLVOLYSIS
A kinetic and mechanistic study of the solvolysis of aryltellurium trihalides in organic solvents, 457–60
STABILITY
Polymeric thiolate complexes in solution. Stability constants of the cadmium(II) complexes of 2-aminopropane-1-thiol, 13–8
The unusual co-ordination ability of vasopressin-like peptides; potentiometric and spectroscopic studies of some copper(II) and nickel(II) complexes, 173–8
Stabilisation of trivalent nickel through 1:2 co-ordination by cyclic terdentate ligands $\overline{CH_2CH_2NH(CH_2)_2NH(CH_2)_2X}$ (X = NH, O, or S), 229–32
The co-ordination chemistry of divalent cobalt, nickel, and copper. Part 13. Characterization and stability constants of copper(II) species isolated from mixed-ligand solutions; crystal structure of the complex (pyridine-2,6-dicarboxylato)(*N,N,N',N'*-tetramethyl-1,3-diaminopropane)copper(II), 253–8
Thermodynamic and electrochemical behaviour of lanthanide cryptates in *N,N*-dimethylformamide, 367–70
Possible biological activity in proton, metal, and aminohydroxamic acid equilibria. Protonation and complex formation reactions between *N*-hydroxy-D-asparagine and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solution (1988, 953), 383
The hydrolysis of metal ions. Part 11. The ionic strength dependence of gallium(III), 399–402
Interligand interaction in mixed amino acid complexes, 567–8
Spectrophotometric study of complex formation in copper(II) mono-, di-, and tri-ethanolamine systems, 569–74
Potentiometric and electron spin resonance investigation on the interactions between adenosine 5′-triphosphate (atp) and triphosphate ligands with vanadyl ion. Synthesis and characterization of solid vanadyl-atp compounds from acidic aqueous solution, 575–80
Spectrophotometric and calorimetric studies on the formation of binary (2,2′-bipyridine)nickel(II) and ternary (2,2′-bipyridine)chloronickel(II) complexes in *N,N*-dimethylformamide, 655–60
Formation in solution, synthesis, and electrochemical study of oxalato complexes of *N,N'*-ethylenebis(salicylideneiminato)-chromium(III) and -iron(III): crystal structures of piperidinium [*N,N'*-ethylenebis(salicylideneiminato)](oxalato-O^1O^2)-chromate(III) and ferrate(III), 729–38
Thermodynamics of hydroxy complex formation of dialkyltin(IV) ions in aqueous solution, 773–8
Complexes of aminophosphonates. Part 3. Copper(II) complexes of several monophosphono and diphosphono dipeptides, 1053–8
Zinc(II) complexes of 4,7-diazadecane-1,10-diamine, 4,8-diazaundecane-1,11-diamine, and tetraethylenepentamine: a carbon-13 nuclear magnetic resonance study, 1171–8
Formation of mixed-ligand complexes of cadmium(II) halide with tri-n-octylphosphine oxide and pyridine or substituted pyridines in 1,2-dichloroethane, 1259–64
Composition, stability, and lability of copper(II) dipeptide complexes, 1293–8
Thermodynamic and spectrophotometric investigation of complex formation between hydrogen, cobalt(II), nickel(II), and copper(II) ions and 2-amino-*N*-hydroxypropanamide in aqueous solution, 1299–310
Thermal and hydrothermal stability of SAPO-5 and SAPO-37 molecular sieves, 1361–2
Co-ordination of nickel(II) ions by angiotensin II and its peptide

STABILITY (contd)
fragments. A potentiometric, proton nuclear magnetic resonance and circular dichroism spectroscopic study, 1471–6
Mixed-metal complexes in solution. A potentiometric and spectrophotometric study of copper(II)–nickel(II)–δ-hydroxylysine complexes in aqueous solution, 1745–50
Complex-forming properties of L-α-alaninehydroxamic acid (2-amino-*N*-hydroxypropanamide), 2247–52
Copper anti-inflammatory drugs in rheumatoid arthritis. Part 2. A potentiometric and spectroscopic study of copper(II) polyaminodicarboxylate complexes, 2429–34
STACKING
Chemistry of subvalent main group metals with dithiolates. Part 2. *X*-Ray structural, thermal, and theoretical investigations on the novel one-dimensional stacking structure $K_2[Pb\{S_2C{=}C(CN)_2\}_2]\cdot 2H_2O$, 627–30
Stacked planar molecules in antiferromagnetic di-isothiocyanatobis(thiourea)chromium(II), a new structural type for chromium(II), 1631–4
STEREOCHEMISTRY
Synthesis and stereochemical studies of η^3-allyl palladium(II) complexes containing a chiral chelating ligand, 161–8
Syntheses and dynamic stereochemistry of methyl– and phenyl–carbonyl heterobinuclear metal–metal bonded complexes, 379–82
Relation between the torsion angles of acetate chelate rings and the deuteron nuclear magnetic resonance chemical shifts for polyamine-N-carboxylatochromate(III) complexes, 1947–50
STRONTIUM
The equilibrium of strontium ion exchange of sodium titanate, $Na_4Ti_9O_{20}\cdot xH_2O$, 101–4
SUBSTITUTION
The reaction of hydroxo-species of palladium(II) with bidentate nucleophiles, 375–8
A kinetic study of the transmission of ligand effects across the quadruple bond in $[Re_2Cl_8]^{2-}$, 767–72
Variable-temperature and -pressure proton nuclear magnetic resonance studies of the rates and mechanisms of *N*,*N*-dimethylformamide and acetonitrile exchange with the square-pyramidal complexes mono(solvento){3,7,11-tribenzyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene}nickel(II), 873–8
Composition, stability, and lability of copper(II) dipeptide complexes, 1293–8
Substitution reactions of the zerovalent iron complexes $[Fe(\eta\text{-}C_6H_6)(PMe_3)_2]$ and $[Fe(\eta\text{-}C_6H_6)(dmpe)]$ (dmpe = $Me_2PCH_2CH_2PMe_2$), 1385–92
Substitution reactions on sterically hindered square-planar *trans*-$[NiBr(R)(PR'_3)_2]$ (R = aryl) complexes. Effects of the substituents of the aryl ligand, 1669–74
Kinetics of formation, dissociation, and isomerization reactions in complexes of cyanopyridines and benzonitrile with pentacyanoruthenate(II), 1973–8
SUGAR
Isotopic multiplets in the carbon-13 nuclear magnetic resonance spectra due to partial deuteriation of co-ordinated NH_2 and NH groups of cobalt(III) complexes containing an N-glycoside. Importance of sugar ring oxygen atoms in the long-range isotope shifts, 1241–8
SULPHATE
A reinvestigation of the structures of organotin sulphates and chromates, including the crystal and molecular structure of bis(trimethyltin) sulphate dihydrate, 267–74
The structure of 18-molybdodisulphate(VI)(4−) ion in $(NEt_4)_4S_2Mo_{18}O_{62}\cdot CH_3CN$, 1491–8
SULPHIDE
(Diphenylphosphinomethyl)diphenylphosphine sulphide ($Ph_2PCH_2PPh_2S$) and its methanide anion $Ph_2PCHPPh_2S^-$ as ligands in organogold chemistry. *X*-Ray crystal structure of *cis*-$[Au(C_6F_5)_2(PPh_2CHPPh_2S)]$, 73–8
Chromium chalcogen complexes. Insertion of elemental sulphur into $[\{Cr(cp)(CO)_2\}_2Se]$ and $[Cr(cp)_2(CO)_4Se_2]$ (cp = η-C_5H_5), 431–8
Reaction of elemental sulphur with (5*H*,14*H*-6,8,15,17-tetramethyldibenzo[*b*,*i*][1,4,8,11]tetra-azacyclotetradecinato)iron(II): synthesis and *X*-ray structure of a μ-sulphido iron(III) complex, 551–4
Solid-state phosphorus-31 nuclear magnetic resonance spectroscopy of phosphorus sulphides, 809–14
Comparative study on the multielectron reduction of $HOC_2H_4N_3$ catalyzed by $[NBu^n_4]_4[MoFe_3S_4(SPh)_3(o\text{-}O_2C_6Cl_4)]_2$ and $[NBu^n_4]_2[Fe_4S_4(SPh)_4]$-modified glassy carbon electrodes, 1547–54
Reactions of cyclopalladated compounds. Part 21. Various examples of sulphur-assisted intramolecular palladation of aryl and alkyl groups, 1715–20
SULPHIMIDE
Synthesis of sulphimide complexes of palladium and platinum. Crystal and molecular structure of *cis*-dichloro[*S*,*S*-dimethyl-*N*-(2-pyrimidinyl)sulphimide](triphenylphosphine)palladium(II), 497–504
SULPHINYLAMIDE
Preparation of thionylimide complexes of titanium, zirconium, and hafnium. Crystal structure of $[Zr(cp)(\eta\text{-}C_5Me_5)(NSO)_2]$, 1815–8
SULPHITE
Oxidation of a $Pt_2(\mu\text{-}SO_2)$ moiety to $\mu\text{-}SO_3$ and the crystal structure of $[Pt_2(\mu\text{-}SO_3)(\mu\text{-}SO_2)(C_8H_{12})_2]$, 557–60
SULPHONAMIDE
Sulphonamide nitrogen-containing, nitrogen protected amino acids interacting with the Cd^{2+} ion. A cadmium-113 nuclear magnetic resonance and potentiometric study. *X*-Ray diffraction of $[Cd(ts\text{-}\beta\text{-}alaO)_2(H_2O)_4]$, 1345–50
SULPHONE
Metallacyclic complexes. Part 2. Synthesis of metallathietane-3,3-dioxide complexes of platinum(II) and palladium(II); the crystal structures of $[Pt\{CH(COPh)S(O)_2CH(COPh)\}(PPh_3)_2]\cdot 2CH_2Cl_2$ and $[Pd\{CH(COPh)S(O)_2CH(COPh)\}(PMePh_2)_2]\cdot CH_2Cl_2\cdot H_2O$, 259–66
SULPHOXYLATE
Oxidation of a $Pt_2(\mu\text{-}SO_2)$ moiety to $\mu\text{-}SO_3$ and the crystal structure of $[Pt_2(\mu\text{-}SO_3)(\mu\text{-}SO_2)(C_8H_{12})_2]$, 557–60
SULPHUR
Metal complexes (Co^{3+}, Fe^{3+}, Mn^{3+}) of the quinquedentate salen analogue, 2-methyl-4-benzylthio-*N*,*N'*-butane-1,2-diylbis(salicylideneimine): crystal structures and sulphur co-ordination effects, 179–84
Chromium chalcogen complexes. Insertion of elemental sulphur into $[\{Cr(cp)(CO)_2\}_2Se]$ and $[Cr(cp)_2(CO)_4Se_2]$ (cp = η-C_5H_5), 431–8
Reaction of elemental sulphur with (5*H*,14*H*-6,8,15,17-tetramethyldibenzo[*b*,*i*][1,4,8,11]tetra-azacyclotetradecinato)iron(II): synthesis and *X*-ray structure of a μ-sulphido iron(III) complex, 551–4
Solid-state phosphorus-31 nuclear magnetic resonance spectroscopy of phosphorus sulphides, 809–14
Gas-phase molecular structure of *NN'*-bis(trimethylsilyl)sulphur diimide, determined by electron diffraction, 859–62
New metal–sulphur–nitrogen compounds from reactions in liquid ammonia. The *X*-ray structures of *trans*-bis(acetophenone dimethylhydrazone-*N**)dichloropalladium(II) and [di(azathien)-1-yl-S^1N^4][2-(hydrazonoethyl)phenyl]palladium(II), 1179–86
Contributions to the chemistry of boron. Part 194. Synthesis and characterization of mono, bi-, and tri-cyclic boron–nitrogen–sulphur ring systems. Crystal structure of 2,7,9,14-tetrakis(diethylamino)-3,5,6,10,12,13-hexathia-1,8-diaza-2,4,7,9,11,14-hexaboratricyclo[9.3.0.0^{4,8}]tetradecane, 1311–20
An *ab initio* self-consistent field molecular-orbital study of novel stereoelectronic effects in linear $R_2S_3N_2$ and cyclic XS_3N_2 systems, 1609–12
Direct insertion of a nitrogen atom into the S–S bond of a 1,2,3,5-dithiadiazole ring in a direct current nitrogen glow discharge, and *X*-ray crystal structure of 4-methyl-1,2,3,5-dithiadiazole, 1705–14
Preparation and properties of $[M(S_2N_2H)Cl(L)]$ (M = Pt, L = PMe_2Ph or C_2H_4; M = Pd, L = PMe_2Ph), $[Pt(S_3N)Cl(PMe_2Ph)]$, and corresponding ^{15}N-enriched complexes, 2179–82
SULPHUR DIOXIDE
Oxidation of a $Pt_2(\mu\text{-}SO_2)$ moiety to $\mu\text{-}SO_3$ and the crystal structure of $[Pt_2(\mu\text{-}SO_3)(\mu\text{-}SO_2)(C_8H_{12})_2]$, 557–60
TANTALUM
Hydrogen scrambling processes in $[Ta(\eta\text{-}C_5Me_5)(\eta\text{-}C_5H_5)\{(\mu\text{-}H)_2BH_2\}]$: a surprising observation, 2133–8
TECHNETIUM
Complexes of technetium, rhenium, and rhodium with sexidentate Schiff-base ligands, 2115–20

TELLURIUM
Metallaheteroborane chemistry. Part 3. Synthesis of $[2,2\text{-}(PR_3)_2\text{-}1,2\text{-}TePtB_{10}H_{10}]$ (R_3 = Et_3, $Bu^n{}_3$, or Me_2Ph), their characterisation by nuclear magnetic resonance spectroscopy, and the crystal and molecular structure of $[2,2\text{-}(PEt_3)_2\text{-}1,2\text{-}TePtB_{10}H_{10}]$ (1988, 2555), 383
A kinetic and mechanistic study of the solvolysis of aryltellurium trihalides in organic solvents, 457–60
Synthesis and reactions of 1,6-bis(2-butyltellurophenyl)-2,5-diazahexa-1,5-diene and related compounds. The crystal and molecular structures of 2-(butyldichlorotelluro)benzaldehyde and bis[2-(hydroxyiminomethyl)phenyl] ditelluride, 1697–704
TERPYRIDINE
Crystal structure and magnetic properties of 1-aqua-μ-hydroxo-1,2,2-tris(perchlorato)-1,2-bis(2,2′;6′,2″-terpyridine)dicopper(II), 237–42
TETRA-AZACYCLOTETRADECANE
6,13-Diamino-6,13-dimethyl-1,4,8,11-tetra-azacyclotetradecane, L^7, a new, potentially sexidentate polyamine ligand. Variable co-ordination to cobalt(III) and crystal structure of the complex $[Co(L^7)]Cl_2[ClO_4]$, 1059–66
TETRAHYDROBORATE
Hydrogen scrambling processes in $[Ta(\eta\text{-}C_5Me_5)(\eta\text{-}C_5H_5)\{(\mu\text{-}H)_2BH_2\}]$: a surprising observation, 2133–8
TETRAHYDROFURAN
Effect of axially bound anions on the electroreduction of tin(IV) porphyrins in tetrahydrofuran, 1531–6
Chelate-stabilised tetrahydrofuran complexes of platinum(II). Crystal structure of $[PtCl(Ph_2PCH_2\overset{\frown}{C_4H_7O})(Ph_2PCH_2\overset{\frown}{C_4H_7O})][PF_6]$, 2069–72
TETRAHYDROTHIOPHENE
Synthesis and reactivity of trinuclear complexes of platinum containing the single bridging ligand SC_4H_8. Molecular structure of $[NBu^n{}_4]_2[trans\text{-}PtCl_2\{(\mu\text{-}SC_4H_8)Pt(C_6F_5)_3\}_2]$, 1011–6
TETRATHIACYCLOHEXADECANE
Platinum metal thioether macrocyclic complexes: synthesis, electrochemistry, and single-crystal *X*-ray structures of *cis*-$[RhCl_2L^2]PF_6$ and *trans*-$[RhCl_2L^3]PF_6$ (L^2 = 1,4,8,11-tetrathiacyclotetradecane, L^3 = 1,5,9,13-tetrathiacyclohexadecane), 1675–80
TETRATHIACYCLOTETRADECANE
Platinum metal thioether macrocyclic complexes: synthesis, electrochemistry, and single-crystal *X*-ray structures of *cis*-$[RhCl_2L^2]PF_6$ and *trans*-$[RhCl_2L^3]PF_6$ (L^2 = 1,4,8,11-tetrathiacyclotetradecane, L^3 = 1,5,9,13-tetrathiacyclohexadecane), 1675–80
TETRATHIAFULVALENIUM
Tetrathiafulvalenium salts of planar Pt^{II}, Pd^{II}, and Cu^{III} 1,2-dithio-oxalato-*S*,*S*′ anions. Synthesis, chemistry and molecular structures of bis(tetrathiafulvalenium) bis(1,2-dithio-oxalato-*S*,*S*′)palladate(II), $[ttf]_2[Pd(S_2C_2O_2)_2]$, and of bis(tetrathiafulvalenium)tetrathiafulvalene bis(1,2-dithio-oxalato-*S*,*S*′)platinate(II), $[ttf]_3[Pt(S_2C_2O_2)_2]$, 719–28
THALLIUM
Monocyclopentadienyl pentafluorothiophenolate complexes of molybdenum and their interactions with thallium(I) ions; dynamic nuclear magnetic resonance studies and crystal and molecular structures of $[TlMo(SC_6F_5)_2L_2(cp)]$ (L = CO or SC_6F_5; cp = $\eta^5\text{-}C_5H_5$), 991–1002
Co-ordination compounds of indium. Part 47. Indium(I) and thallium(I) derivatives of alkanedithiols, 1759–64
Synthetic, spectroscopic, and *X*-ray studies on methylmercury(II) and dimethylthallium(III) complexes with cyclopentanone thiosemicarbazone, 1787–92
Synthesis of arylthallium complexes using organomercury compounds. Crystal and molecular structures of $[NMe_4][Tl(C_6H_4N{=}NPh\text{-}2)Cl_3]$ and $[Tl(C_6H_4CH_2NMe_2\text{-}2)Cl_2]$, 2241–6
THERMODYNAMICS
Thermodynamics of the formation of metal complexes of 1,4,10-trioxa-7,13-diazacyclopentadecane-*N*,*N*′-diacetic acid and of 1,4,10,13-tetraoxa-7,16-diazacyclo-octadecane-*N*,*N*′-diacetic acid, 133–8
The nickel(II)–bromide system in dimethyl sulphoxide: a detailed study of the influences of temperature and mole ratio, 325–30
Thermodynamic and electrochemical behaviour of lanthanide cryptates in *N*,*N*-dimethylformamide, 367–70
Spectrophotometric and calorimetric studies on the formation of binary (2,2′-bipyridine)nickel(II) and ternary (2,2′-bipyridine)chloronickel(II) complexes in *N*,*N*-dimethylformamide, 655–60
Thermodynamics of hydroxy complex formation of dialkyltin(IV) ions in aqueous solution, 773–8
Mixed-metal complexes in solution. A potentiometric and spectrophotometric study of copper(II)–nickel(II)–δ-hydroxylysine complexes in aqueous solution, 1745–50
THERMOLYSIS
Mechanism and energetics of reductive elimination of ethane from some tetramethylplatinum(IV) complexes, 2121–6
THIADIAZOLE
Preparation and crystal structure of a binuclear compound of methylmercury(II) containing bismuthiol I as a bridging ligand, 1409–12
THIOACYL
Insertion of phenylethyne-thiolate or -selenolate into metal–carbene bonds: synthons for co-ordinated thioacyl or selenoacyl anions and for anionic thiocarbene or selenocarbene complexes, 1565–78
THIOCARBONATE
Insertion of CS_2 into Ag–S bonds. Preparations and crystal structures of $[\{[Ag(SC_6H_2Pr^i{}_3\text{-}2,4,6)]_4\cdot CHCl_3\}_n]$ and its insertion product with CS_2, $[\{Ag(S_2CSC_6H_2Pr^i{}_3\text{-}2,4,6)\}_2\{Ag(SC_6H_2Pr^i{}_3\text{-}2,4,6)\}_6]\cdot 8CHCl_3$, 2297–302
THIOCYANATE
Crystal structure, spectroscopic and magnetic properties of the complex [Cu(paphy)(NCS)(SCN)] (paphy = pyridine-2-carbaldehyde 2′-pyridylhydrazone). An unusual di-μ-thiocyanato-*N* bridged copper(II) dimer, 53–6
Lewis-base adducts of lead(II) thiocyanate. Part 4. Novel isomeric dimers of lead(II) thiocyanate–1,10-phenanthroline(1/2). Crystal structure determinations, 595–600
Charge density in the $[Mo(NCS)_6]^{3-}$ ion in $Cs_3Mo(NCS)_6$, 1779–86
A barium dithiocyanate complex with an unusual macrocycle containing pendant arms, the amine precursor, and related copper(II) diperchlorate complexes: synthesis and structure, 1993–2002
Unusual chelating properties of the ligand 1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane (bddo). Crystal structures of $Ni(bddo)(NCS)_2$, $Zn(bddo)(NCS)_2$ and $Cd_2(bddo)(NCS)_4$, 2309–14
Crystal and molecular structure of a lattice adduct, $HgPh_2\cdot 2[Hg(SCN)_2(PPh_3)_2]$: an unusual case of two- and four-co-ordinate mercury in the same unit cell, 2339–42
THIOETHER
Co-ordination chemistry of higher oxidation states. Part 29. Cobalt(III) complexes of bi- and tetra-thioethers: synthesis, properties, and cobalt-59 nuclear magnetic resonance data, 453–6
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 1. Low-temperature solution properties, and *X*-ray crystal structure of $[PtIMe_3\{(MeS)_2CHCH(SMe)_2\}]$, 701–10
A dynamic nuclear magnetic resonance study of trimethylplatinum(IV) halide complexes of 1,1,2,2-tetrakis(methylthio)ethane. Part 2. High-temperature fluxionality, 711–8
Platinum metal complexes of potentially chelating alkene–thioether and alkene–selenoether ligands: synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{MeE(CH_2)_nCH{=}CH_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; *n* = 2 or 3) and the *X*-ray structure of *cis*-dibromo(2-thia-6-heptene)platinum(II), $[PtBr_2\{MeS(CH_2)_3CH{=}CH_2\}]$ 985–90
Platinum metal complexes of potentially chelating alkene thioether and selenoether ligands: the synthesis and dynamic nuclear magnetic resonance study of $[MX_2\{E[(CH_2)_nCR{=}CR_2]_2\}]$ (M = Pt or Pd; X = Cl, Br, or I; E = S or Se; *n* = 2 or 3; R = H or Me) and the *X*-ray crystal structure of *cis*-di-iodo(5-thianona-1,8-diene)platinum(II), $[PtI_2\{S[(CH_2)_2CH{=}CH_2]_2\}]$, 2315–22
THIOL
Polymeric thiolate complexes in solution. Stability constants of the cadmium(II) complexes of 2-aminopropane-1-thiol, 13–8
Cationic dinuclear rhodium complexes as catalyst precursors for the hydroformylation of alkenes, 1579–82
Co-ordination compounds of indium. Part 47. Indium(I) and thallium(I) derivatives of alkanedithiols, 1759–64
THIOLATE
Rhodium complexes of the binucleating ligands pyridine-2-thiolate

THIOLATE (contd)
and benzothiazole-2-thiolate. Crystal structures of $[\{Rh(\mu\text{-}SC_5H_4N)(CO)_2\}_2]$ and $[\{Rh(\mu\text{-}SC_5H_4N)(tfbb)\}_2]\cdot Me_2CO$ (tfbb = tetrafluorobenzobarrelene), 25–32
Comparison of the structures and properties of $[N(C_2H_5)_4][Pt\{S_2C_2(CN)_2\}_2]$ and $[H_3O]_x[NH_4]_{1-x}[Pt\{S_2C_2(CN)_2\}_2]\cdot 2-xH_2O$, 61–6
The crystal structures of $K[Pd\{S_2C_2(CN)_2\}_2]\cdot H_2O$ and $[NH_4][Pd\{S_2C_2(CN)_2\}_2]\cdot H_2O$, 67–72
Synthesis and spectroscopic characterisation of $[MoO(SR)_4]^-$ (R = C_6H_5, $C_{10}H_7$, 4-$CH_3C_6H_4$, 4-ClC_6H_4, 3-ClC_6H_4, 4-FC_6H_4, 2,6-$Cl_2C_6H_3$, or C_6F_5) complexes and $[MoO(SC_6F_5)_4]^{2-}$, 413–8
Thiolate complexes of osmium(III) with tertiary phosphines and their dicarbonyl derivatives of osmium(II): *X*-ray crystal structure of *trans,trans,trans*-$[Os(SC_6F_5)_2(CO)_2(PEt_2Ph)_2]$, 419–24
Studies on gold(II) complexes with hard and soft donor ligands. Part 1. Complexes with *o*-aminobenzenethiol (1988, 2607), 555
Chemistry of subvalent main group metals with dithiolates. Part 2. *X*-Ray structural, thermal, and theoretical investigations on the novel one-dimensional stacking structure $K_2[Pb\{S_2C{=}C(CN)_2\}_2]\cdot 2H_2O$, 627–30
Synthesis, structures, and reactions of ethenethiolato complexes of molybdenum and tungsten $[M\{\eta^3\text{-}SC(CF_3){=}C(CF_3)H\}(CF_3C{\equiv}CCF_3)(\eta^5\text{-}C_5H_5)]$ (M = Mo or W). Their relevance to the mechanism of metal-promoted isomerisation of carbon–carbon double bonds, 1027–36
Preparation and crystal structure of a binuclear compound of methylmercury(II) containing bismuthiol I as a bridging ligand, 1409–12
Insertion of phenylethyne-thiolate or -selenolate into metal–carbene bonds: synthons for co-ordinated thioacyl or selenoacyl anions and for anionic thiocarbene or selenocarbene complexes, 1565–78
Co-ordination compounds of indium. Part 47. Indium(I) and thallium(I) derivatives of alkanedithiols, 1759–64
Crystal structure and magnetic properties of the heterobinuclear complex $[(CH_3CN)LMi(mnt)Cu(mnt)]\cdot CH_3CN$ (L = tetrabenzo[*b,f,j,n*][1,5,9,13]tetra-azacyclohexadecine and mnt = maleonitriledithiolate), 2095–8
Spectral intensity and charge distributions in the tetrahedral chromophores, bis(3-amino-2-methylpropane-2-thiolato)- and diacetatobis(ethylenethiourea)-cobalt(II), 2109–14
Interaction of benzo-1,3-thiazoline-2-thione and related ligands with copper(II) salts and the single-crystal *X*-ray structure of μ-[1,2-bis(diphenylphosphino)ethane]-bis{(benzo-1,3-thiazole-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]copper(I)}, 2167–72
Iron carbene complexes. Part 3. Aminolysis of di-iron alkoxycarbene complexes with ammonia and dimethylamine. *X*-Ray crystal structure of $[Fe_2(\mu\text{-}SPh)_2(CO)_5\{C(NMe_2)Ph\}]$, 2199–204
Insertion of CS_2 into Ag–S bonds. Preparations and crystal structures of $[\{[Ag(SC_6H_2Pr^i_3\text{-}2,4,6)]_4\cdot CHCl_3\}_n]$ and its insertion product with CS_2, $[\{Ag(S_2CSC_6H_2Pr^i_3\text{-}2,4,6)\}_2\{Ag(SC_6H_2Pr^i_3\text{-}2,4,6)\}_6]\cdot 8CHCl_3$, 2297–302

THIONE
The interaction of 1-methylimidazoline-2(3*H*)-thione with copper(II) salts, 39–42
Crystal structure and mass spectrometry of dibromodimethyl[1-methyl-2(3*H*)-imidazolinethione-*S*']tin(IV), 927–30
Blue copper models. Spectroscopic and electrochemical studies of copper(II) complexes with new ligand systems containing sulphur and nitrogen donor atoms, 1161–70
Interaction of benzo-1,3-thiazoline-2-thione and related ligands with copper(II) salts and the single-crystal *X*-ray structure of μ-[1,2-bis(diphenylphosphino)ethane]-bis{(benzo-1,3-thiazole-2-thiolato-*S*)[1,2-bis(diphenylphosphino)ethane]copper(I)}, 2167–72

THIOSEMICARBAZONE
Thiosemicarbazones as co-ordinating agents. Part 3. Synthesis, spectroscopic characterization, and *X*-ray structure of methyl pyruvate thiosemicarbazone hemihydrate, chloro(ethyl pyruvate thiosemicarbazonato)copper(II) (green form), and chloro(pyruvic acid thiosemicarbazonato)copper(II) dihydrate (blue form), 361–6
Synthetic, spectroscopic, and *X*-ray studies on methylmercury(II) and dimethylthallium(III) complexes with cyclopentanone thiosemicarbazone, 1787–92

THIOSULPHATE
Synthesis and properties of the bis(μ-thiosulphato-*S*)-bis(dinitrosylferrate)(2−) anion. Crystal and molecular structure of bis[bis(triphenylphosphoranylidene)ammonium] bis(μ-thiosulphato-*S*)-bis(dinitrosylferrate), 2061–4

THIOUREA
Stacked planar molecules in antiferromagnetic di-isothiocyanatobis(thiourea)chromium(II), a new structural type for chromium(II), 1631–4
Spectral intensity and charge distributions in the tetrahedral chromophores, bis(3-amino-2-methylpropane-2-thiolato)- and diacetatobis(ethylenethiourea)-cobalt(II), 2109–14

TIN
Synthesis and structural studies on silver–tin complex salts with bis(diphenylarsino)methane and bis(diphenylphosphino)methane, 247–52
A reinvestigation of the structures of organotin sulphates and chromates, including the crystal and molecular structure of bis(trimethyltin) sulphate dihydrate, 267–74
Synthesis, infrared, and tin-119 Mössbauer spectroscopic characterization of seven-co-ordinate diorganotin(IV) adducts with 2,6-diacetylpyridine acylhydrazones, including the *X*-ray crystal structure of $SnEt_2$(dapt) [H_2dapt = 2,6-diacetylpyridine bis(2-thenoylhydrazone)], 289–94
One-electron transfer processes in the reaction of tin(II) halides with substituted *o*-quinones; crystal structure of bis(3,5-di-t-butylcatecholato)tin–1,10-phenanthroline-dimethylformamide (1/1/2), 439–46
The binding of trialkyltin(IV) moieties to rat haemoglobin, and the structure of model systems, studied by tin-119 Mössbauer spectroscopy, 519–26
Thermodynamics of hydroxy complex formation of dialkyltin(IV) ions in aqueous solution, 773–8
High-resolution solid-state tin-119 nuclear magnetic resonance spectroscopy of ternary tin oxides., 843–8
Crystal structure and mass spectrometry of dibromodimethyl[1-methyl-2(3*H*)-imidazolinethione-*S*']tin(IV), 927–30
Effect of axially bound anions on the electroreduction of tin(IV) porphyrins in tetrahydrofuran, 1531–6
Phenyltin trichloroacetate complexes: preparations and structures, 1589–98
Synthesis and properties of trimethyl(trifluorosilyl)stannane, 1879–82
Stereochemical role of lone pairs in main-group elements. Part 4. The crystal structure at 120 K of bis(1,4,7,10,13-pentaoxacyclopentadecane)tin(II) bis[trichlorostannate(II)], confirming the sterically inactive tin lone pair, 2155–60
Investigations of tin(II) halide aqueous solutions and solvent extracts by ^{119}Sn nuclear magnetic resonance spectroscopy: characterisation of the trihalogenostannate(II) anions $[SnX_3]^-$, $[SnX_2Y]^-$, and $[SnX(Y)Z]^-$ (X, Y, or Z = Cl, Br, or I), 2223–8

TIN-119
A reinvestigation of the structures of organotin sulphates and chromates, including the crystal and molecular structure of bis(trimethyltin) sulphate dihydrate, 267–74
High-resolution solid-state tin-119 nuclear magnetic resonance spectroscopy of ternary tin oxides., 843–8
Investigations of tin(II) halide aqueous solutions and solvent extracts by ^{119}Sn nuclear magnetic resonance spectroscopy: characterisation of the trihalogenostannate(II) anions $[SnX_3]^-$, $[SnX_2Y]^-$, and $[SnX(Y)Z]^-$ (X, Y, or Z = Cl, Br, or I), 2223–8

TITANIUM
An investigation of halide abstraction by arsenic(III): reactions of $AsCl_3$ with MCl_2 (M = Mg or Zn) and $TiCl_4$ in donor solvents (MeCN or $POCl_3$). Formation and crystal structure of the dimeric titanium(IV) compound $[Ti_2Cl_6(POCl_3)_2(PO_2Cl_2)_2]$, 57–60
The equilibrium of strontium ion exchange of sodium titanate, $Na_4Ti_9O_{20}\cdot xH_2O$, 101–4
Lamellar inorganic ion exchangers. Hydrogen–lithium ion exchange in γ-titanium phosphate, 829–36
N,N'-Ethylenebis(acetylacetoneiminato)titanium complexes: synthesis, crystal structures, and properties of titanium(III) and titanium(IV) derivatives, 953–8
Hydrazido-complexes of titanium(IV) with tris(pyrazolyl)borates. Crystal structures of $[TiLCl_2(NMeNMe_2)]$ and $[TiLCl_2(NPhNH_2)]$, L = tris(pyrazolyl)borate, 1413–6
Phenoxo and diphenoxo complexes of titanium(III) and vanadium(III): synthesis and *X*-ray structure, 1793–8
Preparation of thionylimide complexes of titanium, zirconium, and hafnium. Crystal structure of $[Zr(cp)(\eta\text{-}C_5Me_5)(NSO)_2]$, 1815–8

TITANIUM (contd)
Lamellar inorganic ion exchangers. H^+/Cs^+ ion exchange in γ-titanium phosphate, 1825–30
Synthesis and crystal structures of three four-membered ring compounds containing PN_2Ti skeletons, 2173–8
Cyclic metallasiloxane compounds of Ti^{IV} and Zr^{IV}. *X*-Ray crystal structures of a *cis*-bis(pyridine) bis(cyclosiloxy)titanate and a pyridinelithiated tris(cyclosiloxy)zirconate, 2347–52
The chemistry of dinitrogen residues. Part 7. Hydrazido(1−)- and *N,N*-dimethylhydroxylaminato(1−)-complexes of titanium(IV), 2389–96
On the existence of the anion trichloro(η-cyclopentadienyl)titanate(1−). Crystal structure of the salt $[Co(C_5H_5)_2][Ti(C_5H_5)Cl_3]$, 2453–6
TOLYL
Synthesis and *X*-ray crystal structure of tetra(2-methylphenyl)molybdenum(IV), $Mo(2\text{-}MeC_6H_4)_4$. Redox chemistry of $M(2\text{-}MeC_6H_4)_4$ compounds of molybdenum, rhenium, ruthenium, and osmium, 2149–54
TRANSITION METAL
Thermodynamics of the formation of metal complexes of 1,4,10-trioxa-7,13-diazacyclopentadecane-*N,N'*-diacetic acid and of 1,4,10,13-tetraoxa-7,16-diazacyclo-octadecane-*N,N'*-diacetic acid, 133–8
Syntheses and dynamic stereochemistry of methyl– and phenyl–carbonyl heterobinuclear metal–metal bonded complexes, 379–82
Oxidation of silver metal and silver(I) cations by molybdenum, tungsten, and uranium hexafluorides and by the nitrosonium cation in acetonitrile. Preparation and properties of silver(III) hexafluorometalates(V), 461–4
Bimetallic compounds of *trans*-cyclohexane-1,2-diamine-*NNN'N'*-tetra-acetate (cdta). Part 3. Structural and magnetic characterization of the dinuclear $[M(OH_2)_5][M'(cdta)]\cdot H_2O$ (M,M' = Ni,Ni; Mn,Ni; Mn,Cu; Co,Ni; or Co,Cu) and the tetranuclear $[M(OH_2)_4][M'(cdta)(OH_2)]\cdot 4H_2O$ (M,M' = Zn,Zn; Zn–Co; Co,Co; or Mn,Co) complexes, 863–72
Some transition-metal complexes of 1,3,2-dithiarsolane, 885–8
Preparation and characterisation of linear mixed-metal trinuclear carboxylate complexes of general formula $[M_2M'(O_2CR)_6(C_9H_7N)_2]$; crystal structure of $[Zn_2Ba(O_2CCMe_3)_6(C_9H_7N)_2]$, 1127–32
New dialkylamido complexes of transition metals in Groups 4 and 5 stabilised by terdentate ligands, 1253–8
Complexes of the pyridine-based, tridentate, sulphur-containing ligands 2,6-bis(ethylthiomethyl)pyridine, 2,6-bis(methoxycarbonylethylthiomethyl)pyridine, and 2,6-bis(benzylthiomethyl)pyridine. Crystal structure of [2,6-bis(ethylthiomethyl)pyridine]dichlorocadmium(II) hydrate, 1381–4
A planar, binucleating, pyrazole derivative ligand. Crystal structure of bis[μ-3,5-bis(2'-pyridyl)pyrazolato-$N^1N':N^2N''$]-bis[dimethanolnickel(II)] dichloride dihydrate, 1401–4
Complexes of ligands providing endogenous bridges. Part 7. The concurrent formation of 1 + 1 and 2 + 2 oxa-azamacrocycles; the *X*-ray crystal structure of an exocyclic dinuclear copper(II) complex, 1727–38
Electronic structure of transition-metal indenyl compounds: a He I and He II photoelectron spectroscopic study of $[Mn(\eta^5\text{-}C_9H_7)(CO)_3]$, $[Fe(\eta^5\text{-}C_9H_7)_2]$, $[Ru(\eta^5\text{-}C_9H_7)_2]$, and $[Ru(\eta^5\text{-}C_9H_7)(\eta\text{-}C_5Me_5)]$, 2139–48
Complex-forming properties of L-α-alaninehydroxamic acid (2-amino-*N*-hydroxypropanamide), 2247–52
Unusual chelating properties of the ligand 1,8-bis(3,5-dimethyl-1-pyrazolyl)-3,6-dithiaoctane (bddo). Crystal structures of Ni(bddo)-$(NCS)_2$, Zn(bddo)$(NCS)_2$ and Cd_2(bddo)$(NCS)_4$, 2309–14
Optical absorption and magnetic circular dichroism studies of hydrogen, copper(II), zinc(II), nickel(II), and cobalt(II) crown ether-substituted monomeric and dimeric phthalocyanines, 2397–406
Tables of bond lengths determined by *X*-ray and neutron diffraction. Part 2. Organometallic compounds and co-ordination complexes of the *d*- and *f*-block metals, S1–S84
TRIAZACYCLONONANE
Synthesis and spectroscopic studies of cobalt(III) complexes of the chiral pendant-arm macrocycle *N,N',N''*-tris[(2*S*)-2-hydroxypropyl]-1,4,7-triazacyclononane (H_3L); crystal structure of the hydrogen-bridged dimer $[CoLH_3LCo][PF_6]_3$, 931–6
TRIAZATRIPHOSPHORINANE
Reactions of amine hydrochlorides with phosphorus trichloride-oxide; preparation and *X*-ray crystal structure of 2,4,6-trichloro-1,3,5-triphenyl-1,3,5,2λ^5,4λ^5,6λ^5-triazatriphosphorinane 2,4,6-trioxide $(PhNPOCl)_3$, 821–8
TRIAZENIDE
Synthesis and *X*-ray crystal structure of $[Rh(NO)(PPh_3)_2(p\text{-}MeC_6H_4NNNC_6H_4Me\text{-}p)][BF_4]\cdot CH_2Cl_2$, 745–8
Reduction–oxidation properties of organotransition-metal complexes. Part 30. Triazenido-bridged carbonylrhodium bipyridyl complexes with $[Rh_2]^{2+}$, $[Rh_2]^{3+}$, and $[Rh_2]^{4+}$ cores, and the *X*-ray structures of $[Rh_2(CO)_2(bipy)(\mu\text{-}RNNNR)_2][BF_4]\cdot CH_2Cl_2$ and $[\{Rh_2I(CO)(bipy)(\mu\text{-}RNNNR)_2\}_2][PF_6]_2\cdot 2.5CH_2Cl_2$ (R = *p*-tolyl), 2049–60
TRIAZINE
Copper(II)-assisted hydrolysis of 2,4,6-tris(2-pyridyl)-1,3,5-triazine. Part 2. Crystal structures of [bis(2-pyridylcarbonyl)amido](pyridine-2-carboxamide)copper(II) trifluoromethanesulphonate and [bis(2-pyridylcarbonyl)amido][2,4,6-tris(2-pyridyl)-1,3,5-triazine]copper(II) trifluoromethanesulphonate, 1681–8
TRICHLOROACETATE
Phenyltin trichloroacetate complexes: preparations and structures, 1589–98
TRICHLOROSTANNYL
Crystallographic and nuclear magnetic resonance studies of carbonyl(η^3-methylallyl)(trichlorostannyl) complexes of platinum(II) and palladium(II), 615–22
TRIFLUOROMETHYL
Solvent influence on trifluoromethylation reactions with $Cd(CF_3)_2$: one-pot synthesis of trifluoromethyl iron complexes, 739–44
Synthesis of hydridotrifluoromethyl complexes of platinum(II). A spectroscopic investigation of the *trans* and *cis* influence of ligands in hydridoplatinum(II) compounds, 1149–60
TRIFLUOROSILYL
Synthesis and properties of trimethyl(trifluorosilyl)stannane, 1879–82
TUNGSTEN
Reactions of the bis(alkyne) complexes $[WI_2(CO)(NCMe)(\eta^2\text{-}RC_2R)_2]$ (R = Me or Ph) with mono- and bi-dentate phosphine-donor ligands and the *X*-ray crystal structure of $[WI_2(CO)\{Ph_2P(CH_2)PPh_2\}(\eta^2\text{-}MeC_2Me)]$, 295–302
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 84. Carbaborane tungsten–platinum complexes having a μ-$CC_6H_3Me_2$-2,6 ligand; crystal structures of $[WPt(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_n(PEt_3)(\mu\text{-}\sigma{:}\eta^5\text{-}C_2B_9H_8Me_2)]$ (*n* = 2 or 3), 303–12
Spectroscopic studies in matrix isolated tungsten chlorides and bromides, 313–6
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 85. Synthesis of chain and ring compounds containing molybdenum, 785–96
Synthesis, structures, and reactions of ethenethiolato complexes of molybdenum and tungsten $[M\{\eta^3\text{-}SC(CF_3)=C(CF_3)H\}(CF_3C{\equiv}CCF_3)(\eta^5\text{-}C_5H_5)]$ (M = Mo or W). Their relevance to the mechanism of metal-promoted isomerisation of carbon–carbon double bonds, 1027–36
Studies on transition metal peroxo complexes. Part 8. The nature of peroxomolybdates and peroxotungstates in aqueous solution, 1203–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 87. Docosahedral carbaborane(alkylidyne)tungsten complexes as reagents for the synthesis of compounds with heteronuclear metal–metal bonds: crystal structures of $[NEt_4][W(\equiv CC_6H_3Me_2\text{-}2,6)(CO)_2(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$ and $[NEt_4][WFe(\mu\text{-}CC_6H_3Me_2\text{-}2,6)(CO)_4(\eta^6\text{-}C_2B_{10}H_{10}Me_2)]$, 1363–74
Heteronuclear transition metal–alkyne clusters. Part 1. Reactions of tris(alkyne)monocarbonyltungsten complexes with octacarbonyldicobalt. Synthesis, *X*-ray crystal structure, and two-dimensional nuclear magnetic resonance studies of $[WCo_2(\mu\text{-}C_2Et_2)(\mu\text{-}C_4Et_4)(CO)_8]$, 1375–80
Reactions of heteropolyanions in non-polar solvents. Part 3. Activation of dioxygen by manganese(II) centres in polytungstates. Oxidation of hindered phenols, 1483–90
Tertiary phosphine complexes of triply bonded ditungsten bis(t-butylamide) tetrachloride. The *X*-ray crystal structures of $[W_2Cl_4(NHBu^t)_2(PMe_3)_2]$, $[W_2Cl_4(NHBu^t)_2(PEt_3)_2]$, and *cis*-$[W_2Cl_4(NHBu^t)_2(PMe_2Ph)_2]$, 1537–42
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 88. Carbaboranetungsteniridium compounds; crystal structure of the complex $[WIr(\mu\text{-}CC_6H_4Me\text{-}4)(CO)_2(PEt_3)_2(\eta^5\text{-}C_2B_9H_9Me_2)]$, 1845–54

TUNGSTEN (contd)
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 89. Tetra- and penta-nuclear tungsten–rhodium complexes: crystal structures of $[W_2Rh_2(\mu\text{-}CO)_2(\mu\text{-}CMe)\{\mu\text{-}C(Me)C(O)\}(\mu\text{-}PPh_2)_2(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$ and $[W_3Rh_2(\mu\text{-}CO)_2(\mu\text{-}CMe)\{\mu\text{-}C(Me)PPh_2\}(\mu_3\text{-}CMe)(CO)_2(\eta\text{-}C_5H_5)_3]$, 1855–64
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 90. Synthesis of the complexes $[W_2M_2(\mu\text{-}CO)(\mu\text{-}CMe)(\mu_3\text{-}CMe)(\mu\text{-}PPh_2)_2(CO)_3(\mu\text{-}C_5H_5)_2]$ (M = Rh or Ir) and related tetra- and penta-nuclear metal compounds; interconversion of ketenyl and λ^5-phospha-alkyne ligands bridging tungsten–rhodium bonds, 1865–70
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 91. Steric implications in the reactions of the complexes $[M(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W, R = C_6H_4Me-4, C_6H_4OMe-2, or $C_6H_3Me_2$-2,6) with the compounds $[Mo(CO)_3(NCMe)_3]$ and $[Cu(thf)(\eta\text{-}C_5Me_5)]$ (thf = tetrahydrofuran); crystal structure of $[Mo_3(\mu\text{-}CC_6H_3Me_2\text{-}2,6)_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 1871–8
Synthetic and structural studies on organomolybdenum and organotungsten complexes containing bismuth. *X*-Ray crystal structures of $[BiCl\{Mo(CO)_3(\eta\text{-}C_5H_5)\}_2]$ and $[BiCl\{Mo(CO)_2(CNBu^t)(\eta\text{-}C_5H_5)\}_2]$ (1988, 2941), 1887
Preparation, characterisation, and reactions with phosphite donor ligands of the new cationic monoalkyne complexes $[WI(CO)(NCMe)\{Ph_2P(CH_2)_nPPh_2\}(\eta^2\text{-}RC_2R)][BF_4]$ (*n* = 1—6; R = Me or Ph). *X*-Ray crystal structure of $[WI(CO)\{P(OPr^i)_3\}\{Ph_2P(CH_2)PPh_2\}(\eta^2\text{-}MeC_2Me)][BF_4]_{0.5}[OH]_{0.5}\cdot 0.5H_2O$, 1903–10
Synthesis and characterization of bis(xanthate) complexes of Mo^{II} and W^{II}. Crystal structure of $[W(S_2COPr^i\text{-}S)(S_2COPr^i\text{-}SS')(CO)_2(PMe_3)_2]$, 2003–10
Studies of the oxidative addition of some substrates containing carbon–heteroatom bonds to some tungsten and platinum complexes, 2099–108
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 92. Synthesis of alkynylmethylidyne-molybdenum and -tungsten complexes and their reactions with $[Co_2(CO)_8]$ and $[Mo_2(CO)_6(\eta\text{-}C_5H_5)_2]$, 2261–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 93. Synthesis of heteropolynuclear metal compounds with chains of seven to eleven metal atoms; crystal structure of $[Mo_2W_3Pt_6(\mu_3\text{-}CMe)_3(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(CO)_{10}(PMe_2Ph)_4(\eta\text{-}C_5H_5)_5]$, 2269–80
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 94. Synthesis of di- and tri-metal compounds *via* the reagents $[M(\equiv C\text{–}C\equiv CBu^t)(CO)_2(\eta\text{-}C_5H_5)]$ (M = Mo or W), 2281–8
Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 95. Synthesis and crystal structures of $[W_2RuPt(\mu\text{-}CC_6H_4Me\text{-}4)(\mu_3\text{-}CC_6H_4Me\text{-}4)(CO)_6(PMe_2Ph)(\eta\text{-}C_5H_5)_2]$ and $[W_2Ru_2Pt_2(\mu_3\text{-}CC_6H_4Me\text{-}4)_2(\mu\text{-}CO)_2(CO)_9(\eta\text{-}C_5H_5)_2]$, 2289–96
URANIUM
Actinide structural studies. Part 17. The crystal and molecular structures of four uranyl(VI) complexes with *N*,*N*-dialkyldithiocarbamate ligands, 471–80
Tri(η-cyclopentadienyl)uranium(IV) silyl and siloxide compounds. Crystal structure of $[U(\eta^5\text{-}C_5H_5)_3(OSiPh_3)]$. Insertion of isocyanide into a uranium–silicon bond, 677–82
URETHANE
Formation of alkylurethanes from carbon dioxide by regioselective *O*-alkylation of alkali-metal *N*,*N*-diethylcarbamates in the presence of complexing agents, 1007–10
VALEROLACTAMATE
Structural, spectroscopic, and electrochemical characterization of tetrakis-μ-(2-pyrrolidinonato)-dirhodium(II) and tetrakis-μ-(δ-valerolactamato)-dirhodium(II), 93–100
VANADIUM
Oxovanadium(IV) and dioxomolybdenum(VI) complexes: synthesis from the corresponding acetylacetonato complexes and *X*-ray structures, 145–50
Potentiometric and electron spin resonance investigation on the interactions between adenosine 5′-triphosphate (atp) and triphosphate ligands with vanadyl ion. Synthesis and characterization of solid vanadyl-atp compounds from acidic aqueous solution, 575–80
Proton electron nuclear double resonance study of oxovanadium(IV) complexes of D-galacturonic and polygalacturonic acids, 1283–8
Proton electron nuclear double resonance study of oxovanadium(IV) complexes of *o*-diphenolic ligands, 1289–92
Phenoxo and diphenoxo complexes of titanium(III) and vanadium(III): synthesis and *X*-ray structure, 1793–8
Monomolybdononavanadate and *cis*- and *trans*-dimolybdo-octavanadate, 1915–24
VANADIUM-51
Monomolybdononavanadate and *cis*- and *trans*-dimolybdo-octavanadate, 1915–24
VASOPRESSIN
The unusual co-ordination ability of vasopressin-like peptides; potentiometric and spectroscopic studies of some copper(II) and nickel(II) complexes, 173–8
VINYL
Alkyne insertion into ruthenium–carbon bonds: formation and ring-closing reactions of vinyl complexes, 465–70
Synthesis, structures, and reactions of ethenethiolato complexes of molybdenum and tungsten $[M\{\eta^3\text{-}SC(CF_3)=C(CF_3)H\}(CF_3C{\equiv}CCF_3)(\eta^5\text{-}C_5H_5)]$ (M = Mo or W). Their relevance to the mechanism of metal-promoted isomerisation of carbon–carbon double bonds, 1027–36
VINYLIDENE
Synthesis, structure, and dynamic behaviour of two isomeric triosmium clusters containing the ethoxyvinylidene (C=CHOEt) and ethoxyethyne (CH≡COEt) ligands respectively, 5–12
Reactions of 1-alkynes with *trans*-$[ReCl(N_2)(Ph_2PCH_2CH_2PPh_2)_2]$: preparation of the vinylidene compounds *trans*-$[ReCl(=C=CHR)(Ph_2PCH_2CH_2PPh_2)_2]$ (R = alkyl or aryl) and *X*-ray structure of *trans*-$[ReCl(=C=CHPh)(Ph_2PCH_2CH_2PPh_2)_2]$, 2381–8
WATER
Catalytic oxidation of water mediated by rhenium oxides, 849–52
YLIDE
Bi-, tetra-, and poly-nuclear complexes of gold(I) and silver(I) with bis(diphenylphosphino)-methanide or -amide acting as six-electron donors, 1883–6
ZINC
An investigation of halide abstraction by arsenic(III): reactions of $AsCl_3$ with MCl_2 (M = Mg or Zn) and $TiCl_4$ in donor solvents (MeCN or $POCl_3$). Formation and crystal structure of the dimeric titanium(IV) compound $[Ti_2Cl_6(POCl_3)_2(PO_2Cl_2)_2]$, 57–60
Zinc(II) complexes of 4,7-diazadecane-1,10-diamine, 4,8-diazaundecane-1,11-diamine, and tetraethylenepentamine: a carbon-13 nuclear magnetic resonance study, 1171–8
ZIRCONIUM
Formation of chromium interlayers in α-zirconium phosphate, 895–900
Zirconium phosphate ester interchange reactions, 1617–24
Preparation of thionylimide complexes of titanium, zirconium, and hafnium. Crystal structure of $[Zr(cp)(\eta\text{-}C_5Me_5)(NSO)_2]$, 1815–8
Cyclic metallasiloxane compounds of Ti^{IV} and Zr^{IV}. *X*-Ray crystal structures of a *cis*-bis(pyridine) bis(cyclosiloxy)titanate and a pyridinelithiated tris(cyclosiloxy)zirconate, 2347–55